HARO

Price List

2023

Parquet
Wood Performance Floor
Design Floor
Laminate Floor
Cork Floor

Wall Stairs Accessories

Dear Business Partner

The HARO brand stands for ongoing innovation, renewal and reliability, as well as the commitment to our traditions and our partners – and has done for many decades. As a family business it is our mission to develop contemporary products, services and systems for you and your customers.

This approach enables us to respond effectively to change and to grow with it. Our goal in 2023 is to continue developing products in harmony with our values of sustainability, responsibility and quality, which bring added value to the end user and are therefore worth their money. With our responsibility towards people and nature, we produce floors that are naturally beautiful and a delight for you and your customers.

On the following pages, you will find the current 2023 range with all the trends to convince your customers.

We wish you great success with HARO Floors!


With best wishes

Dr. Peter M. Hamberger

Peter Hamseyer

Peter Hamberger

Teler Hamberger



"With great passion and responsibility, we make high-quality floors of natural beauty that you can simply enjoy."

CONTENTS

Intro	0-21	88	
		HARO Design floor DISANO	
HARO Parquet HARO Parquet special topics Plank 1-Strip 180 4000 Series with retro brushed surface Plank 1-Strip Plaza 240 4000 Series Plank 1-Strip 180 4000 Series Plank 1-Strip 3500 Series Longstrip 4000 Series Longstrip 3500 Series	22 30 32 36 44 46 50	The Design Floor for Healthy Living DISANO Saphir DISANO Project DISANO ClassicAqua DISANO LifeAqua DISANO WaveAqua HARO Laminate Floor	88 94 98 102 106 114
Plank Maxim Plank 1-strip Prestige Strip Classico Strip Allegro parkettmanufaktur by HARO	52 54 58 60 64	HARO Laminate Floor special topics TRITTY 200 Aqua Gran Via 4V TRITTY 200 Aqua Plank 1-Strip 4V TRITTY 100 Gran Via 4V TRITTY 100 Plank 1-Strip TRITTY 100 Campus 4V TRITTY 90 Special Edition NKL 31	118 126 130 134 140 146 148
Wood Performance Floor			
Range	86		

156 HARO Cork Floor

HARO Cork Floor Design Classic Design Arteo XL 4V

160 HARO Wall

HARO Wall 160
Flooring on the wall 162
Design Wood on the wall 164
Foldwall 166

170 HARO Stairs

156

158

159

HARO Stairs	170
HARO Block steps	175
HARO Complete steps 3 in 1	176
HARO Format boards	178
HARO Stair nosings	182


190 HARO Accessories

Original HARO Accessories	190
original in the recessories	15

Products that keep the promise

With HARO, you can be certain that we use our resources efficiently to develop and manufacture non-toxic products in the spirit of nature and environmental protection – naturally with great passion for the sustainable raw material wood. This is why it is still a priority for the fifth generation of our family-run company to manufacture at our headquarters in Rosenheim. Wherever it says HARO, there is quality Made in Germany!

Find out more: www.haro.com



























Our floors have received numerous awards and certifications.

HARO stands for naturally beautiful flooring

Since we have more than 150 years of experience with wood, we know better than anyone what the surface of a floor must be like to make your rooms and home feel like a part of nature. But our expertise reaches far beyond parquet flooring alone. With our know-how, we successfully develop design floors and laminate floors that are almost indistinguishable from an original wood surface.

Convince yourself of the high quality of our products – and inspire your customers.



HARO Room Visualizer


Sales support that truly helps

Almost as exciting as a test drive, but certainly less complicated. With the HARO Room Visualizer, you can install your favourite HARO Parquet in your own four walls – easily, virtually and without obligation.

Does your dream floor match your beloved sofa or the colour of the newly painted kitchen backsplash? Which board format and colour will make your home office look especially spacious? Virtually install your favourite parquet with the HARO Room Visualizer – with just one click. Simply visit haro.com/roomvisualizer and get started.

This is how it works:

- 1. Visit haro.com/roomvisualizer
- Take a photo of your room or upload an existing photo
- **3.** Select your parquet floor
- **4.** Admire how nicely your favourite floor fits into your home



The simple way to the right parquet

Selling has never been easier

From our diverse range of parquet flooring, we have selected the bestsellers in the wood type oak for you, and grouped them in the Easy Selling concept Oak Classic Colours. To make it especially easy for you to advise your customers, every floor in the Easy Selling group is available in:

- 6 Colours
- · 3 Designs
- · 3 Grades
- · 3 Surfaces

You can provide targeted sales advice according to the wishes and needs of your customers and according to the form in which the floors are available.

For your POS, there is the familiar display that presents the range clearly and comprehensibly for your customers.



Parquet 4000 Series

Easy Selling concept Oak Classic Colours

6 Colours













Light White

Puro White

invisible

Nature

Smoked Oak

3 Designs



Each floor is available in every colour, every design, every grading, and every surface finish.

3 Grades







Markant

Sauvage

Naturale

3 Surfaces







The HARO Easy Selling concept

Easy selling

Simple range logic for fast and successful selling

We have clustered the extensive range of DISANO Design Floors into three categories to create greater clarity and make it easier to provide sales advice to your customers.

According to the principle **Good – Better – Best**, consultation becomes an easy and quick success that meets the needs of your customers.


In addition, in each cluster you can get every board format in every style (with the exception of tile formats).



Design floor DISANO

Easy Selling concept

BestClassicAqua | Saphir | Project



The HARO Easy Selling concept

Easy to upgrade

The simple way to a better floor

It goes without saying that the most important selection factor when buying a floor is its look. With the matching styles, you can easily recommend the better floor to your customers. The properties of the TRITTY 200 Aqua Laminate Floor speak for themselves.

By the way: The TRITTY 200 Aqua Laminate Floor also has additional moisture protection, making it suitable for damp rooms.



Laminate Floor


Easy Selling concept

TRITTY 200 Aqua

21 Styles



2 Formats





243 X 2200 mm

Level of use 33 Abrasion class AC6 Impact class IC3 Scratch resistance Grade 5 Suitable for use in damp rooms



TRITTY 100

21 Styles



2 Formats



243 X 2200 mm

Level of use 32 Abrasion class AC4 Impact class IC3 Scratch resistance Grade 4

Easy Selling concept Accessories

The 'installation, decoration, care' principle


Your benefits as a distributor:


- The optimisation of the accessory structure according to the 'installation, decoration, care' concept organises the comprehensive range of accessories and makes consulting and selling easier.
- For the end users, the range of accessories is clearer, and they can immediately recognise which articles are additionally required for the floor.
- HARO accessories give you the security of buying the right accessories. They technically and visually match the HARO Floors.




Accessories

Easy Selling concept







Contact partners who are there for you

Always here for you – in and for your region!


As a family business, we place great value on quality, responsibility and reliability.

Our customers are our top priority, and for you as our partner, we always offer short and direct communication lines.

Our team is always available to offer professional and competent advice. Get in touch!



Mr Gernot Wilding Sales Manager CEE +43 664 1205999 g.wilding@haro.com



Ms Zuzana Panczová Area Sales Manager CEE +43 664 2518381 z.panczova@haro.com



Kedves Viszonteladó Partnerünk!

HARO készletünket folyamatosan frissítjük, mely weboldalunkon bármikor megtekinthető. Kéréseivel, kérdéseivel forduljon az iroda munkatársaihoz bizalommal!

IBDesign nagykereskedelem:

2310 Szigetszentmiklós, II. Rákóczi Ferenc u. 36/B. GPS:47°22'49.6"N 19°00'38.3"E

Iroda központi elérhetősége:

+36 1 700 3020; rendeles@IBD.hu

Marketing osztály: marketing@IBD.hu

Nyitvatartás:


Hétfőtől-Csütörtökig: 08:00-16:30 Péntek: 08:00-16:00


Áru kiadás:


Hétfőtől-Csütörtökig: 08:00-16:30 Péntek: 08:00-16:00

www.ibdnagyker.hu | www.ibdesign.hu









HARO Parquet

One of a kind.

Quality

HARO has been producing parquet flooring since 1950. This extensive experience and expertise is embodied in every single parquet board and ensures consistently high quality – both in production and in use. For this reason, we also offer a guarantee of up to 30 years and thus the certainty of having chosen the right floor.

Beauty

Thanks to our wealth of experience working with wood, we know how to process and refine it in a way that highlights and emphasises the beauty of this natural product. This is complemented by innovative brushing processes and natural looking finishes, which enhance the natural beauty of our parquet floors.

Easy care

HARO PARQUET is straightforward and easy to clean and care for. To maintain the timeless beauty of our parquet, dry cleaning with a vacuum cleaner is sufficient. If required, it can be wiped with a damp cloth using our series, which is specially adapted to our parquet flooring. Quick and easy.

HARO Parquet with three-layer construction

For floating or glue-down installation.

Technical construction

3-layer construction for floating installation, full glue-down installation or installation with self-adhesive ComforTec system.



Solid spruce fingerstrips as middle layer (HDF E1 coreboard for the 3500 Series)

3 Softwood backing board

Three different board formats give you almost unlimited design possibilities..

Plank 1-Strip 180:

The parquet classic in board format.

Floors marked with are suitable for installation in the bathroom. ***

Dimensions: 180 x 2200 mm respectively 173 x 2200 mm*

Plank 1-Strip Plaza 240:

Extra wide for an especially spacious look.


Dimensions: 240 x 2200 mm respectively 220 x 2200 mm**

Longstrip:

Vibrant, modern look provided by three parallel strips.

Dimensions: 180 x 2200 mm

- * Thermo Ash, Smoked Oak, African Oak
- ** Smoked Oak
- *** Please note the special installation instructions.



HARO Parquet with two-layer construction

For professional glue-down installation.

Technical construction

2-layer construction for glue-down installation

1 Approx. 3.5 mm thick top layer of choice precious wood

2 Solid spruce fingerstrips

Classical or contemporary, timeless or trendy -4 different formats for all tastes. Plank Maxim: The large strips in original plank 1-strip format on spruce fingerstrips. Floors marked with are suitable for installation in the bathroom.*** Dimensions: 180 x 2200 mm respectively 173 x 2200 mm* Plank 1-strip Prestige: Plank 1-Strip format. Also suitable for herringbone pattern installation. Floors marked with _____ are suitable for installation in the bathroom. *** Dimensions: 120 x 1000 mm Strip Classico: A classic, timeless design combined with an especially harmonious overall look. Dimensions: 85 x 771 mm Strip Allegro: Timeless, classic design. Ideal for a wide variety of installation patterns. Dimensions: 70 x 490 mm

- * Smoked Oak
- *** Please note the special installation instructions.

Grades

Longstrip / Strip Allegro / Strip Classico

The oak top layers we select for our HARO parquets are available in a wide variety of grades from subtle to vibrant. We provide the right HARO Oak Parquet for every taste. As with all pleasant things in life, it is your personal taste that counts. The descriptions of the grades are only an approximate value. A decision can best be made with the original board.

EXQUISIT (only for Longstrip floors): Choice top-layer strips of uniform texture and colour | Look: Calm, representative visual impact O



 $\textbf{TREND} : \mathsf{Calm} \ \mathsf{wood} \ \mathsf{grain} \ \mathsf{with} \ \mathsf{small} \ \mathsf{amount} \ \mathsf{of} \ \mathsf{knots} \quad \mathsf{I} \quad \mathsf{Look} : \mathsf{Natural}, \mathsf{classic}, \mathsf{timeless} \ \triangle$



 $\textbf{NATURALE:} \ \textbf{Wood grain with natural colour differences and a natural amount of knots} \quad \textbf{I} \quad \textbf{Look:} \ \textbf{Vibrant} \ \Box$



Note: Exotic woods may included other mineral features typical with the species.

O, \triangle , \square graded in acc. with EN 13489, 4.4; all others graded in acc. with EN 13489, B

Grades

Plank 1-Strip 180 / Plank 1-Strip Plaza 240 / Plank 1-strip Prestige / Plank Maxim

EXKLUSIV: Choice top-layer strips of uniform texture and colour | Look: Calm, representative visual impact



MARKANT: Wood grain with natural amount of knots I Look: Natural, classic, timeless



SAUVAGE: Natural to vibrant wood texture, larger amounts of knots, cracks, filled areas and wormholes are possible | 1 Look: Trendy, rustic



UNIVERSAL: Combination of our grades, including heartwood | Look: Vibrant



ALABAMA: Lively wood texture with authentic amount of knots and a number of black puttied cracks I Look: unique, rustic, authentic



Surface treatment





The permaDur finish is a high-quality varnished surface with an elegant, silky matt shine. Its surface impresses with exceptional durability and easy maintenance.



The revolutionary premium surface finish naturaDur impresses with its beauty and the soft feel of a natural oil surface. At the same time, the finish is a durable special varnish that protects the parquet floor against signs of wear and tear and makes maintenance and cleaning even easier.



The breathing natural oil surface naturaLin plus perfectly sets the scene for the natural character of a parquet floor. The oil penetrates the wood, protects the parquet and gives it a unique matt look and a natural feel. The surface is particularly easy to clean.

Characteristics

- · Silky-matt shine
- Particularly hard-wearing thanks to the protective layer on the precious-wood surface
- · Exceptionally easy to maintain
- · Lowest susceptibility to dirt
- The look of a varnished surface
- Haptically perceptible surface protection
- Suitable for commercial applications
- All floors with permaDur high finish have been awarded the Blue Angel environmental label.

Characteristics

- · Natural matt surface
- Special finish with high resistance to wear & tear and scratches, and thus very hardwearing
- Especially easy to maintain
- The pleasantly soft feel and look of a natural oil surface
- Suitable for commercial applications
- All floors with naturaDur surface finish have been awarded the Blue Angel environmental label.

Characteristics

- · Especially matt surface
- Natural and authentic look
- Easy to maintain
- · The natural feel of real wood
- All floors with naturaLin plus natural oil surface have been awarded the "Blue Angel" environmental label.

The surface textures

smooth



- Velvety-matt surface
- A pleasantly smooth feel
- Timeless beauty

brushed



- Authentic feel and very natural look of the surface
- Trendv
- By treating the surface with special brushes, the soft material between the annual rings is brushed down.

alpine brushed



- The look and feel are even more distinctive and natural than with textured surfaces
- Rustic and distinctive surface texture
- Exclusive surface for Plaza 240 Plank 1-Strip

retro brushed



- Authentic texture that reflects the natural growth of the wood and emphasises the knots.
- In combination with the matt natural oil finish, the floor looks all natural yet very modern.

Plank 1-Strip 180

with retro brushed surface



Dimensions: 13,5 x 180 (173) x 2200 mm Top layer thickness: approx. 3,5 mm

3-ply construction with solid wood strip middle layer













Dimensions: 13,5 x 180 x 2200 mm Top layer thickness: approx. 3,5 mm Packaging: 8 piece/pack = 3,17 m² 32 pack/pallet = 101,44 m²

7,41 kg/m²; 23,49 kg/pack; 751,68 kg/pallet 3-layer construction with solid wood strip middle layer

4000 Series retro brushed

From 10 $\,\mathrm{m^2}$ all articles on this page optionally available with ComforTec or Silent Pro. (Delivery time on inquiry).

all prices in €/m²

Supplement excl. VAT 8,75 €/m²

Wood Species/Grade		Finish	ID N°	excl. VAT
	Oak ⁴ Puro White Sauvage retro brushed 4V Matching skirting	nL+	535622	€ 91,58
	ID N° 411086 Oak 4	nL+	530795	€ 91,58
The state of the s	Tobacco Grey Sauvage retro brushed 4V	_	33∾793	C 91,50
	Matching skirting ID N° 411092			
	Oak 4 Sauvage retro brushed 4V Matching skirting ID N° 411075	nL+	530793	€ 89,08
	Smoked Oak 4* Sauvage retro brushed 4V Matching skirting ID N° 411071	nL+	534152	€ 101,58
NEW	Ash ⁴ Tobacco Grey Universal retro brushed 4V	nL+	544625	€ 101,58
	Matching skirting ID N° 412441			

Plank 1-Strip Plaza 240

The extra-wide plank format for large rooms



Dimensions: 13,5 x 240 (220) x 2200 mm
Top layer thickness: approx. 3,5 mm
3-ply construction with solid wood strip middle layer


















Dimensions: 13,5 x 240 (220) x 2200 mm
Top layer thickness: approx. 3,5 mm
Packaging: 6 piece/pack = 3,17 m²
33 pack/pallet = 104,61 m²
7,41 kg/m²; 23,49 kg/pack;
775,17 kg/pallet
3-layer construction with solid wood strip middle layer

4000 Series

PLANK 1-STRIP PLAZA 240

400000...

From 10 $\rm m^2$ all articles on this page optionally available with ComforTec or Silent Pro. (Delivery time on inquiry).

Supplement excl. VAT 8,75 €/m²

all prices in €/m²

Wood Species/Grade		Finish	ID N°	excl. VAT
	Oak Light White Markant	nD_	541854	€ 114,92
WORKER TO THE	brushed 4V	nL+	541428	€ 114,92
	Matching skirting ID N° nD 411485/nL+ 411485			
	Oak⁴ Light White Sauvage	<u>nD</u>	541855	€ 102,42
\$1 - AC - A	brushed 4V	nL+	541429	€ 102,42
	Matching skirting ID N° nD 411485/nL+ 411485			
The same of the sa	Oak Puro White Markant	nD_	541432	€ 114,92
	brushed 4V	nL+	537606	€ 114,92
	Matching skirting ID N° nD 411086/nL+ 411086			
The state of the s	Oak⁴ Puro White Sauvage	nD_	541433	€ 102,42
	brushed 4V	nL+	537607	€ 102,42
	Matching skirting ID N° nD 411086/nL+ 411086			
	Oak⁴ Puro White Universal	nL+	538963	€ 110,75
	alpine brushed 4V			
	Matching skirting ID N° 411086			
	Oak Sand Grey Markant	nD_	541182	€ 114,92
A CHARLES	brushed 4V	nL+	541434	€ 114,92
	Matching skirting ID N° nD 411088/nL+ 411088			
Land To the land	Oak ⁴ Sand Grey Sauvage brushed 4V	<u>nD</u>	541435	€ 102,42
7		nL+	541436	€ 102,42
	Matching skirting ID N° nD 411088/nL+ 411088			
53	Oak⁴ Tobacco Grey Universal	nL+	538967	€ 110,75
	alpine brushed 4V			
	Matching skirting ID N° 411092			
- 16	Oak Invisible Markant	nD_	541430	€ 114,92
1 30 - 1 2 3 3 3 L	brushed 4V	nL+	538964	€ 114,92
	Matching skirting ID N° nD 411467/nL+ 411467			
	Oak ⁴ Invisible Sauvage	<u>nD</u>	541431	€ 102,42
	brushed 4V	nL+	538965	€ 102,42
	Matching skirting ID N° nD 411467/nL+ 411467			

PLANK 1-STRIP PLAZA 240

4000 Series

Dimensions: 13,5 x 240 (220) x 2200 mm

Top layer thickness: approx. 3,5 mm

Packaging: 6 piece/pack = 3,17 m²
33 pack/pallet = 104,61 m²
7,41 kg/m²; 23,49 kg/pack;
775,17 kg/pallet
3-layer construction with solid wood strip middle layer





From 10 $\rm m^2$ all articles on this page optionally available with ComforTec or Silent Pro. (Delivery time on inquiry).

Supplement excl. VAT 8,75 €/m² all prices in € /m²

Supplement excl. VAT 8,75 €/m²					all prices in € /m
Wood Species/Grade		Finish	ID N°	excl. VAT	
15 14 18 18 18 18 18 18 18 18 18 18 18 18 18	Oak Markant	nD_	536546	€ 112,42	
	brushed 4V	nL+	536974	€ 112,42	
	Matching skirting ID N° nD 411075/nL+ 411075				
The state of	Oak⁴ Sauvage	nD_	540234	€ 99,92	
4	brushed 4V	nL+	536975	€ 99,92	
	Matching skirting ID N° nD 411075/nL+ 411075				
	Oak⁴ Universal alpine brushed 4V	nL+	538966	€ 108,25	
	Matching skirting ID N° 411075				
O.	Fumed Oak ⁴ Puro White Universal brushed 4V	nL+	541441	€ 114,92	
	Matching skirting ID N° 411103				
	Fumed Oak ⁴ Invisible Universal brushed 4V	nL+	541442	€ 114,92	
No.	Matching skirting ID N° 411102				
	Fumed Oak⁴ Universal brushed 4V	nL+	540232	€ 112,42	
	Matching skirting ID N° 411101				
	Smoked Oak * Markant	_nD_	541437	€ 124,92	
	brushed 4V	nL+	541438	€ 124,92	
	Matching skirting ID N° nD 411071/nL+ 411071				
A DESCRIPTION OF	Smoked Oak ^{4*} Sauvage	nD_	541439	€ 112,42	
	brushed 4V	nL+	541440	€ 112,42	
	Matching skirting ID N° nD 411071/nL+ 411071				
	Smoked Oak 4* Universal alpine brushed 4V	nL+	533499	€ 120,75	
	Matching skirting ID N° 411071				



HARO PARQUET 4000 Plank 1-Strip Plaza 240 4V **Oak** Sauvage brushed

Plank 1-Strip 180

The classic Plank 1-Strip board for a clear and spacious atmosphere



Dimensions: 13,5 x 180 (173) x 2200 mm
Top layer thickness: approx. 3,5 mm
3-ply construction with solid wood strip middle layer

















Dimensions: 13,5 x 180 (173) x 2200 mm Top layer thickness: approx. 3,5 mm Packaging: 8 piece/pack = 3,17 m² 32 pack/pallet = 101,44 m² 7,41 kg/m²; 23,49 kg/pack; 751,68 kg/pallet 3-layer construction with solid wood strip middle layer

4000 Series

From 10 $\,\mathrm{m^2}$ all articles on this page optionally available with ComforTec or Silent Pro. (Delivery time on inquiry).

Supplement excl. VAT 8,75 €/m²

all prices in € /m²

Wood Species/Grade		Finish	ID N°	excl. VAT
	Oak Crystal White Markant brushed 4V	nL+	538934	€ 98,25
	Matching skirting ID N° 411082			
	Oak 4 Crystal White Sauvage brushed 4V	nL+	538935	€ 85,75
8	Matching skirting ID N° 411082			
	Oak Light White Markant	pD	531216	€ 96,58
C - 10 3 + 10 7 5 1 - 1	brushed 2V	nD_	541856	€ 98,25
	Matching skirting ID N° pD 411136/nD 411485			
3511	Oak Light White Markant brushed 4V	<u>nL+</u>	541859	€ 98,25
	Matching skirting ID N° 411485			
*	Oak ⁴ Light White Sauvage	pD	529268	€ 84,08
	brushed 2V	nD_	541857	€ 85,75
	Matching skirting ID N° pD 411136/nD 411485			
	Oak ⁴ Light White Sauvage brushed 4V	<u>nL+</u>	541860	€ 85,75
	Matching skirting ID N° 411485			
Carrier 1	Oak White Barrique * Selectiv brushed 4V	oleovera	529063	€ 127,42
	Matching skirting ID N° 540554			
	Oak Puro White Exklusiv brushed 4V	nL+	531679	€ 114,92
	Matching skirting ID N° 411086			
	Oak Puro White Markant	pD	538960	€ 96,58
	brushed 2V	nD_	538959	€ 98,25
100	Matching skirting ID N° pD 411137/nD 411086			
Reverso** ID N° 528272	Oak Puro White Markant brushed 4V	nL+	527326	€ 98,25
	Matching skirting ID N° 411086			

Only delivered in complete cartons. HARO PARQUET with unfinished/sanded surface available on request; minimum purchasing quantity 200 sq.m. We reserve the right to supply one layer per carton in lengths below 2 m (78 3/4").

4 Splinters and core splits may form on the board surface.

*Oak White Barrique Dimensions: 13,5 x 173 x 2200 mm, Packaging: 8 piece/pack = 3,05 m² 32 pack/pallet = 97,60 m² 7,41 kg/m²; 22,60 kg/pack; 723,20 kg/pallet ** Reverso direction-change board, price per item: 54.97 excl. VAT

PLANK 1-STRIP 180

Serie 4000

Dimensions: 13,5 x 180 (173) x 2200 mm
Top layer thickness: approx. 3,5 mm
Packaging: 8 piece/pack = 3,17 m²
32 pack/pallet = 101,44 m²
7,41 kg/m²; 23,49 kg/pack;
75,168 kg/pallet
3-layer construction with solid wood strip middle layer





From 10 $\rm m^2$ all articles on this page optionally available with ComforTec or Silent Pro. (Delivery time on inquiry).

Supplement excl. VAT 8,75 €/m² all prices in € /m²

Supplement excl. VAT 8,75 €/m²					iii prices in € /m
Wood Species/Grade		Finish	ID N°	excl. VAT	
	Oak ⁴ Puro White Sauvage	pD	538962	€ 84,08	
	brushed 2V	_nD_	538961	€ 85,75	
	Matching skirting ID N° pD 411137/nD 411086				
The state of the s	Oak ⁴ Puro White Sauvage brushed 4V	nL+	530195	€ 85,75	
	Matching skirting ID N° 411086				
	Oak ⁴ Puro White Alabama brushed 4V	nL+	529764	€ 79,08	
	Matching skirting ID N° 411086				
	Oak Sand Grey Markant	pD	538942	€ 96,58	
	brushed 2V	nD_	535449	€ 98,25	
2000	Matching skirting ID N° pD 410900/nD 411088				
	Oak Sand Grey Markant brushed 4V	nL+	538943	€ 98,25	
	Matching skirting ID N° 411088				
	Oak⁴ Sand Grey Sauvage	pD	538944	€ 84,08	
	brushed 2V Matching skirting ID N° pD 410900/nD 411088	_nD_	535450	€ 85,75	
AND THE PROPERTY OF THE PARTY O	Oak ⁴ Sand Grey Sauvage brushed 4V	nL+	538945	€ 85,75	
	Matching skirting ID N° 411088				
	Oak Shell Grey Markant brushed 4V	nL+	538946	€ 98,25	
	Matching skirting ID N° 411083				
	Oak ⁴ Shell Grey Sauvage brushed 4V	nL+	538947	€ 85,75	
	Matching skirting ID N° 411083				
10 m	Oak Invisible Markant	pD	538938	€ 96,58	
	brushed 2V	<u>nD</u>	535445	€ 98,25	
	Matching skirting ID N° pD 411469/nD 411467				



Dimensions: 13,5 x 180 (173) x 2200 mm Top layer thickness: approx. 3,5 mm Packaging: 8 piece/pack = 3,17 m² 32 pack/pallet = 101,44 m² 7,41 kg/m²; 23,49 kg/pack; 751,68 kg/pallet 3-layer construction with solid wood strip middle layer

Serie 4000

PLANK 1-STRIP 180

From 10 $\,\mathrm{m^2}$ all articles on this page optionally available with ComforTec or Silent Pro.

Supplement excl. VAT 8,75 €/m²

(Delivery time on inquiry).

all prices in € /m²

an prices in e /iii				Supplement exci. VAI 6,/3 e/in
Wood Species/Grade		Finish	ID N°	excl. VAT
	Oak Invisible Markant brushed 4V	nL+	535617	€ 98,25
	Matching skirting ID N° 411467			
The same of the sa	Oak ⁴ Invisible Sauvage	pD	538939	€ 84,08
	brushed 2V	nD_	535446	€ 85,75
	Matching skirting ID N° pD 411469/nD 411467			
	Oak 4 Invisible Sauvage brushed 4V	nL+	535618	€ 85,75
	Matching skirting ID N° 411467			
	Oak Exklusiv	<u>pD</u>	524680	€ 109,92
	Matching skirting ID N° 411131			
SPA Parkett	Oak ³ Exklusiv brushed 4V	nL+	531677	€ 112,42
	Matching skirting ID N° 411075			
Reverso** ID N° pD 528268	Oak Markant	pD	524577	€ 94,08
	brushed 2V	<u>nD</u>	535447	€ 95,75
A STREET BEST OF THE STREET	Matching skirting ID N° pD 411132/nD 411075			
Reverso** ID N° 528269	Oak ³ Markant brushed 4V	nL+	528682	€ 95,75
NIII TO THE	Matching skirting ID N° 411075			
Reverso** ID N° pD 531512	Oak ⁴ Sauvage	pD	524634	€ 81,58
- CAN 1888	brushed 2V	nD_	535448	€ 83,25
	Matching skirting ID N° pD 411132/nD 411075			
Reverso** ID N° 531513	Oak ⁴ Sauvage brushed 4V	nL+	528695	€ 83,25
	Matching skirting ID N° 411075			
6	Creek Oak ⁷ brushed 4V	oleovera	529067	€ 137,42
	Matching skirting ID N° 540556			

Only delivered in complete cartons. HARO PARQUET with unfinished/sanded surface available on request; minimum purchasing quantity 200 sq.m. We reserve the right to supply one layer per carton in lengths below 2 m (78 3/4").

3 Special installation instructions for bathroom installation must be followed!

4 Splinters and core splits may form on the board surface. 7 Delivery time: 4-6 weeks

** Reverso direction-change board, price per item: 54-97 excl. VAT

PLANK 1-STRIP 180

Serie 4000

Dimensions: 13,5 x 180 (173) x 2200 mm
Top layer thickness: approx. 3,5 mm
Packaging: 8 piece/pack = 3,17 m²
32 pack/pallet = 101,44 m²
7,41 kg/m²; 23,49 kg/pack;
751,68 kg/pallet
3-layer construction with solid wood strip middle layer





From 10 $\,\mathrm{m^2}$ all articles on this page optionally available with ComforTec or Silent Pro. (Delivery time on inquiry).

Supplement excl. VAT 8,75 €/m² all prices in € /m²

Supplement excl. VAT 8,75 €/m²					all prices in € /m²
Wood Species/Grade		Finish	ID N°	excl. VAT	
184 2 - 19	Oak Nubia * brushed 2V	oleovera	525259	€ 133,25	
	Matching skirting ID N° 540557				
	Oak 4 Alabama brushed 4V Matching skirting ID N° 411075	<u>nL+</u>	529587	€ 76,58	
	Vintage Oak 2* brushed 2V	oleovera	525260	€ 308,25	
	Matching skirting ID N° 540558				
	Oak Barrique * Selectiv brushed 4V	oleovera	529062	€ 124,92	
	Matching skirting ID N° 540555				
Control of the last	Fumed Oak ⁴ Puro White Sauvage brushed 4V	nL+	538940	€ 94,08	
	Matching skirting ID N° 411103				
	Fumed Oak 4 Invisible Sauvage brushed 4V	nL+	538941	€ 94,08	
	Matching skirting ID N° 411102				
The state of the s	Fumed Oak⁴ Sauvage brushed 4V	<u>nL+</u>	538949	€ 91,58	
	Matching skirting ID N° 411101				
A ART I	Smoked Oak * Markant	pD	526040	€ 106,58	
	brushed 2V	<u>nD</u>	535465	€ 108,25	
The second second	Matching skirting ID N° pD 411128/nD 411071				
SPA Parke	Smoked Oak 3* Markant brushed 4V	<u>nL+</u>	528678	€ 108,25	
	Matching skirting ID N° 411071				
	Smoked Oak 4* Sauvage brushed 2V	pD	541958	€ 94,08	
	Matching skirting ID N° pD 41128/nD 411071	<u>nD</u>	535466	€ 95,75	
THE PARTY OF THE P	70 11 po 4/1/20/110 4/10/1				

PARQUET





Dimensions: 13,5 x 180 (173) x 2200 mm Top layer thickness: approx. 3,5 mm Packaging: 8 piece/pack = 3,17 m² 32 pack/pallet = 101,44 m² 7,41 kg/m²; 23,49 kg/pack; 751,68 kg/pallet 3-layer construction with solid wood strip middle layer

Serie 4000

From 10 $\,\mathrm{m^2}$ all articles on this page optionally available with ComforTec or Silent Pro. (Delivery time on inquiry).

all prices in € /m²				Supplement excl. VAT 8,75 €/m ²
Wood Species/Grade		Finish	ID N°	excl. VAT
Reverso ** ID N° 528275	Smoked Oak 4* Sauvage brushed 4V Matching skirting	nL+	530148	€ 95,75
	Oak Reed Brown Markant brushed 4V	<u>nL+</u>	539088	€ 98,25
	Matching skirting ID N° 411091 Oak 4 Reed Brown Sauvage brushed 4V Matching skirting	nL+	539089	€ 85,75
Reverso** ID N° 528278	African Oak 3* brushed 4V Matching skirting ID N° 411069	nL+	528674	€ 112,42
	Oak Carbon Black * Selectiv brushed 4V Matching skirting ID N° 540559	oleovera	529066	€ 133,25
	Beech Steamed ⁴ Universal 2V Matching skirting ID № 411072	nD	535451	€ 82,42
7	Beech Steamed ⁴ Universal brushed 4V Matching skirting ID N° 411073	nL+	538951	€ 83,25
(C C C C	Ash 4 Light White Universal brushed 2V Matching skirting ID N° pD 411141/nD 411496	pD nD	538952 541858	€ 94,08 € 95,75
NEW	Ash 4 Pastel Creme Universal brushed 2V Matching skirting ID N° 412443	nD	544627	€ 95,75
NEW	Ash 4 Invisible Universal brushed 2V Matching skirting	nD_	544630	€ 95,75

Only delivered in complete cartons. HARO PARQUET with unfinished/sanded surface available on request; minimum purchasing quantity 200 sq.m.

Only delivered in complete cartons. HAKO PARQUET with unninshed/sanded surface available on request; minimum purchasing quantity 200 sq.m.

We reserve the right to supply one layer per carton in lengths below 2 m (78 3/4").

Delivery time on inquiry ³ Special installation instructions for bathroom installation must be followed! ⁴ Splinters and core splits may form on the board surface.

*Smoked Oak, African Oak, Oak Carbon Black, Dimensions: 13,5 x 173 x 2200 mm,

Packaging: 8 piece/pack = 3,05 m² 32 pack/pallet = 97,60 m² 7,41 kg/m²; 22,60 kg/pack; 723,20 kg/pallet

** Reverso direction-change board, price per item: 54.97 excl. VAT

PLANK 1-STRIP 180

4000 Series

Dimensions: 13,5 x 180 x 2200 mm **Top layer thickness:** approx. 3,5 mm Packaging: 8 piece/pack = 3,17 m² 32 pack/pallet = 101,44 m² 3-2 pack-painter - 101,44 in 7,41 kg/m²; 23,49 kg/pack; 751,68 kg/pallet 3-layer construction with solid wood strip middle layer





From 10 m² all articles on this page optionally available with ComforTec or Silent Pro. (Delivery time on inquiry).

Supplement excl. VAT 8,75 €/m² all prices in €/m²

Supplement excl. VAI 8,75 €/m²					all prices in € /m
Wood Species/Grade		Finish	ID N°	excl. VAT	
	Ash Barrique * Selectiv brushed 4V	oleovera	529064	€ 124,92	
	Matching skirting ID N° 540560				
	Ash Olive Grey * Expressiv brushed 4V	oleovera	529065	€ 124,92	
	Matching skirting ID N° 540 561				
Company of the second	Thermo Ash * Mezzo brushed 4V	nL+	531772	€ 108,25	
	Matching skirting ID N° 411105				
	Canadian Maple Markant	<u>pD</u>	524916	€ 108,25	
	Matching skirting ID N° 411126				
NEW	Fir 4* Light White Universal brushed 2V	_nD_	544626	€ 69,08	
	Matching skirting ID N° 412445				
NEW	Fir 4* Pastel Grey Universal brushed 2V Matching skirting ID N° 412442	_nD_	544628	€ 69,08	
NEW The state of t	Fir 4* Universal brushed 2V	<u>nD</u>	544632	€ 66,58	
	Matching skirting ID N° 412446				
	American Walnut ⁸ Markant 2V	nD_	535453	€ 229,08	
	Matching skirting ID N° 411100				
THE RESERVE TO SHARE	American Walnut ⁸ Markant 4V	nL+	533051	€ 229,08	
	Matching skirting ID N° 411100				
200	American Walnut ⁴⁸ Sauvage 4V	<u>nL+</u>	542086	€ 216,58	
	Matching skirting ID N° 411100				





Dimensions: 13,5 x 180 x 2200 mm
Top layer thickness: approx. 3,5 mm
Packaging: 8 piece/pack = 3,17 m²
32 pack/pallet = 101,44 m²
7,41 kg/m²; 23,49 kg/pack;
751,68 kg/pallet
3-layer construction with solid wood strip middle layer

3-LAYER PARQUET PLANK 1-STRIP 180

Serie 4000

From 10 $\,\mathrm{m^2}$ all articles on this page optionally available with ComforTec or Silent Pro. (Delivery time on inquiry).

Supplement excl. VAT 8,75 €/m²

all prices in € /m²

Wood Species/Grade		Finish	ID N°	excl. VAT
1000000	American Walnut ⁴ Universal 4V	nL+	538956	€ 220,75
	Matching skirting ID N° 411100			
	Merbau ¹* Universal	pD	524928	€ 120,75
	Matching skirting ID № 411143			

Plank 1-Strip 3500 Series

The classic format at an attractive price with a robust HDF coreboard



Dimensions: 12 x 180 x 2200 mm Top layer thickness: approx. 2,5 mm

3-layer construction with special moisture-control HDF E1 middle layer













all prices in € /m²

Dimensions: 12,0 x 180 x 2200 mm
Top layer thickness: approx. 2,5 mm
Packaging: 6 piece/pack = 2,38 m²
32 pack/pallet = 76,16 m²
9,87 kg/m²; 23,49 kg/pack;
751,68 kg/pallet
3-layer construction with special moisture-control
HDF E1 middle layer

PLANK 1-STRIP 3500 Series

From 10 m² all articles on this page optionally available with ComforTec or Silent Pro.

3-LAYER PARQUET

(Delivery time on inquiry). Supplement excl. VAT 8,75 €/m²

· · · · · ·				
Wood Species/Grade		Finish	ID N°	excl. VAT
	Oak 4 Light White Universal brushed 2V	pD	534603	€ 67,42
	Matching skirting ID N° 411136			
	Oak ⁴ Puro White Universal brushed 2V	nL+	534604	€ 69,08
	Matching skirting ID N° 411086			
	Oak ⁴ Puro White Alabama brushed 2V	nL+	537348	€ 63,25
	Matching skirting ID N° 411086			
	Oak ⁴ Universal	_pD	534605	€ 64,92
	brushed 2V	nL+	534607	€ 66,58
	Matching skirting ID N° pD 411132/nL+ 411075			
-	Oak ⁴ Alabama brushed 2V	nL+	537349	€ 60,75
	Matching skirting ID N° 411075			
A CONTRACTOR OF THE PARTY OF TH	Oak 4 Velvet Brown Universal brushed 2V	nL+	534609	€ 69,08
	Matching skirting ID N° 411087			

Longstrip 4000 Series

Fills rooms with life



Dimensions: 13,5 x 180 x 2200 mm

Top layer thickness: approx. 3,5 mm

3-ply construction with solid wood strip middle layer


















Dimensions: 13,5 x 180 x 2200 mm
Top layer thickness: approx. 3,5 mm
Packaging: 8 piece/pack = 3,17 m²
32 pack/pallet = 101,44 m²
7,41 kg/m²; 23,49 kg/pack;
751,68 kg/pallet
3-layer construction with solid wood strip middle layer

4000 Series

LONGSTRIP

From 10 m² all articles on this page optionally available with ComforTec or Silent Pro. (Delivery time on inquiry).

all prices in € /m²

Supplement excl. VAT 8,75 €/m²

Wood Species/Grade		Finish	ID N°	excl. VAT
	Oak Light White Naturale	<u>pD</u>	541915	€ 62,42
2/1/	brushed	nD_	541851	€ 64,08
	Matching skirting ID N° pD 411136/nD 411485/nL+ 411485	nL+	541852	€ 64,08
	Oak Puro White Trend brushed	nL+	533343	€ 66,58
	Matching skirting ID N° 411086			
	Oak Puro White Naturale	pD	541922	€ 62,42
	brushed	nD_	541921	€ 64,08
The second	Matching skirting ID N° pD 411137/nD 411086/nL+ 411086	nL+	541914	€ 64,08
1298	Oak Sand Grey Naturale	pD	541918	€ 62,42
	brushed	_nD_	541919	€ 64,08
Control of the last of the las	Matching skirting ID N° pD 410900/nD 411088/nL+ 411088	nL+	541920	€ 64,08
	Oak Tobacco Grey Trend brushed	nL+	541933	€ 66,58
	Matching skirting ID N° 411092			
	Oak Invisible Naturale	pD	541923	€ 62,42
	brushed	nD_	541924	€ 64,08
40 64 7 64	Matching skirting ID N° pD 411469/nD 411467/nL+ 411467	nL+	541925	€ 64,08
	Oak Exquisit	<u>pD</u>	524689	€ 74,08
	Matching skirting ID N° 411131			
Reverso** ID N° 528281	Oak Trend	pD	523785	€ 61,58
	Matching skirting ID N° 411131			
SHEW TO THE SHEET	Oak Trend	<u>pD</u>	524632	€ 62,42
	brushed	nD_	535416	€ 64,08
建筑	Matching skirting ID N° pD 411132/nD 411075/nL+ 411075	nL+	530135	€ 64,08
	Oak Naturale	<u>pD</u>	541931	€ 59,08
	Matching skirting ID N° 411131			

LONGSTRIP

4000 Series

Dimensions: 13,5 x 180 x 2200 mm
Top layer thickness: approx. 3,5 mm
Packaging: 8 piece/pack = 3,17 m²
32 pack/pallet = 101,44 m²
7,41 kg/m²; 23,49 kg/pack;
75,168 kg/pallet
3-layer construction with solid wood strip middle layer





From 10 $\rm m^2$ all articles on this page optionally available with ComforTec or Silent Pro. (Delivery time on inquiry).

Supplement excl. VAT 8,75 €/m² all prices in €/m²

supplement excl. VAT 8,75 €/m²				a	II prices in € /m²
Wood Species/Grade		Finish	ID N°	excl. VAT	
	Oak Naturale	pD	541917	€ 59,92	
	brushed	nD	541927	€ 61,58	
	Matching skirting ID N° pD 411132/nD 411075/nL+ 411075	nL+	541928	€ 61,58	
	Smoked Oak Naturale	pD	541926	€ 72,42	
	brushed	_nD_	541929	€ 74,08	
	Matching skirting ID N° pD 411128/nD 411071/nL+ 411071	nL+	541916	€ 74,08	
	African Oak Trend brushed	nL+	530141	€ 80,75	
	Matching skirting ID № 411069				
	Beech Steamed Trend	pD	523789	€ 61,58	
	Matching skirting ID N° 411130				
	Beech Steamed ⁵ Favorit	pD	523791	€ 57,42	
	Matching skirting ID № 411130				
	Ash ⁵ Light White Favorit	pD	531988	€ 61,58	
	brushed	<u>nD</u>	541853	€ 63,25	
	Matching skirting ID N° pD 411141/nD 411496				
	Ash Trend	<u>pD</u>	524642	€ 62,42	
	Matching skirting ID N° 411140				
	Ash ⁵ Favorit	<u>pD</u>	525127	€ 58,25	
1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	Matching skirting ID N° 411140				
	Canadian Maple Trend	<u>pD</u>	523809	€ 83,25	
	Matching skirting ID № 411126				
	Canadian Maple ⁵ Favorit	pD	524406	€ 79,08	
	Matching skirting ID N° 411126				

Dimensions: 13,5 x 180 x 2200 mm Top layer thickness: approx. 3,5 mm Packaging: 8 piece/pack = 3,17 m² 32 pack/pallet = 101,44 m² 7,41 kg/m²; 23,49 kg/pack; 751,68 kg/pallet 3-layer construction with solid wood strip middle layer

LONGSTRIP

4000 Series

From 10 $\,\mathrm{m^2}$ all articles on this page optionally available with ComforTec or Silent Pro. (Delivery time on inquiry).

all prices in € /m²

Supplement excl. VAT 8,75 €/m²

3-LAYER PARQUET

Wood Species/Grade		Finish	ID N°	excl. VAT
	American Cherry * Trend	<u>pD</u>	523811	€ 83,25
	Matching skirting ID N° 411142			
	American Cherry 5* Favorit	pD	524442	€ 79,08
ALDRES THE STATE OF THE STATE O	Matching skirting ID N° 411142			
	American Walnut Trend	<u>pD</u>	523812	€ 104,08
(00)	Matching skirting ID N° 411144			
42 4	American Walnut ⁵ Favorit	<u>pD</u>	524444	€ 99,92
	Matching skirting ID N° 411144			
	Amber Robinia ⁵ Favorit	pD	535566	€ 73,25
		nD_	541936	€ 74,92
	Matching skirting ID N° pD 411129/nD 411637			
	Merbau 15* Favorit	pD_	525190	€ 79,08
THE RESERVE OF THE PERSON OF T	Matching skirting ID N° 411143			

Longstrip 3500 Series

The Longstrip look with a robust HDF coreboard at an attractive price



Dimensions: 12 x 180 x 2200 mm
Top layer thickness: approx. 2,5 mm

3-layer construction with special moisture-control HDF E1 middle layer















all prices in € /m²

Wood Species/Grade

Dimensions: 12,0 x 180 x 2200 mm
Top layer thickness: approx. 2,5 mm
Packaging: 6 piece/pack = 2,38 m²
32 pack/pallet = 76,16 m²
9,87 kg/m²; 23,49 kg/pack;
751,68 kg/pallet
3-layer construction with special moisture-control
HDF E1 middle layer

LONGSTRIP

Serie 3500

From 10 $\,\mathrm{m^2}$ all articles on this page optionally available with ComforTec or Silent Pro. (Delivery time on inquiry).

Finish ID N° excl. VAT

Supplement excl. VAT 8,75 €/m²

3-LAYER PARQUET

Wood Species/Glade		FIIIISII	IDIN	exci. vai
	Oak 5 Light White Favorit brushed Matching skirting ID N° 41136	pD_	534587	€ 54,08
	Oak 5 Favorit Matching skirting ID N° 41131	pD	534588	€ 50,75
	Oak 5 Favorit brushed Matching skirting ID N° 411075	nL+	534589	€ 53,25
	Beech Steamed 5 Favorit Matching skirting ID N° 41130	pD_	534590	€ 50,75
	Sycamore 5 Favorit Matching skirting ID N° 411126	pD	534591	€ 49,92
	American Walnut 5 Favorit Matching skirting ID N° 411144	pD	534593	€ 83,25

Plank Maxim

The original in Plank 1-Strip format



Dimensions: 11,0 x 180 x 2200 mm

Top layer thickness: approx. 3,5 mm

2-ply construction with solid wood base layer for glue-down installation













Dimensions: 11,0 x 180 x 2200 mm
Top layer thickness: approx. 3,5 mm
Packaging: 9 piece/pack = 3,56 m²
32 pack/pallet = 113,92 m²
6,45 kg/m²; 22,96 kg/pack;
734,72 kg/pallet
2-ply construction with solid wood base layer
for glue-down installation

4000 Series

PLANK 1-STRIP MAXIM

all prices in € /m²

all prices in € /m²				
Wood Species/Grade		Finish	ID N°	excl. VAT
	Oak Light White Markant	nD_	541000	€ 104,08
	brushed 4V Matching skirting	nL+	540990	€ 104,08
	ID N° nD 411485/nL+ 411485			
	Oak 4 Light White Sauvage	nD_	541001	€ 91,58
	brushed 4V	nL+	540991	€ 91,58
	Matching skirting ID N° nD 411485/nL+ 411485			
	Oak Sand Grey Markant	nD_	541006	€ 104,08
	brushed 4V	nL+	540994	€ 104,08
- 10 C 25 55-	Matching skirting ID N° nD 411088/nL+ 411088			
The second second	Oak⁴ Sand Grey Sauvage	<u>nD</u>	541007	€ 91,58
- 10 W 7 8 8 8	brushed 4V	nL+	540995	€ 91,58
	Matching skirting ID N° nD 411088/nL+ 411088			
	Oak Invisible Markant	<u>nD</u>	541002	€ 104,08
	brushed 4V	nL+	540992	€ 104,08
	Matching skirting ID N° nD 411467/nL+ 411467			
	Oak⁴ Invisible Sauvage	nD_	541003	€ 91,58
	brushed 4V	nL+	540993	€ 91,58
	Matching skirting ID N° nD 411467/nL+ 411467			
SPA Parkett	Oak ³ Markant	nD_	541004	€ 101,58
	brushed 4V	nL+	540986 ³	€ 101,58
	Matching skirting ID N° nD 411075/nL+ 411075			
7. 0	Oak ⁴ Sauvage	<u>nD</u>	541005	€ 89,08
	brushed 4V	nL+	540987	€ 89,08
	Matching skirting ID N° nD 411075/nL+ 411075			
STAPRICET	Smoked Oak ^{3*} Markant	nD_	540998	€ 114,08
SPA Parkett	brushed 4V	nL+	5409883	€ 114,08
	Matching skirting ID N° nD 411071/nL+ 411071			
	Smoked Oak 4* Sauvage	<u>nD</u>	540999	€ 101,58
	brushed 4V	nL+	540989	€ 101,58
	Matching skirting ID N° nD 411071/nL+ 411071			

Plank 1-strip Prestige

The best choice for small rooms



Dimensions: 10 x 120 x 1000 mm

Top layer thickness: approx. 3,5 mm

2-ply construction with solid wood base layer for glue-down installation









PARQUET



Dimensions: 10,0 X 120 X 1000 mm Dimensions: 10,0 x 120 x 1000 mm
Top layer thickness: approx. 3,5 mm
Packaging: 26 piece/pack = 3,12 m²
18 pack/pallet = 56,16 m²
5,34 kg/m²; 16,66 kg/pack;
299,88 kg/pallet
2-layer construction with solid wood base layer
for glue-down installation

4000 Series

PLANK 1-STRIP PRESTIGE

all prices in € /m²

all prices in € /m²				
Wood Species/Grade		Finish	ID N°	excl. VAT
	Oak Light White Markant	pD_	540150	€ 92,42
	Matching skirting ID N° 411135			
	Oak Light White Markant	<u>nD</u>	540151	€ 94,92
C C 2 - 480 7 5 1	brushed	nL+	540152	€ 94,92
	Matching skirting ID N° nD 411485/nL+ 411485			
1	Oak 14 Light White Sauvage	pD	543501	€ 79,92
	Matching skirting ID N° 411135			
	Oak 14 Light White Sauvage	nD_	543502	€ 82,42
	brushed	nL+	543503	€ 82,42
	Matching skirting ID N° nD 411485/nL+ 411485			
	Oak Sand Grey Markant	_nD_	540158	€ 94,92
	brushed Matching skirting ID N° nD 411088/nL+ 411088	nL+	540159	€ 94,92
A STATE OF THE REAL PROPERTY.	Oak ¹⁴ Sand Grey Sauvage	nD_	543509	€ 82,42
THE PARTY NAMED IN	brushed	nL+	543510	€ 82,42
	Matching skirting ID N° nD 411088/nL+ 411088			
	Oak Invisible Markant	pD	540154	€ 92,42
	Matching skirting ID N° 411134			
	Oak Invisible Markant	<u>nD</u>	536374	€ 94,92
	brushed Matching skirting	nL+	540155	€ 94,92
	ID N° nD 411467/nL+ 411467 Oak 14			
	Invisible Sauvage	<u>pD</u>	543504	€ 79,92
THE TOTAL STATE OF THE PARTY OF	Matching skirting ID N° 411134			
	Oak 14 Invisible Sauvage	nD_	543505	€ 82,42
	brushed	nL+	543506	€ 82,42
	Matching skirting ID N° nD 411467/nL+ 411467			

Only delivered in complete cartons. HARO PARQUET with unfinished/sanded surface available on request; minimum purchasing quantity 200 m². Each carton contains 50% left and 50% right strips for regular or irregular bond patterns or herringbone. When laying the floor in a bond pattern, be careful to alternately lay a row of only left and a row of only right strips. Detailed laying instructions are included with every original carton.

Not within the stock range; product line order on request!

Splinters and core splits may form on the board surface.

PLANK 1-STRIP PRESTIGE

4000 Series

Dimensions: 10,0 X 120 X 1000 mm Top layer thickness: approx. 3,5 mm Packaging: 26 piece/pack = 3,12 m²

18 pack/pallet = 56,16 m²

5,34 kg/m²; 16,66 kg/pack;

299,88 kg/pallet

2-layer construction with solid wood base layer for

glue-down installation





					all prices in € /m²
Wood Species/Grade		Finish	ID N°	excl. VAT	
	Oak Markant	pD_	538370	€ 89,92	
	Matching skirting ID N° 411131				
SPA Parkett	Oak Markant brushed	nD_	536375	€ 92,42	
	Matching skirting	nL+	540178 ³	€ 92,42	
	ID N° nD 411075/nL+ 411075 Oak 4 Sauvage	pD	540156	€ 77,42	
	Matching skirting ID № 411131				
	Oak ⁴ Sauvage	nD_	536376	€ 79,92	
	brushed Matching skirting ID N° nD 411075/nL+ 411075	nL+	540179	€ 79,92	
	Fumed Oak Puro White Markant brushed	nL+	540153	€ 103,25	
	Matching skirting ID № 411103				
	Fumed Oak Invisible Markant brushed	nL+	540183	€ 103,25	
	Matching skirting ID N° 411102				
	Fumed Oak Markant brushed	nL+	540161	€ 100,75	
	Matching skirting ID N° 411101				
SPA Parkett	Smoked Oak Markant brushed	<u>nD</u>	540162	€ 104,92	
	Matching skirting ID N° nD 411071/nL+ 411071	nL+	540180 ³	€ 104,92	
	Smoked Oak 14 Sauvage	<u>nD</u>	543507	€ 92,42	
The me	brushed Matching skirting	nL+	543508	€ 92,42	
Discourage SPA Parkett	ID N° nD 411071/nL+ 411071 African Oak Markant brushed	nL+	540181 ³	€ 109,08	
	Matching skirting ID N° 411069				

Only delivered in complete cartons. HARO PARQUET with unfinished/sanded surface available on request; minimum purchasing quantity 2 pallets. Each carton contains 50% left and 50% right strips for regular or irregular bond patterns or herringbone. When laying the floor in a bond pattern, be careful to alternately lay a row of only left and a row of only right strips. Detailed laying instructions are included with every original carton.

1 Not within the stock range; product line order on request! 3 Special installation instructions for bathroom installation must be followed!

4 Splinters and core splits may form on the board surface.



Strip Classico

The all-round floor for large and small rooms



Dimensions: 10 x 85 x 771 mm
Top layer thickness: approx. 3,5 mm

2-ply construction with solid wood base layer for glue-down installation











Dimensions: 10,0 x 85 x 771 mm
Top layer thickness: approx. 3,5 mm
Packaging: 36 pcs./pallet = 2,38 m²
30 pack/pallet = 71,40 m²
5,34 kg/m²; 12,71 kg/pack;
381,30 kg/pallet
2-layer construction with solid wood base layer for glue-down installation

4000 Series

STRIP CLASSICO

all prices in € /m²

Wood Species/Grade		Finish	ID N°	excl. VAT
	Oak	nD_	543539	€ 75,75
	Light White Trend brushed	nL+	543540	€ 75,75
	Matching skirting ID N° nD 411485/nL+ 411485		7+77+	~ 7 777 7
	ID N° nD 411485/nL+ 411485 Oak 1	nD		C
A STATE OF THE PARTY OF THE PAR	Light White Naturale brushed		543541	€ 73,25
		nL+	543542	€ 73,25
2	Matching skirting ID N° nD 411485/nL+ 411485			
	Oak¹ Sand Grey Trend	<u>nD</u>	543551	€ 75,75
	brushed	nL+	543552	€ 75,75
	Matching skirting ID № nD 411088/nL+ 411088			
	Oak¹ Sand Grey Naturale	nD_	543553	€ 73,25
THE RESERVE OF THE PARTY OF THE	brushed	nL+	543554	€ 73,25
	Matching skirting ID N° nD 411088/nL+ 411088			
	Oak ¹	nD	543543	€ 75,75
THE RESERVE OF THE PARTY OF THE	Invisible Trend brushed	nL+	543544	€ 75,75
	Matching skirting		7-777-	- 75117
	ID N° nD 411467/nL+ 411467 Oak 1	nD		C
- E- PONTE SELECTION	Invisible Naturale brushed		543545	€ 73,25
The state of the s	Matching skirting	nL+	543546	€ 73,25
THE WALL STREET	ID N° nD 411467/nL+ 411467			
	Oak Trend	nD_	543547	€ 73,25
	brushed	nL+	543548	€ 73,25
	Matching skirting ID N° nD 411075/nL+ 411075			
	Oak Naturale	nD_	543549	€ 70,75
	brushed	nL+	543550	€ 70,75
	Matching skirting ID N° nD 411075/nL+ 411075			
	Smoked Oak ¹	nD_	543555	€ 85,75
	Trend brushed	nL+	543556	€ 85,75
	Matching skirting ID № nD 411071/nL+ 411071			
TO THE REPORT OF THE PERSON NAMED IN	Smoked Oak ¹	nD	543557	€ 83,25
March and March 201	Naturale brushed	nL+		
	Matching skirting	1721	543558	€ 83,25
	ID N° nD 411071/nL+ 411071			

Only delivered in complete cartons. HARO PARQUET with unfinished/sanded surface available on request; minimum purchasing quantity 200 m². Each carton contains 50% left and 50% right strips for regular or irregular bond patterns or herringbone. When laying the floor in a bond pattern, be careful to alternately lay a row of only left and a row of only right strips. Detailed laying instructions are included with every original carton.

Not within the stock range; product line order on request!

Strip Allegro

The floor with a classic design and a variety of installation options



Dimensions: 10 x 70 x 490 mm

Top layer thickness: approx. 3,5 mm

2-ply construction with solid wood base layer for s

2-ply construction with solid wood base layer for glue-down installation











Dimensions: 10,0 x 70 x 490 mm
Top layer thickness: approx. 3,5 mm
Packaging: 72 piece/pack = 2,47 m²
30 pack/pallet = 74,10 m²
5,34 kg/m²; 13,19 kg/pack;
395,70 kg/pallet
2-layer construction with solid wood base layer
for glue-down installation

4000 Series

STRIP ALLEGRO

all prices in € /m²

West Constant		r::.l.	ID NI9	
Wood Species/Grade		Finish	ID N°	excl. VAT
	Oak Light White Trend	<u>pD</u>	540173	€ 69,08
	Matching skirting ID N° 411135			
	Oak Light White Trend	<u>nD</u>	540128	€ 71,58
Contract of the Contract of th	brushed	nL+	540129	€ 71,58
	Matching skirting ID N° nD 411485/nL+ 411485			
	Oak¹ Light White Naturale	<u>nD</u>	543493	€ 69,08
Constant of the last	brushed	nL+	543494	€ 69,08
	Matching skirting ID N° nD 411485/nL+ 411485			
	Oak Sand Grey Trend	nD_	540135	€ 71,58
	brushed	nL+	540136	€ 71,58
	Matching skirting ID N° nD 411088/nL+ 411088			
	Oak ¹ Sand Grey Naturale	nD_	543499	€ 69,08
	brushed	nL+	543500	€ 69,08
	Matching skirting ID N° nD 411088/nL+ 411088			
	Oak Invisible Trend	nD_	536371	€ 71,58
	brushed	nL+	540132	€ 71,58
	Matching skirting ID N° nD 411467/nL+ 411467			
	Oak ¹ Invisible Naturale	nD_	543495	€ 69,08
	brushed	nL+	543496	€ 69,08
	Matching skirting ID N° nD 411467/nL+ 411467			
	Oak Trend	<u>pD</u>	537906	€ 66,58
	Matching skirting ID N° 411131			
	Oak Trend	nD_	536372	€ 69,08
	brushed	nL+	540174	€ 69,08
	Matching skirting ID N° nD 411075/nL+ 411075			
	Oak Naturale	pD	543561	€ 64,08
	Matching skirting ID N° 411131			

Only delivered in complete cartons. HARO PARQUET with unfinished/sanded surface available on request; minimum purchasing quantity 200 m². Each carton contains 50% left and 50% right strips for regular or irregular bond patterns or herringbone. When laying the floor in a bond pattern, be careful to alternately lay a row of only left and a row of only right strips. Detailed laying instructions are included with every original carton.

Not within the stock range; product line order on request!

STRIP ALLEGRO

4000 Series

Dimensions: 10,0 × 70 × 490 mm
Top layer thickness: approx. 3,5 mm
Packaging: 72 piece/pack = 2,47 m²
30 pack/pallet = 74,10 m²
5,34 kg/m²; 13,19 kg/pack;
395,70 kg/pallet
2-layer construction with solid wood base layer for glue-down installation





all prices in € /m²

				all prices in € /m²
Wood Species/Grade		Finish	ID N°	excl. VAT
	Oak Naturale	nD	543562	€ 66,58
	brushed	nL+	543563	€ 66,58
	Matching skirting ID N° nD 411075/nL+ 411075			
	Fumed Oak Puro White Trend brushed	nL+	540130	€ 79,92
	Matching skirting ID N° 411103			
	Fumed Oak Invisible Trend brushed	nL+	540182	€ 79,92
	Matching skirting ID N° 411102			
	Fumed Oak Trend brushed	nL+	540139	€ 77,42
	Matching skirting ID N° 411101			
A STATE OF THE STA	Smoked Oak brushed	nD_	540138	€ 81,58
		nL+	540176	€ 81,58
The Later of the L	Matching skirting ID N° nD 411071/nL+ 411071			
	Smoked Oak¹ Naturale	nD_	543497	€ 79,08
***************************************	brushed	nL+	543498	€ 79,08
	Matching skirting ID N° nD 411071/nL+ 411071			
	African Oak	<u>pD</u>	537901	€ 83,25
	Matching skirting ID N° 411124			
	African Oak brushed	nL+	540177	€ 85,75
	Matching skirting ID N° 411069			
	Beech Steamed Trend	pD	537900	€ 66,58
	Matching skirting ID N° 411130			
	Canadian Maple ⁵ Favorit	pD	537899	€ 87,42
	Matching skirting ID N° 411126			





Dimensions: 10,0 x 70 x 490 mm
Top layer thickness: approx. 3,5 mm
Packaging: 72 piece/pack = 2,47 m²
30 pack/pallet = 74,10 m²
5,34 kg/m²; 13,19 kg/pack;
395,70 kg/pallet
2-layer construction with solid wood base layer
for glue-down installation

4000 Series

STRIP ALLEGRO

all prices in € /m²

Wood Species/Grade		Finish	ID N°	excl. VAT
	American Walnut Trend	pD	537910	€ 112,42
((60))	Matching skirting ID N° 411144			
	American Walnut ⁵ Favorit	_pD_	537909	€ 108,25
	Matching skirting ID N° 411144			
	Amber Robinia 5 Favorit	<u>pD</u>	537911	€ 81,58
- 120 may 1	Matching skirting ID N° 411129			
	Merbau¹ Favorit	_pD_	537908	€ 87,42
The state of the s	Matching skirting ID N° 411143			

parkettmanufaktur by HARO

The fine art of parquet craftsmanship

parkettmanufaktur by HARO is the premium segment of the HARO brand. We manufacture individual, exclusive parquet that is finished by hand, perhaps making it the most beautiful parquet you can buy.

The Chevron parquet variant from parkettmanufaktur by HARO combines traditional elegance and creative modernity. With enchanting lines in herringbone pattern, this parquet gives your rooms an exceptional charm.

- The premium segment of the HARO brand.
- The most exclusive parquet from Germany's leading parquet manufacturer
- Embodies lasting and unique values: freedom, spaciousness, durability, longevity and timelessness, tradition and authenticity as well as uniqueness and craftsmanship.
- Customisation options with traditional woodworking techniques from hand-scraped and hand-brushed to frame-sawn surfaces and a wormhole look.
- Surface refinement with precious oleovera natural oil a very high-quality and resistant natural oil surface.



Parquet with three-layer construction

Plank 1-Strip XL – The biggest for spacious interior designs.

• Dimensions: The floor surface is composed of different board lengths

(from 2.83 m to 5.03 m) and different board widths

(from 215 mm to 335 mm).

• Top layer thickness: approx. 5 mm

Plank 1-Strip and Plank 1-Strip Plaza

• Dimensions: 2200 mm x 180 mm and for Plank 1-Strip Plaza 2200 x 240 mm

Oak Nubia, Vintage Oak and all colour-refined surfaces are available in the

format 2200 mm x 173 mm

• Top layer thickness: approx. 3,5 mm

• Easy to install with Top Connect – also on underfloor heating and cooling.

Carré

Dimensions: 2200 mm x 180 mm
Top layer thickness: approx. 4,2 mm

Parquet with two-layer construction

Plank 1-strip Prestige – for installation in classic herringbone pattern

Dimensions: 120 x 1000 mmTop layer thickness: approx. 3,5 mm

Strip Chevron 4V – for installation of chevron flooring

Dimensions: 140 x 740 mm
Top layer thickness: approx. 3,6 mm

Parquet Tile

- The most exclusive form of a parquet floor.
- Traditional design with modern features, such as bevelled edges and oleovera natural oil surface finishes.
- 4 different designs in up to 6 different wood types

The products shown in the following range overview are stock items.

For the wide variety of individualisation options, please see pages 70 - 75.

Examples of floors from the customisation program are shown on pages 76 to 79.

parkettmanufaktur by HARO

Plank 1-Strip XL 4m

Top layer thickness: approx. 5 mm 3-layer construction with solid wood strip middle layer





all prices in €/m²

Wood Species/Grade		Finish	ID N°	excl. VAT
NEW	Plank 1-Strip XL Oak brushed 4V	oleovera	545140	€ 274,17
	Matching skirting ID N° 540562			
NEW	Plank 1-Strip XL Amber Oak brushed 4V	oleovera	545141	€ 290,83
	Matching skirting ID N° 540563			

The respective floor area is composed of different board lengths and board widths – depending on the availability of raw materials.

Possible board lengths: 2,83 m; 3,03 m; 3,53 m; 4,03 m; 4,53 m; 5,03 m

Possible board widths: 215 mm; 245 mm; 275 mm; 305 mm; 335 mm

Delivery time is usually 10 to 12 weeks.

parkettmanufaktur by HARO **PARQUET** Carré

Dimensions: 16,0 x 180 x 2200 mm Top layer thickness: approx. 4,2 mm Packaging: 7 piece/pack = 2,77 m² 9,06 kg/m²; 25,10 kg/pack 3-layer construction with solid wood strip middle layer





all prices in € /m²

				a p
Wood Species/Grade		Finish	ID N°	excl. VAT
	Oak ⁶ Blue Grey Selectiv	oleovera	539074	€ 224,17
	Matching skirting ID N° 540 566			
	Oak ⁶ Silver Grey Selectiv	oleovera	539075	€ 224,17
	Matching skirting ID N° 540 566			
	Oak Selectiv	pD	529069	€ 215,83
	Matching skirting ID N° 411131			
	Oak ⁶ Antique Brown Selectiv	oleovera	539076	€ 224,17
	Matching skirting ID N° 411101			

Dimensions: 13,5 x 173 x 2200 mm

Top layer thickness: approx. 3,5 mm

Packaging: 8 piece/pack = 3,05 m²

32 pack/pallet = 97,60 m²

7,41 kg/m²; 22,60 kg/pack;

723,20 kg/pallet

3-layer construction with solid wood strip middle layer

Plank 1-Strip

parkettmanufaktur by HARO

all prices in €/m²

Wood Species/Grade		Finish	ID N°	excl. VAT
Carrier 1	Oak White Barrique Selectiv brushed 4V Matching skirting	oleovera	529063	€ 127,42
6	Creek Oak ^{7*} brushed 4V	oleovera	529067	€ 137,42
	Matching skirting ID N° 540556			
	Oak Nubia brushed 2V	oleovera	525259	€ 133,25
	Matching skirting ID № 540557 Vintage Oak ² brushed 2V	oleovera	525260	€ 308,25
	Matching skirting ID N° 540558			
	Oak Barrique Selectiv brushed 4V	oleovera	529062	€ 124,92
	Matching skirting ID N° 540555			
	Oak Carbon Black Selectiv brushed 4V	oleovera	529066	€ 133,25
	Matching skirting ID N° 540559			
	Ash Barrique Selectiv brushed 4V	oleovera	529064	€ 124,92
A CONTRACTOR	Matching skirting ID N° 540560			
	Ash Olive Grey Expressiv brushed 4V	oleovera	529065	€ 124,92
	Matching skirting ID N° 540 561			

parkettmanufaktur by HARO

Plank 1-strip Prestige

Dimensions: 10,0 x 120 x 1000 mm Top layer thickness: approx. 3,5 mm Packaging: 26 piece/pack = 3,12 m² 5,34 kg/m²; 16,66 kg/pack 2-layer construction with solid wood base layer for glue-down installation





all prices in €/m²

Wood Species/Grade		Finish	ID N°	excl. VAT	
	Oak White Selectiv brushed Matching skirting ID N° 411082	oleovera	539339	€ 115,75	
	Oak Graphite Grey Selectiv brushed Matching skirting ID N° 411060	oleovera	539340	€ 119,92	
	Oak Selectiv brushed Matching skirting	oleovera	539338	€ 107,42	
	ID N° 411075 Fumed Oak Selectiv brushed Matching skirting ID N° 411101	oleovera	539341	€ 115,75	
	African Oak Selectiv brushed Matching skirting ID N° 411069	oleovera	539342	€ 124,08	



Parquet

Dimensions: 9,8 x 140 x 740 mm
Top layer thickness: approx. 3,6 mm
Packaging: 14 piece/pack = 1,45 m²
9,0 kg/m²; 13,14 kg/Pack;
Two-layer construction with birch plywood base layer
for glue-down installation

Strip Chevron 4V

parkettmanufaktur by HARO

all prices in €/m²

Wood Species/Grade		Finish	ID N°	excl. VAT	
	Oak White Selectiv brushed 4V Matching skirting ID N° 411082	oleovera	539324	€ 199,92	
	Oak Graphite Grey Selectiv brushed 4V Matching skirting ID N° 411060	oleovera	539325	€ 204,08	
	Oak Selectiv brushed 4V Matching skirting ID N° 411075	oleovera	539323	€ 191,58	
	Fumed Oak Selectiv brushed 4V Matching skirting ID N° 411101	oleovera	539330	€ 199,92	
	African Oak Selectiv brushed 4V Matching skirting ID N° 411069	oleovera	539326	€ 208,25	
	American Walnut Selectiv 4V Matching skirting ID N° 411100	oleovera	539327	€ 274,92	



parkettmanufaktur by HARO Customisation options

Customisation option Plank 1-Strip

	•							
			West.			185		
							Smooth without bevel	Smooth, with bevelled
							on long sides	edge on long sides
Plank 1-Strip		Basic price			Colour surcharge €/m²	Total without options €/m²		ID N° 800817
	13,5 x 180 (173) x 2200 mm							
13,5 % 100 (1/3) % 2	Oak	excl. VAT		Finish	excl. VAT	excl. VAT	no extra charge	no extra charge
	Excellent	524681	127,42€	oleovera ID N° 800947	0,00€	127,42 €	_	_
	Selectiv	524712	101,44 €		0,00 €	101,44 €		
The second secon	Oak Lime White	ID N°	101,44 0		0,00 0			
-	Excellent	524681	127,42 €	oleovera Lime White	12,50 €	139,92 €		_
	Selectiv	524712	101,44 €	ID N° 801618	12,50 €	139,92 €		
	Oak White	ID N°	101,44 0		12,50 0	113,54 €		
WILL CO	Excellent	524681	127,42 €		8,75 €	136,17 €		_
			101,44 €	ID N° 800949	8,75 €	110,19 €	_	_
	Oak Natural White	ID N°	101,44 €		0,/5 C	110,19 €		
	Excellent	524681	127,42 €	oleovera Natural White	12,50 €	139,92 €	_	_
-		ID N° 801619 524712 101,44 €	ID N° 801619	12,50 €	113,94 €			
	Oak Blue Grey	ID N°		-to	:=,50 0			
100	Excellent	524681	127,42 €		12,50 €	139,92 €	_	_
- 5 To 100			101,44 €	ID N° 801136	12,50 €	113,94€		
E CECTOR	Oak Silver Grey	ID N°		a la aurana	19	5,54		
	Excellent	524681	127,42 €		12,50 €	139,92 €	_	_
	Selectiv		101,44 €	ID N° 801137	12,50 €	113,94€		
THE RESERVE	Oak Brown Grey	ID N°				3,54		
国际	Excellent	524681	127,42 €		12,50 €	139,92 €	_	_
Section 1	Selectiv		101,44 €	ID N° 801620	12,50 €	113,94€		
Delivery of the last of the la	Oak Nature Grey	ID N°		alaawaya		5,54 -		
DECEMBER 1	Excellent	524681	127,42 €		12,50 €	139,92 €	_	_
	Selectiv		101,44 €	ID N° 801 621	12,50 €	113,94€		
	Oak Beige Grey	ID N°		a la aurana	19	5,54		
	Excellent	524681	127,42 €		12,50 €	139,92 €	_	_
200			101,44 €	ID N° 801622		113,94 €		
	Oak Basalt Grey	ID N°		oloovara				
-	Excellent	524681	127,42 €		12,50 €	139,92 €		
	Selectiv		101,44 €	ID N° 801623	12,50 €	113,94 €		_
	Smoked Oak	ID N°	711	alagyara				
A DESCRIPTION OF THE PERSON OF	Selectiv	524806	123,25€	oleovera ID N° 800947	0,00€	123,25€		
	Smoked Oak White	ID N°		oleovera White				
	Selectiv	524806	123,25€	ID N° 800949	8,75€	132,00 €		_
	African Oak	ID N°	<u> </u>					
	Selectiv	524775	127,42 €	oleovera ID N° 800947	0,00€	127,42 €		
	Ash Arabica Mezzo	ID N°		oleovera				
	Selectiv	524909	123,25€	ID N° 800947	0,00€	123,25€		
	African Oak Silver	ID N°		oleovera				
	Limewashed	524775	127,42 €	Silver limewashed ID N° 801140	20,83€	148,25€		
132000000	African Oak Gold	ID N°		oleovera				
	Limewashed		127,42€	Gold limewashed	20,83€	148,25€		
	Linewasned	524775	127,42 €	ID N° 801141	20,05	140,25 €		

Choose your individual floor with the following surface treatments and additional options

Plank 1-Strip

Dimensions: 13,5 x 180 x 2200 mm

or 13,5 x 173 x 2200 mm for Smoked Oak, African Oak, Ash Arabica

Minimum quantity: per pack, 3.17 or 3.05 m²

Installation system: Top Connect

possibleNot available

Sı	Additional option - several options can be selected							
brushed with bevelled edge on long sides	rough-planed with bevelled edge on long sides**	hand-scraped with bevelled edge on long sides**	frame sawn with bevelled edge on long sides**	heavy brushed, with bevelled edges on long sides	Bevel on the short sides	Worm-hole appearance	Hammered surface	Silent Pro
ID N° 800822 2,50 €/m² *	ID N° 800823 16,67 €/m² *	ID N° 800930 20,83 €/m² *	ID N° 801173 16,67 €/m² *	ID N° 801346 12,50 €/m² *	ID N° 800824 2,50 €/m² *	ID N° 800821 5,00 €/m² *	ID N° 801174 5,00 €/m² *	ID N° 800820 8,75 €/m² *
•	•	•	•	•	•	•	•	•
	•	•	•	•	•	-	•	٠.
•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•
					•	•		
					-			
					-	•		
					•	•		
					•			
				-			•	
	•		•		•	-	•	
	•		•	-			•	•
	•	•	•		•	•	•	•
		•	•	•	•	•	•	•

^{*} Prices excl. VA

^{**} The "Bevel on short sides" option is mandatory with "Scraped with bevel on long sides" and "Frame sawn with bevel on long sides" surface treatments!

parkettmanufaktur by HARO

Customisation options Plank 1-Strip Plaza

Plank 1-Strip Plaza 13,5 x 240 x 2200 mm		Basic price €/m² excl. VAT		Finish	Colour surcharge €/m² excl. VAT	Total without options €/m² excl. VAT	Smooth without bevel on long sides no extra charge	Smooth, with bevelled edge on long sides ID N° 800817 no extra charge
	Oak	ID N°						
	Selectiv		127,42€	ID N° 800947	0,00€	127,42 €		•
	Oak Lime White	ID N°		oleovera				
	Selectiv		127,42€	Lime White ID N° 801618	12,50€	139,92 €	-	
	Oak White	ID N°		oleovera				
	Selectiv		127,42€	White ID N°800949	8,75€	136,17 €		•
	Oak Natural White	ID N°		oleovera				
	Selectiv		127,42€	Natural White ID N° 801619	12,50 €	139,92€		•
	Oak Blue Grey	ID N°						
	Selectiv		127,42€	Blue Grey ID N° 801136	12,50 €	139,92 €		•
- 5253000	Oak Silver Grey	ID N°			Grey 12.50 €	139,92 €		
	Selectiv		127,42€	Silver Grey ID N° 801137				•
	Oak Brown Grey	ID N°						
	Selectiv		127,42€	Brown Grey ID N° 801620	12,50 €	139,92€		•
	Oak Nature Grey	ID N°						
	Selectiv		127,42€	Natural Grey ID N° 801621	12,50 €	139,92€		•
	Oak Beige Grey	ID N°						
	Selectiv		127,42€	Beige Grey ID N° 801622	12,50 €	139,92€		
7 - 7 - 7	Oak Basalt Grey	ID N°						
	Selectiv		127,42 €	Basalt Grey ID N° 801623	12,50 €	139,92€		_

Choose your individual floor with the following surface treatments and additional options.

Plank 1-Strip Plaza:

Dimensions: 13,5 x 240 x 2200 mm
Minimum order quantity: per pack i.e. 3.17 m²
Top Connect

possibleNot available

S	Surface treatment - select one option only						eral options ca	n be selected
brushed with bevelled edge on long sides	rough-planed with bevelled edge on long sides**	hand-scraped with bevelled edge on long sides**	frame sawn with bevelled edge on long sides**	heavy brushed, with bevelled edges on long sides	Bevel on the short sides	Worm-hole appearance	Hammered surface	Silent Pro
ID N° 800822 2,50 €/m² *	ID N° 800823 16,67 €/m² *	ID N° 800930 20,83 €/m² *	ID N° 801173 16,67 €/m² *	ID N° 801346 12,50 €/m² *	ID N° 800824 2,50 €/m² *	ID N° 800821 5,00 €/m² *	ID N° 801174 5,00 €/m² *	ID N° 800820 8,75 €/m² *
•	•	•	•	•	•	•	•	-
•	•	•	•		•	•	•	-
•	•	•	•	•	•	•		-
•	•	•	•	•	•	•	•	-
•	•	•	•	•		•	•	-
•	•	•	•	•	-	•	•	-
•	•	•	•	•	•	•	•	-
•	•	•	•	•	•	•		-
•	•	•	•	•	•			-
•	•	•	•		•	•	•	-

^{*} Prices excl. VA

parkettmanufaktur by HARO

Customisation options Plank 1-strip Prestige

Plank 1-strip Prestige 10,0 x 120 x 1000 mm		Basic price €/m² excl. VAT	€/m²		Colour surcharge €/m² excl. VAT	Total without options €/m² excl. VAT	Smooth without bevel on long sides no extra charge	with bevelled edge on long sides ID N° 800817
	Oak	ID N°						
	Selectiv	523442	107,42€	ID N° 800947	0,00€	107,42 €		
	Oak Lime White	ID N°		oleovera Lime White				
	Selectiv 523442 107,42 € ID N° 801618	ID N° 801618	12,50 €	119,92€				
	Oak White	ID N°						
	Selectiv	523442	107,42€	ID N° 800949	8,75€	116,17 €		
	Oak Natural White	ID N°		oleovera Natural White				
	Selectiv	523442	107,42€	ID N° 801619	12,50€	119,92€		
	Oak Blue Grey	ID N°		oleovera Blue Grey				
	Selectiv	523442	107,42€	ID N° 801136	12,50€	119,92€		
5558	Oak Silver Grey	ID N°						
	Selectiv	523442	107,42€	ID N° 801137	12,50€	119,92€		
	Oak Brown Grey	ID N°		oleovera Brown Grey				
	Selectiv	523442	107,42€	ID N° 801620	12,50 €	119,92€		
	Oak Nature Grey	ID N°		oleovera Natural Grey				
	Selectiv	523442	107,42€		12,50 €	119,92€		
	Oak Beige Grey	ID N°		oleovera Beige Grey				
	Selectiv	523442	107,42€	ID N° 801622	12,50 €	119,92 €		
	Oak Basalt Grey	ID N°		oleovera Basalt Grey				
	Selectiv	523442	107,42€	ID N° 801623	12,50 €	119,92 €		

Choose your individual floor with the following surface treatments and additional options.

Plank 1-strip Prestige:

Dimensions: 10 x 120 x 1000 mm Minimum order quantity: per pack, i.e. 3.12 m² Installation system: Tongue/groove

possibleNot available

							110	Lavailabic
Surface treatment - select one option only					Additional of	option - severa	l options can l	oe selected
brushed with bevelled edge on long sides	rough-planed with bevelled edge on long sides**	hand-scraped with bevelled edge on long sides**	frame sawn with bevelled edge on long sides**	heavy brushed, with bevelled edges on long sides	Bevel on the short sides	Worm-hole appearance	Hammered surface	Silent Pro
ID N° 800822 2,50 €/m² *	ID N° 800823 16,67 €/m² *	ID N° 800930 20,83 €/m² *	ID N° 801173 16,67 €/m² *	ID N° 801346 12,50 €/m² *	ID N° 800824 2,50 €/m² *	ID N° 800821 5,00 €/m² *	ID N° 801174 5,00 €/m² *	ID N° 800820 8,75 €/m² *
-	•	•	•	•		-		-
-	-	•	•	•	•	•	•	-
-		•	•	-	•	•	•	-
•	•	•	•	•	•	•	•	-
-		•	•	•	•	•	•	-
-	•	•	•	•			•	-
			•	•		•	•	-
-	-	•	•	•	•	•	•	-
	•	•	•	-		•	•	-

^{*} Prices excl. VA

True craftsmanship

The floors from our HARO parkettmanufaktur offer a large variety of customisation options; from coloured oils and numerous surface treatments to the selection of bevelled edges on the short sides, up to coloured oils and various surface treatments that highlight the natural look of the floor even more.

The following examples will show you the most attractive combination possibilities for your floor. Our aim is to make your decision for a unique floor as easy as possible.





Plank 1-Strip Oak Excellent	ID N° 524681
Customisation options:	
• oleovera	ID N° 800947
· smooth, without bevelled edge	
excl. VAT	127,42 €/m²



Plank 1-Strip	
Oak Nature Grey Excellent	ID N° 524681
Customisation options:	
oleovera Natural Grey	ID N° 801621
brushed with bevelled edge on long sides	ID N° 800822
excl. VAT	142,42 €/m



Plank 1-Strip
Oak Lime White Selectiv ID N° 524712 Customisation options: oleovera Lime White
 frame sawn with bevelled edge on long sides
 Bevel on the short sides ID N° 801618 ID N° 801173 ID N° 800824 excl. VAT 142,42 €/m²



Oak Blue Grey Selectiv	ID N° 524712
Customisation options:	
· oleovera Blue Grey	ID N° 801136
 brushed with bevelled edge on long sides 	ID N° 800822
Bevel on the short sides	ID N° 800824
hammered surface	ID N° 801174



Plank 1-Strip	
Oak Basalt Grey Selectiv	ID N° 524712
Customisation options:	
oleovera Basalt Grey	ID N° 801623
• hand-scraped with bevelled edge on long sides	ID N° 800930
• Bevel on the short sides	ID N° 800824
excl. VAT	146,58 €/m²



Plank 1-Strip Smoked Oak Selectiv	ID N° 524806
Customisation options:	
• oleovera	ID N° 800947
frame sawn with bevelled edge on long sides	ID N° 801173
Bevel on the short sides	ID N° 800824
Worm-hole appearance	ID N° 800821

147,42 €/m²



Plank 1-Strip Smoked Oak White Selectiv	ID N° 524806
Customisation options:	
oleovera White	ID N° 800949
 hand-scraped with bevelled edge on long sides 	ID N° 800930
Bevel on the short sides	ID N° 800824
excl. VAT	154 , 92 €/m²



Plank 1-Strip African Oak Selectiv	ID N° 524775
Customisation options:	
• oleovera	ID N° 800947
• rough-planed with bevelled edge on long sides	ID N° 800823
Bevel on the short sides	ID N° 800824
evel VAT	146 E8 €/m²



Plank 1-Strip Ash Arabica Mezzo Selectiv	ID N°	524909
Customisation options:		
• oleovera	ID N°	800947
 hand-scraped with bevelled edge on long sides 	ID N°	800930
Bevel on the short sides	ID N°	800824
Worm-hole appearance	ID N°	800821
excl. VAT	15	;1,58 €/m



Plank 1-Strip African Oak Silver limewashed	ID N° 524775
Customisation options:	
oleovera Silver limewashed	ID N° 801140
brushed with bevelled edge on long sides	ID N° 800822
excl. VAT	150,75 €/m²

excl. VAT



Plank 1-Strip Plaza Oak Selectiv	ID N° 535662
Customisation options:	
• oleovera	ID N° 800947
• rough-planed with bevelled edge on long sides	ID N° 800823
Bevel on the short sides	ID N° 800824
excl. VAT	146,58 €/m²




Plank 1-Strip Plaza	
Oak Lime White Selectiv	ID N° 535662
Customisation options:	
• oleovera Lime White	ID N° 801618
smooth, with bevelled edge on long sides	ID N° 800817
Bevel on the short sides	ID N° 800824
excl. VAT	142,42 €/m²



Plank 1-Strip Plaza Oak Brown Grey Selectiv	ID N°	535662
Customisation options:		
• oleovera Brown Grey	ID N°	801620
hand-scraped with bevelled edge on long sides	ID N°	800930
Bevel on the short sides	ID N°	800824
excl. VAT	16	3,25 €/m²







Plank 1-strip Prestige

Oak Silver Grey Selectiv

Customisation options:

• oleovera Silver Grey

• heavy brushed, with bevelled edges on the long sides

• Bevel on the short sides

ID N° 801346

• Bevel on the short sides

ID N° 800824


excl. VAT

Parquet in tile design

- Hand-crafted parquet tiles made from the most precious woods.
- Four different tile designs consisting of individual elements, combined into a strong expressive surface in 5 or 6 wood types
- Precious oleovera natural oil finish
- Installation system: Complete tongue and groove joints on all four sides for glue-down installation with flexible glue



Design



- Dimensions: 18 x 650 x 650 mm
- Top layer thickness: approx. 3.5 mm
- Total thickness: approx. 18 mm
- Finish: oleovera
- Installation system: Complete tongue and groove joints on all four sides for glue-down installation with flexible glue
- Bevel: on all four sides



3-layer construction for glue-down installation

Approx. 3.5 mm thick top layer of choice precious wood
 Birchwood multiplex board as middle layer, approx. 10 mm thick
 Backing board made of oak

PARQUET TILE

Design Basket

Dimensions: 18,0 x 650 x 650 mm Top layer thickness: approx. 3,5 mm Packaging: 2 piece/pack Layer construction with plywood middle layer



					all prices in €/piece
Design		Finish	ID N°	excl. VAT	
	Ash Arabica Mezzo Basket	oleovera	535299	€ 216,67	
	Oak Basket	oleovera	535300	€ 183,33	
	African Oak Basket	oleovera	535302	€ 216,67	
	Merbau Basket .	oleovera	535303	€ 216,67	
	American Walnut Basket	oleovera	535304	€ 241,67	
	Amber Oak Basket	oleovera	535305	€ 241,67	

Dimensions: 18,0 x 650 x 650 mm Top layer thickness: approx. 3,5 mm Packaging: 2 piece/pack Layer construction with plywood middle layer

Design St. Andrew

Design		Finish	ID N°	excl. VAT
	Ash Arabica Mezzo St. Andrew	oleovera	535311	€ 216,67
	Oak St. Andrew	oleovera	535312	€ 183,33
	African Oak St. Andrew	oleovera	535313	€ 216,67
	Merbau St. Andrew	oleovera	535314	€ 216,67
	American Walnut St. Andrew	oleovera	535315	€ 241,67

PARQUET TILE

Design Loop

Dimensions: 18,0 x 650 x 650 mm Top layer thickness: approx. 3,5 mm Packaging: 2 piece/pack Layer construction with plywood middle layer



				ices iii €/piece
	Finish	ID N°	excl. VAT	
Ash Arabica Mezzo Loop	oleovera	535316	€ 216,67	
Oak Loop	oleovera	535317	€ 183,33	
African Oak Loop	oleovera	535318	€ 216,67	
Merbau Loop	oleovera	535319	€ 216,67	
American Walnut Loop	oleovera	535320	€ 241,67	
	Oak Loop African Oak Loop Merbau Loop	Coak Loop oleovera African Oak Loop oleovera Merbau Loop oleovera	Ash Arabica Mezzo Loop oleovera 535316 Oak Loop oleovera 535317 African Oak Loop oleovera 535318 Merbau Loop oleovera 535318 American Walnut	Loop oleovera 535316 € 216,67 Oak Loop oleovera 535317 € 183,33 African Oak Loop oleovera 535318 € 216,67 Merbau Loop oleovera 535319 € 216,67

Dimensions: 18,0 x 650 x 650 mm Top layer thickness: approx. 3,5 mm Packaging: 2 piece/pack Layer construction with plywood middle layer

Design Central

Design		Finish	ID N°	excl. VAT
	Ash Arabica Mezzo Central	oleovera	535321	€ 216,67
	Oak Central	oleovera	535322	€ 183,33
	African Oak Central	oleovera	535323	€ 216,67
	Merbau Central	oleovera	535324	€ 216,67
	American Walnut Central	oleovera	535325	€ 241,67

Wood Performance Floor



Dimensions:

9,9 x 235 x 2035 mm













Dimensions: 9,9 x 235 x 2035 mm
Top layer thickness: approx. 0,6 mm
Packaging: 5 piece/pack = 2,39 m²
33 pack/pallet = 78,87 m²
8,88 kg/m²; 21,22 kg/pack;
722,36 kg/pallet

Plank 1-Strip 4V

Wood Species/Grade		Finish	ID N°	excl. VAT	
NEW	Plank 1-Strip Oak Elegant brushed 4V	prefinished	544592	€ 74,92	
	Matching skirting ID N° 411075				
NEW	2-Strip Oak Elegant brushed 4V	prefinished	544593	€ 73,25	
	Matching skirting ID N° 411075				
NEW	Plank 1-Strip Oak Natural brushed 4V	prefinished	544594	€ 73,25	
	Matching skirting ID N° 411075				
NEW	2-Strip Fir brushed 4V	prefinished	544596	€ 73,25	
	Matching skirting ID N° 412289				
NEW CONTRACTOR OF THE PROPERTY	Plank 1-Strip Ash brushed 4V	prefinished	544597	€ 74,92	
	Matching skirting ID N° 412288				
NEW	Plank 1-Strip American walnut brushed 4V	prefinished	544595	€ 91,58	
	Matching skirting ID N° 411100				
NEW	2-Strip Amber Oak brushed 4V Matching skirting	prefinished	544598	€ 91,58	
	ID N° 412290				





100 % free from PVC and plasticisers

Concept

In recent years, a new type of flooring has become established, which is commonly called Design Flooring. It usually refers to floors that are made of plastic. Our DISANO design floors differ from most other plastic floors, as they do not contain PVC or plasticisers, which makes them particularly dimensionally stable when there are temperature fluctuations. In contrast to conventional design floors, DISANO has been awarded the Blue Angel, the certificate for products that are harmless to health and also certified with the Eco Label.

Special features

All DISANO Design Floors are entirely free from plasticisers, PVC and phthalates. Our understanding of healthy living is incompatible with the use of these substances. A DISANO Design Floor therefore guarantees a healthy home – and this includes the bathroom, kitchen and children's room.

Properties

DISANO has many positive characteristics: it is soft, warm to the touch, easy to clean, durable and quiet. The excellent workmanship and high quality of the materials guarantee that our floors will stay as beautiful as on the very first day – even after years of use.

Design floor DISANO

Properties

Soft, warm to the touch, easy to clean, durable and quiet DISANO has many positive properties: it is not only free from harmful substances – it is also particularly pleasant in everyday use. Thanks to the high quality of the materials and the excellent workmanship, our floors are just as beautiful as on day one, even after years of use. In the long run, this saves a vast amount of money and effort.

This approach is modern and sustainable: the resources used for producing new floors and disposing of obsolete building materials can be reduced to a minimum.

Warm to the touch



All the materials used to manufacture DISANO flooring have been carefully selected to ensure a healthy living environment. Structured in multiple layers they make DISANO flooring so warm and pleasant to the touch.

suitable for use in damp rooms



All DISANO Floors are approved for use in damp rooms: DISANO Saphir and Project are waterproof. DISANO LifeAqua, ClassicAqua and WaveAqua are equipped with moisture protection.

Easy to maintain



Cleaning and caring for DISANO Floors is child's play: simply sweep or vacuum the floor and, if necessary, use a damp mop with the eco-friendly HARO care product range.

Durable



DISANO impresses with an exceptional durability, even when exposed to intensive wear and tear, for instance in entry areas or in commercial applications.

Soft



The SilentSense surface makes DISANO Design Floors soft and pleasant to the touch, creating a cosy and relaxing atmosphere.

Design floor DISANO

The difference

Superior in every way

due to its structure.

Unlike conventional PVC floors that contain plasticisers, DISANO Design Floors are highly convincing: they are not only better when it comes to creating a healthy living environment, but also in terms of technical advantages and usage properties. Problems such as discolouration, embrittlement and cold flow, which always occur in conventional vinyl floors over time, are something that will never happen with our floors. In addition, DISANO Design Floors impress with their dimensionally stable structure. At its centre is the rigid core board (not included in DISANO Project), which makes our floors insensitive to temperature fluctuations and particularly easy to install – even if the subfloor is slightly uneven.

DISANO Standard vinyl floor No discolouration DISANO retains its colour over its entire service life even when exposed to strong UV radiation from sunlight. No embrittlement Many plastics can age and become brittle due to UV influence and the release of plasticisers. DISANO is resistant to ageing and remains permanently elastic. High dimensional stability While all-plastic floors can react to heat with bulging, DISANO remains wonderfully flat and dimensionally stable for years thanks to the Rigid Core Board backing board. **Problem-free disposal** DISANO is free of plasticisers and problematic halogenorganic substances and can therefore be disposed of in household waste without hesitation. No dents On floors containing plasticisers, permanent dents can be pressed into the surface by furniture or chair legs (so-called "cold flow"). With pressure-stable DISANO, dents and marks caused by furniture are a thing of the past. Even slight unevenness in the subfloor is compensated by our design floor

Design floor DISANO

DISANO Saphir

The hard-wearing design floor for all requirements. Waterproof.

- Maximum protection: extremely resilient and durable
- 100 % waterproof
- Particularly suitable for renovations thanks to its low profile



- Soft SilentSense surface
- Waterproof full-plastic coreboard (Rigid Core Board)

DISANO Project

The design floor for professional installation. Waterproof.

- A healthy alternative to PVC flooring
- Especially suitable for renovations thanks to low profile
- Continuous installation right into the bathroom



- Soft SilentSense surface
- 2 Stabilising ElastoTec pressure distribution layer


DISANO ClassicAqua

The exclusive, comfortable floor for highest standards in the home.
Also for damp area.

- Designed for maximum comfort
- Exceptionally elastic, soft and quiet
- Premium look in premium format with a unique surface experience



- 1 Soft SilentSense surface
- 2 Comfortable ElastoTec pressure distribution layer
- 3 Particularly moisture-resistant AquaReject coreboard (Rigid Core Board)
- 4 Moisture-repellent HydroResist barrier
- **6** Cork insulation layer







DISANO LifeAqua

The smart design floor for modern living in XL format. Also for damp area.

- Designed for more spaciousness
- Soft underfoot
- Pleasantly quiet and warm



- 1 Soft SilentSense surface
- 2 Particularly moisture-resistant AquaReject coreboard (Rigid Core Board)
- **3** Moisture-repellent HydroResist barrier
- **4** Cork insulation layer


DISANO WaveAqua

The tough design floor at an attractive price.
Also for damp area.

- Excellent value for money
- Exceptionally tough surface
- Modern authentic wood styles



- Scratch-resistant Surface Protect surface
- Particularly moisture-resistant AquaReject coreboard (Rigid Core Board)
- **3** Moisture-repellent PowerWave layer





DISANO Saphir



For the highest demands even in the commercial sector



Thickness:
Dimensions:

4,5 mm

235 x 1282 mm (Plank 1-Strip 4VM)

313 x 613 mm (Piazza 4V)















Level of use: 23/33 Thickness: 4,5 mm Dimensions: 235 x 1282 mm

Plank 1-Strip 4VM

Packaging: 0,301 m²/Element 10 piece/pack = 3,01 m² 45 pack/pallet = 135,45 m² 5,28 kg/m²; 15,90 kg/pack 715,50 kg/pallet

			7.5,50 kg.panet
Design/Style		ID N°	excl. VAT
	Plank 1-Strip 4VM	540067	€ 49,96
	Pine Nordica¹	31 ,	
4 Micro S	Matching skirting ID N° 409407		
Micro 3	Plank 1-Strip 4VM		6 6
	Crystal Oak¹	537240	€ 49,96
4 000	Matching skirting		
4 Miero S	ID N° 410088		
	Plank 1-Strip 4VM Oak Provence Creme¹	540069	€ 49,96
	Matching skirting		
4 Micro a	Matching skirting ID № 410789		
	Plank 1-Strip 4VM Oak Picardie Grey¹	543388	€ 49,96
	Oak Picardie Grey		
4 Micro a	Matching skirting ID N° 411954		
	Plank 1-Strip 4VM	537241	€ 49,96
	Country Oak Grey'	337 1	- 4010 -
A STATE OF THE PARTY OF THE PAR			
4 Micro ₹S	Matching skirting ID N° 410 091		
Micro 13	Plank 1-Strip 4VM	0.6	6
	Oak Picardie Puro¹	543386	€ 49,96
The state of the s			
	Matching skirting ID N° 411952		
4 Micro	Plank 1-Strip 4VM		
	Light Oak¹	543383	€ 49,96
The same of the sa	Matching skirting		
4 Micro S	ID N° 410089		
and the second	Plank 1-Strip 4VM Sand Oak ¹	537237	€ 49,96
The state of the s	Matching skirting		
4 Micro S	ID N° 409409		
The second second	Plank 1-Strip 4VM Holm Oak Creme ¹	537236	€ 49,96
STATE OF THE PARTY	Holli Oak Crefile		
	AA-a-biabiat		
4 Micro S	Matching skirting ID N° 409410		
	Plank 1-Strip 4VM	540070	€ 49,96
	Oak Provence Nature¹		
4 Micro a	Matching skirting ID N° 410790		
Micro d			

Plank 1-Strip 4VM

Level of use: 23/33 Thickness: 4,5 mm **Dimensions:** 235 x 1282 mm





Packaging: 0,301 m²/Element 10 piece/pack = 3,01 m² 45 pack/pallet = 135,45 m² 5,28 kg/m²; 15,90 kg/pack 715,50 kg/pallet

Design/Style		ID N°	excl. VAT
	Plank 1-Strip 4VM Oak Picardie Nature¹	543387	€ 49,96
$\frac{4}{Micro}$	Matching skirting ID № 411953		
	Plank 1-Strip 4VM Field Oak¹	537242	€ 49,96
4 Micro S	Matching skirting ID N° 410093		
- 12 ONE	Plank 1-Strip 4VM Mountain Oak¹	540068	€ 49,96
4 Micro S	Matching skirting ID № 409401		
AND THE RESERVE	Plank 1-Strip 4VM Oak Provence Smoked¹	543385	€ 49,96
4 Micro a	Matching skirting ID N° 410791		
- Carrie	Plank 1-Strip 4VM Tobacco Oak¹	537243	€ 49,96
4 Micro S	Matching skirting ID N° 410094		
	Plank 1-Strip 4VM Wild Oak¹	537238	€ 49,96
_4 Micro S	Matching skirting ID N° 409412		
	Plank 1-Strip 4VM Walnut¹	543384	€ 49,96
$\frac{4}{\text{Micro}}$	Matching skirting ID N° 410095		
	Plank 1-Strip 4VM French Smoked Oak¹	537239	€ 49,96
4 Micro S	Matching skirting ID № 409406		



Level of use: 23/33 Thickness: 4,5 mm Dimensions: 313 x 631 mm

DISANO Saphir

Piazza 4V

DESIGN FLOOP

Packaging: 0,198 m²/Element 14 piece/pack = 2,77 m² 42 pack/pallet = 116,34 m² 5,28 kg/m²; 14,63 kg/pack 614,46 kg/pallet

Design/Style		ID N°	excl. VAT
	Piazza 4V Urban White ⁶	540360	€ 54,13
stone stone	Matching skirting ID N° 411372		
	Piazza 4V Industrial Grey ⁶	540359	€ 54,13
-4 stone	Matching skirting ID № 411370		
	Piazza 4V Marble Anthrazit ⁶	540361	€ 54,13
-4 stone	Matching skirting ID N° 411374		

DISANO Project

Setting the standard in all areas





Thickness: Dimensions:

2,0 mm

245 x 1300 mm (Plank 1-Strip 4VM)

310 x 650 mm (Piazza 4VM)











Level of use: 23/33 Thickness: 2,0 mm Dimensions: 245 x 1300 mm

Plank 1-Strip 4VM

Packaging: 0,319 m²/Element 11 boards/pack = 3,51 m² 63 pack/pallet = 221,13 m² 3,33 kg/m²; 11,69 kg/pack 736,47 kg/pallet

			7,30,47 (8,5amer
Design/Style		ID N°	excl. VAT
	Plank 1-Strip 4VM	544936	€ 41,63
	Pine Nordica ¹	- 1 1 - 2	1,73
4 Micro S	Matching skirting ID N° 409407		
Micro J	Plank 1-Strip 4VM		C C-
	Crystal Oak¹	544928	€ 41,63
4 ~~~	Matching skirting		
4 Micro S	ID N° 410088 Plank 1-Strip 4VM		
	Oak Provence Creme¹	544938	€ 41,63
	Matching skirting		
4 MKrg	Matching skirting ID N° 410789		
	Plank 1-Strip 4VM Oak Picardie Grey¹	543400	€ 41,63
	Oak Fleardic Grey		
	Matching skirting		
4 Micro	ID N° 411954		
STATE OF THE STATE	Plank 1-Strip 4VM	544929	€ 41,63
	Country Oak Grey¹		
4 Micro r	Matching skirting ID N° 410091		
	Plank 1-Strip 4VM	543398	€ 41,63
	Oak Picardie Puro¹	J 4 JJJ2~	C 41,0)
4 Micro a	Matching skirting ID N° 411952		
	Plank 1-Strip 4VM	F 4220F	€ 41,63
	Light Oak¹	543395	€ 41,03
4 Micro S	Matching skirting ID N° 410089		
Micro 5	Plank 1-Strip 4VM		6 (-
	Sand Oak¹	544931	€ 41,63
4_Micro S	Matching skirting ID N° 409409		
4 Micro S	Plank 1-Strip 4VM		
	Holm Oak Creme¹	544930	€ 41,63
A	Matching skirting		
4 Micro S	ID N° 409410		
	Plank 1-Strip 4VM Oak Provence Nature¹	544939	€ 41,63
	Matching skirting		
$\frac{4}{\text{Mkro}}$	ID N° 410790		

Plank 1-Strip 4VM

Level of use: 23/33 Thickness: 2,0 mm Dimensions: 245 x 1300 mm





Packaging: 0,319 m²/Element 11 boards/pack = 3,51 m² 63 pack/pallet = 221,13 m² 3,33 kg/m²; 11,69 kg/pack 736,47 kg/pallet

Design/Style		ID N°	excl. VAT
	Plank 1-Strip 4VM Oak Picardie Nature¹	543399	€ 41,63
4 Micro a	Matching skirting ID № 411953		
-	Plank 1-Strip 4VM Field Oak¹	544932	€ 41,63
4 Mkro S	Matching skirting ID № 410093		
	Plank 1-Strip 4VM Mountain Oak¹	544937	€ 41,63
4 Micro S	Matching skirting ID № 409401		
AND DESCRIPTION OF THE PERSON NAMED IN	Plank 1-Strip 4VM Oak Provence Smoked¹	544940	€ 41,63
	Matching skirting ID № 410791		
	Plank 1-Strip 4VM Tobacco Oak¹	544934	€ 41,63
4 Micro S	Matching skirting ID N° 410094		
	Plank 1-Strip 4VM Wild Oak¹	544933	€ 41,63
4 Micro S	Matching skirting ID N° 409412		
	Plank 1-Strip 4VM Walnut¹	543396	€ 41,63
4 Micro S	Matching skirting ID N° 410095		
	Plank 1-Strip 4VM French Smoked Oak¹	544935	€ 41,63
4 Micro S	Matching skirting ID N° 409406		



Level of use: 23/33 Thickness: 2,0 mm Dimensions: 310 x 650 mm

DISANO Project

Piazza 4VM

DESIGN FLOOP

Packaging: 0,201 m²/Element 11 piece/pack = 2,22 m² 90 pack/pallet = 199,80 m² 3,33 kg/m²; 7,39 kg/pack 665,10 kg/pallet

Design/Style		ID N°	excl. VAT
	Piazza 4VM Urban White ⁶	540356	€ 44,13
4 Micro stone	Matching skirting ID № 411372		
	Piazza 4VM Industrial Grey ⁶	540355	€ 44,13
4 Micro stone	Matching skirting ID N° 411370		
	Piazza 4VM Marble Anthrazit ⁶	540358	€ 44,13
4 Micro stone	Matching skirting ID № 411374		

DISANO ClassicAqua

100 % free from PVC and plasticisers

Floating on a whole new level



Thickness:

9,8 mm

Dimensions: 235 x 2035 mm (Plank 1-Strip XL 4V)

313 x 631 mm (Piazza 4V)
















Level of use: 23/33 Thickness: 9,8 mm Dimensions: 235 x 2035 mm

Plank 1-Strip XL 4V

Packaging: 0,478 m²/Element 5 piece/pack = 2,39 m² 33 pack/pallet = 78,87 m² 9,24 kg/m²; 22,08 kg/pack 728,64 kg/pallet

			/20,04 ng/panet
Design/Style		ID N°	excl. VAT
	Plank 1-Strip XL 4V	543737	€ 49,96
	Pine Nordica ¹	וכוכדכ	C 43,30
The same of the sa			
4 ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	Matching skirting		
\$	ID N° 409407 Plank 1-Strip XL 4V		
	Crystal Oak¹	543729	€ 49,96
The state of the s			
	Matching skirting		
4 ~~ s	ID N° 410088		
	Plank 1-Strip XL 4V	543714	€ 49,96
	Oak Provence Creme¹		
4 ~	Matching skirting ID N° 410789		
	Plank 1-Strip XL 4V	543719	€ 49,96
	Oak Picardie Grey¹) 4)/19	C 49,90
4 8	Matching skirting ID N° 411954		
Y a	Plank 1-Strip XL 4V		
TO THE PROPERTY OF	Country Oak Grey¹	543730	€ 49,96
	Matching skirting		
***	ID N° 410091		
	Plank 1-Strip XL 4V Oak Picardie Puro¹	543717	€ 49,96
The same of the sa	Cak r ical die r di O		
	AA-a-binbinto-		
4 ≈ a	Matching skirting ID N° 411952		
	Plank 1-Strip XL 4V	543738	€ 49,96
	Light Oak¹		.5.5
And the second			
4 ~ <u>~</u>	Matching skirting ID N° 410089		
CONTRACTOR OF STREET	Plank 1-Strip XL 4V	E 42722	€ 49,96
the same the same of the	Sand Oak¹	543732	C 49,90
4 ~~~	Matching skirting ID N° 409409		
	Plank 1-Strip XL 4V		
The state of the s	Holm Oak Creme ¹⁵	543731	€ 49,96
	Matching skirting		
4 ~~~	ID N° 409410		
	Plank 1-Strip XL 4V Oak Provence Nature ¹	543715	€ 49,96
	Can I Tovence Mature		
	AAstabing skirting		
$\frac{4}{2}$	Matching skirting ID N° 410 790		

DISANO ClassicAqua

Plank 1-Strip XL 4V

Level of use: 23/33 Thickness: 9,8 mm Dimensions: 235 x 2035 mm





Packaging: 0,478 m²/Element 5 piece/pack = 2,39 m² 33 pack/pallet = 78,87 m² 9,24 kg/m²; 22,08 kg/pack 728,64 kg/pallet

Design/Style		ID N°	excl. VAT
	Plank 1-Strip XL 4V Oak Picardie Nature¹	543718	€ 49,96
	Matching skirting ID № 411953		
	Plank 1-Strip XL 4V Field Oak¹	543733	€ 49,96
4 ~~ s	Matching skirting ID N° 410093		
The state of the s	Plank 1-Strip XL 4V Mountain Oak¹	543712	€ 49,96
4 ~~ s	Matching skirting ID N° 409401		
AND DESCRIPTION OF THE PARTY OF	Plank 1-Strip XL 4V Oak Provence Smoked¹	543716	€ 49,96
	Matching skirting ID № 410791		
	Plank 1-Strip XL 4V Tobacco Oak ¹	543735	€ 49,96
4 ~~~	Matching skirting ID N° 410094		
	Plank 1-Strip XL 4V Wild Oak ¹⁵	543734	€ 49,96
4- ~~	Matching skirting ID № 409412		
	Plank 1-Strip XL 4V Walnut¹	543713	€ 49,96
4 ~~ s	Matching skirting ID N° 410095		
	Plank 1-Strip XL 4V French Smoked Oak15	543736	€ 49,96
4 ~~~	Matching skirting ID N° 409406		





Level of use: 23/33 Thickness: 9,8 mm **Dimensions:** 313 x 631 mm

Piazza 4V

Packaging: 0,198 m²/Element 7 piece/pack = 1,39 m² 42 pack/pallet = 58,38 m² 9,24 kg/m²; 12,84 kg/pack 539,28 kg/pallet

Design/Style		ID N°	excl. VAT
	Piazza 4V Urban White ⁶	543724	€ 54,13
4 stone	Matching skirting ID N° 411372		
	Piazza 4V Béton Brut Greige⁶	543720	€ 54,13
-4 stone	Matching skirting ID N° 411373		
	Piazza 4V Industrial Grey ⁶	543723	€ 54,13
-4 stone	Matching skirting ID N° 411370		
	Piazza 4V Rusted Metal ⁶	543721	€ 54,13
stone stone	Matching skirting ID N° 411 369		
	Piazza 4V Marble Anthrazit ⁶	543725	€ 54,13
4 stone	Matching skirting ID N° 411374		
	Piazza 4V Wallonian Slate ⁶	543722	€ 54,13
-4 stone	Matching skirting ID № 411371		



For everything that life has to offer





235 x 1800 mm (Plank 1-Strip XL 4V) 235 x 1282 mm (Plank 1-Strip 4V) 313 x 631 mm (Piazza 4V)















Level of use: 23/33 Thickness: 8 mm Dimensions: 235 x 1800 mm

Plank 1-Strip XL 4V

Packaging: 0,423 m²/Element 8 piece/pack = 3,38 m² 30 pack/pallet = 101,40 m² 7,00 kg/m²; 23,66 kg/pack 709,80 kg/pallet

Design/Style		ID N°	excl. VAT
	Plank 1-Strip XL 4V Oak Sheffield Creme White ¹	543410	€ 46,63
4 ≈ a	Matching skirting ID N° 411955		
	Plank 1-Strip XL 4V Oak Cardiff White¹	540380	€ 46,63
4- ~~	Matching skirting ID N° 411365		
	Plank 1-Strip XL 4V Antique Oak Creme¹	540370	€ 46,63
4	Matching skirting ID N° 410358		
	Plank 1-Strip XL 4V Oak Sheffield Grey¹	543414	€ 46,63
- 4 ≈	Matching skirting ID N° 411959		
	Plank 1-Strip XL 4V Oak Columbia Grey¹	540371	€ 46,63
4 ~~ s	Matching skirting ID N° 410 360		
	Plank 1-Strip XL 4V Oak Jubilé¹	540369	€ 46,63
4 ~~ s	Matching skirting ID № 410359 Plank 1-Strip XL 4V		
	Oak Sheffield Puro¹	543411	€ 46,63
4- 2 2 2	Matching skirting ID N° 411956		
A 12 200 2 19 5 2 19 5	Plank 1-Strip XL 4V Oak Lavida¹	540373	€ 46,63
4 ~~ s	Matching skirting ID N° 410425		
	Plank 1-Strip XL 4V Oak Yorkshire Puro¹	540382	€ 46,63
4 ~~~	Matching skirting ID N° 411367		
	Plank 1-Strip XL 4V Oak Phoenix ¹	540374	€ 46,63
4- ~~	Matching skirting ID N° 410362		

DISANO LifeAqua

Plank 1-Strip XL 4V

Level of use: 23/33 Thickness: 8 mm Dimensions: 235 x 1800 mm





Packaging: 0,423 m²/Element, 8 piece/pack = 3,38 m² 30 pack/pallet = 101,40 m² 7,00 kg/m²; 23,66 kg/pack 709,80 kg/pallet

Design/Style		ID N°	excl. VAT
CANCEL SECTION	Plank 1-Strip XL 4V Oak Sheffield Nature¹	543412	€ 46,63
-{- ≈≈ ≈≈	Matching skirting ID № 411957		
	Plank 1-Strip XL 4V Oak Columbia Nature¹	540375	€ 46,63
4 ~~~ s	Matching skirting ID № 410363		
	Plank 1-Strip XL 4V Oak Yorkshire Nature¹	540381	€ 46,63
4- °°°	Matching skirting ID № 411366		
	Plank 1-Strip XL 4V Cottage Wood¹	540383	€ 46,63
4 ~~ \$	Matching skirting ID N° 411368		
	Plank 1-Strip XL 4V Oak Oxford¹	540376	€ 46,63
4 ~~~ \$	Matching skirting ID N° 410364		
	Plank 1-Strip XL 4V Oak Sheffield Brown¹	543413	€ 46,63
4 ≈ a	Matching skirting ID № 411958		
	Plank 1-Strip XL 4V Oak Cambridge¹	540378	€ 46,63
4- ~~~	Matching skirting ID N° 411363		







Level of use: 23/33 Thickness: 8,0 mm Dimensions: 235 x 1282 mm

Plank 1-Strip 4V

Packaging: 0,301 m²/Element 8 boards/pack = 2,41 m² 36 pack/pallet = 86,76 m² 7,00 kg/m², 16,87 kg/pack 607,32 kg/pallet

all prices in € /m²

Design/Style		ID N°	excl. VAT	
	Plank 1-Strip 4V Oak Sheffield Creme White ¹	543426	€ 41,63	
4 ~	Matching skirting ID N° 411955			
	Plank 1-Strip 4V Oak Cardiff White¹	543422	€ 41,63	
4 ~~ s	Matching skirting ID N° 411365			
	Plank 1-Strip 4V Antique Oak Creme¹	543416	€ 41,63	
4 7	Matching skirting ID N° 410358			
NAME OF THE OWNER, OWNE	Plank 1-Strip 4V Oak Sheffield Grey¹	543430	€ 41,63	
- 4 - ≈	Matching skirting ID N° 411959			
	Plank 1-Strip 4V Oak Columbia Grey¹	543417	€ 41,63	
4 ~~~	Matching skirting ID N° 410360			
	Plank 1-Strip 4V Oak Jubilé ¹	543415	€ 41,63	
4- ~~~	Matching skirting ID N° 410359			
	Plank 1-Strip 4V Oak Sheffield Puro¹	543427	€ 41,63	
-4- ≈ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	Matching skirting ID N° 411956			
	Plank 1-Strip 4V Oak Lavida ¹	543418	€ 41,63	
4 ~~ s	Matching skirting ID N° 410425			
	Plank 1-Strip 4V Oak Yorkshire Puro ¹	543423	€ 41,63	
4- ~ <u>~</u>	Matching skirting ID N° 411367			
	Plank 1-Strip 4V Oak Phoenix ¹	543419	€ 41,63	
4 ~~ s	Matching skirting ID N° 410362			

Plank 1-Strip 4V

Level of use: 23/33 Thickness: 8,0 mm **Dimensions:** 235 X 1282 mm





all prices in € /m²

Packaging: 0,301 m²/Element 8 boards/pack = 2,41 m² 36 pack/pallet = 86,76 m² 7,00 kg/m²; 16,87 kg/pack 607,32 kg/pallet

Design/Style		ID N°	excl. VAT
CANAL SEPTEMBER	Plank 1-Strip 4V Oak Sheffield Nature ¹	543428	€ 41,63
	Matching skirting ID N° 411957		
	Plank 1-Strip 4V Oak Columbia Nature¹	543420	€ 41,63
4 ~~~ s	Matching skirting ID № 410363		
	Plank 1-Strip 4V Oak Yorkshire Nature¹	543424	€ 41,63
4 ~~~ \$	Matching skirting ID N° 411366		
	Plank 1-Strip 4V Cottage Wood¹	543425	€ 41,63
4- 	Matching skirting ID N° 411368		
	Plank 1-Strip 4V Oak Oxford¹	543421	€ 41,63
4 ~~~	Matching skirting ID № 410364		
	Plank 1-Strip 4V Oak Sheffield Brown¹	543429	€ 41,63
-4- ≈ a	Matching skirting ID № 411958		



Level of use: 23/33 Thickness: 8,0 mm Dimensions: 313 x 631 mm

DISANO LifeAqua

Piazza 4V

DESIGN FLOOF

Packaging: 0,198 m²/Element 8 boards/pack = 1,58 m² 39 pack/pallet = 61,62 m² 7,00 kg/m²; 11,06 kg/pack 431,34 kg/pallet

all prices in € /m²

Design/Style		ID N°	excl. VAT
A STATE OF THE PARTY OF THE PAR	Piazza 4V Marble White ⁶	543437	€ 43,29
4 stone	Matching skirting ID N° 410792		
	Piazza 4V Artdesign Crema ⁶	543438	€ 43,29
4 stone	Matching skirting ID N° 410793		
	Piazza 4V Sand Stone ⁶	543439	€ 43,29
4 stone	Matching skirting ID № 410794		
14 1 1 1 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	Piazza 4V Concrete Light ⁶	543440	€ 43,29
-4- stone	Matching skirting ID № 410795		
The state of the same	Piazza 4V Concrete Grey ⁶	543441	€ 43,29
stone	Matching skirting ID N° 410796		
	Piazza 4V Slate Anthrazit ⁶	543442	€ 43,29
-4- stone	Matching skirting ID N° 410797		

DISANO WaveAqua

Beautiful and robust at an attractive price





Thickness:

8 mm

Dimensions: 243 x 2200 mm (Plank 1-Strip XL 4V)

193 x 1282 mm (Plank 1-Strip 4V)















Level of use: 23/33 Thickness: 8,0 mm Dimensions: 243 x 2200 mm

Plank 1-Strip XL 4V

Packaging: 0,535 m²/Element 5 piece/pack = 2,68 m² 36 pack/pallet = 96,48 m² 7,36 kg/m²; 19,72 kg/pack 709,92 kg/pallet

all prices in € /m²

Design/Style		ID N°	excl. VAT
Contract Con	Plank 1-Strip XL 4V Oak Ontario White ¹	541250	€ 34,96
_ 4 _ ≈	Matching skirting ID N° 410357		
	Plank 1-Strip XL 4V Oak Ontario Grey¹	541253	€ 34,96
-4- ≈ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	Matching skirting ID N° 411501		
STONE COLOR	Plank 1-Strip XL 4V Oak Victoria Puro ¹	541246	€ 34,96
- 4 ≈	Matching skirting ID N° 411504		
	Plank 1-Strip XL 4V Oak Ontario Puro¹	541251	€ 34,96
	Matching skirting ID N° 411367		
Some Cales,	Plank 1-Strip XL 4V Oak Victoria Honey¹	541247	€ 34,96
	Matching skirting ID № 411503		
	Plank 1-Strip XL 4V Oak Ontario Nature¹	541252	€ 34,96
-4- ≈≈ -4- ≈≈	Matching skirting ID N° 411502		
	Plank 1-Strip XL 4V Oak Victoria Velvet Brown ¹	541248	€ 34,96
4- 2	Matching skirting ID № 411505		
	Plank 1-Strip XL 4V Oak Victoria Smoked¹	541249	€ 34,96
-4- €	Matching skirting ID N° 410095		





Level of use: 23/33 Thickness: 8,0 mm Dimensions: 193 x 1282 mm

Plank 1-Strip 4V

Packaging: 0,247 m²/Element 8 piece/pack = 1,98 m² 52 pack/pallet = 102,96 m² 7,36 kg/m²; 14,57 kg/pack 757,64 kg/pallet

all prices in € /m²

Design/Style		ID N°	excl. VAT
	Plank 1-Strip 4V Oak Ontario White ¹	541242	€ 33,29
4 2 2	Matching skirting ID N $^{\circ}$ 410357		
	Plank 1-Strip 4V Oak Ontario Grey¹	541245	€ 33,29
4	Matching skirting ID N° 411501		
Some all or	Plank 1-Strip 4V Oak Victoria Puro¹	541238	€ 33,29
4	Matching skirting ID N° 411504		
	Plank 1-Strip 4V Oak Ontario Puro¹	541243	€ 33,29
4	Matching skirting ID № 411367		
7777 (Cd,7	Plank 1-Strip 4V Oak Victoria Honey¹	541239	€ 33,29
	Matching skirting ID N° 411503		
	Plank 1-Strip 4V Oak Ontario Nature¹	541244	€ 33,29
	Matching skirting ID N° 411502		
	Plank 1-Strip 4V Oak Victoria Velvet Brown¹	541240	€ 33,29
- 4 - ≈	Matching skirting ID N° 411505		
	Plank 1-Strip 4V Oak Victoria Smoked¹	541241	€ 33,29
	Matching skirting ID N° 410095		



HARO Laminate Floor

Simply better

Concept

HARO has been producing parquet since 1950. No one knows better what a beautiful, trendy wooden floor should look like. This expertise makes HARO unique. This is why the surfaces of HARO Laminate Floors are especially natural and beautiful. HARO Laminate Floors are virtually maintenance-free. Dry cleaning with a broom or vacuum cleaner is sufficient for regular cleaning. Occasional damp cleaning with eco-friendly cleaning agents that are specifically formulated for HARO Laminate Floors is completely sufficient.

The world's quietest laminate floor

With the development of the world's quietest laminate floor, HARO achieved what nobody thought possible. Reduction of indoor sound by 60% compared to conventional laminate floors.

A unique gain in comfort.

The easiest installation

With the Top Connect connection system, the floor can be installed effortlessly and quickly – without any tools. The quality of the installed floor is just as high as the speed of this installation method.

HARO Laminate Floor

Laminate Floor TRITTY 200 Aqua The premium laminate floor for maximum wear and tear.

- Maximum protection and safety even in damp rooms
- Extremely resilient and durable
- Premium design 100% authentic styles with a unique surface experience
- Level of use: 23/33Abrasion class: AC6Antistatic class: ASF2



- 1 Specially impregnated overlay (durable protective layer)
- 2 Decorative laminate, specially impregnated
- 3 The dimensionally stable AquaReject coreboard is also approved for use in damp rooms in accordance with Wo-1 (DIN 18534), such as domestic bathrooms or kitchens, due to the highest possible swelling resistance.
- 4 Moisture-repellent balancing laminate
- Optionally available with integrated Silent Pro luxury insulation layer or with Silent CT technology (suitable for use with underfloor heating)


Laminate Floor TRITTY 100 The design laminate floor


for high demands.

- Exceptional variety of formats and styles with over 95 % authentic styles
- Resilient and durable
- Moisture protection AquaTec
- Level of use: 23/32
- Abrasion class: AC4
- Antistatic class: ASF2



- Specially impregnated overlay (durable protective layer)
- 2 Decorative laminate, specially impregnated
- 3 Dimensionally stable, special moisture control HDF E1 coreboard aquaResist
- 4 Moisture-repellent balancing laminate
- **6** Optionally available with integrated Silent Pro luxury insulation layer or with Silent CT technology (suitable for use with underfloor heating)





Laminate Floor TRITTY 90

The tough and renovation-friendly laminate floor.

- Especially easy to install
- Particularly suitable for renovations thanks to its low profile
- High durability
- Level of use: 23/32
- Abrasion class: AC4
- Antistatic class: ASF2




- 1 Specially impregnated overlay (durable protective layer)
- 2 Decorative laminate, specially impregnated
- 3 Dimensionally stable, special moisture control HDF E1 coreboard aquaResist
- 4 Moisture-repellent balancing laminate
- **6** Optionally available with integrated Silent Pro luxury insulation layer or with Silent CT technology (suitable for use with underfloor heating)


Laminate Floor Special Edition NKL 31 The entry-level range in HARO brand quality.

- HARO brand quality Made in Germany
- The entry-level range of HARO's Laminate Floor world
- Modern styles with pleasant surface
- Level of use: 23/31
- Abrasion class: AC₃
- Antistatic class: ASF2



- Specially impregnated overlay (durable protective layer)
- 2 Decorative laminate, specially impregnated
- 3 Dimensionally stable, special moisture control HDF E1 coreboard aquaResist
- 4 Moisture-repellent balancing laminate
- **6** Optionally available with integrated Silent Pro luxury insulation layer (suitable for use with underfloor heating)






Moisture protection

aquaTec - Double moisture protection

Their well-balanced multilayer construction ensures that HARO Laminate Floors remain stable at all times. And the special aquaTec system gives you the guarantee that they will always stay in good shape.

This is achieved by connecting the aquaResist special moisture control HDF coreboard with a specially impregnated protective coat (overlay and style). TRITTY 200 Aqua uses the special aquaReject coreboard, which allows installation even in damp rooms.





TRITTY 200 AQUA – also for damp areas

Due to the moisture-control aquaReject coreboard, the floor is optimally protected against moisture and also approved for installation in damp rooms (Wo-I in accordance with DIN 18534), such as domestic bathrooms or kitchens. Due to its special impregnation and the highest degree of resistance against swelling, TRITTY 200 Aqua can withstand standing tap water for up to 24 hours. Thanks to the high utilisation class 23/33, the floor is also ideally suitable for areas subject to particularly heavy wear, such as the hall or the kitchen.

- It is not suitable for installation in wet areas such as shower cabins or saunas.
- Please note: The subfloor moisture must comply with the standard specifications for installation.
- The installation instructions must always be followed carefully.



Sound insulation

HARO TRITTY Silent CT - the quietest laminate floor

60% quieter than standard floating laminate floors! Forget loud stomping, annoying footfall sound, heel clacking and other noises. This is the result of HARO's ComforTec innovation. Self-adhesive strips on the underside of the boards make glue-down installation with the subfloor possible. This leads to the pleasant acoustic of a full glue-down floor and a pleasant walking comfort. This sound insulation was tested and certified by the state-certified testing centre of the Entwicklungs- und Prüflabor Holztechnologie GmbH in Dresden. But this innovative laminate floor can do more than sound good. HARO TRITTY Silent CT is durable and easy to maintain, offers perfect wood reproductions created by the parquet specialists, and is incredibly easy to install with Top Connect.






Insulation underlays

Silent Pro – for added soundproofing, resilience and comfort

We recommend an insulation underlay for all hard subfloors. They help to increase flexibility, absorb indoor and footfall sound, and level minor irregularities of the subfloor. Due to the high elasticity of the mineral fillers, the Silent Pro insulation creates a pleasant "forest floor effect", reducing strain on joints and spine. Silent Pro is also suitable for installation over underfloor heating – and best of all: with a Silent Pro insulation layer on the back of the board, you not only save one work step, but also ensure optimal acoustic properties..





- Maximum individual values achieved in accordance with the EPLF Impact Hammer test (compared to reference floor)
- According to DIN 140-8



TRITTY 200 Aqua Gran Via

The hard-wearing laminate floor in XL format with extra moisture protection



Thickness:
Dimensions:

8 mm 2*4*3 x 2200 mm















Level of use: 23/33 **Abrasion class:** AC6 Thickness: 8,0 mm Thickness with Silent Pro/Silent CT: 10 mm Dimensions: 243 X 2200 mm

Gran Via 4V

Every product ordered in a minimum quantity of 10 m² is optionally also available with Silent CT or Silent Pro (delivery time on inquiry).

All Laminate Floor products with a Silent Pro or Silent CT product number printed in black in the price list are stock items.





TRITTY 200 Aqua Gran Via 4V 0,535 m²/Element 5 piece/pack = 2,68 m² 36 pack/pallet = 96,48 m² 7,36 kg/m² 19,72 kg/pack 709,92 kg/pallet

o,535 m²/Element 4 piece/pack = 2,14 m² 36 pack/pallet = 77,04 m² 9,26 kg/m² 19,82 kg/pack 713,52 kg/pallet

544803*

544804*

€ 42,04

€ 42,04

TRITTY 200 Aqua Gran Via 4V Silent Pro TRITTY 200 Aqua Gran Via 4V Silent CT 0,535 m²/Element 4 piece/pack = 2,14 m² 18 pack/pallet = 38,52 m² 7,36 kg/m² 15,75 kg/pack 283,50 kg/pallet

all prices in € /m²		709,92 kg/pallet	713,52 kg/		283,50 kg/pallet
Design/Style			Insulation	ID N°	excl. VAT.
The second		Gran Via 4V Oak Eleganza		541584	€ 33,29
		Creme White	Silent Pro	541592 [*]	€ 42,04
	4 2	Matching skirting ID N° 411621	Silent CT	541600*	€ 42,04
		Gran Via 4V Oak Sicilia¹		537374	€ 33,29
No. of Long.		White	Silent Pro	537386*	€ 42,04
	-4 ≅ a m	Matching skirting ID N° 411633	Silent CT	537398*	€ 42,04
		Gran Via 4V Oak Contura		540266	€ 33,29
THE SECTION		Stone Grey	Silent Pro	540274 [*]	€ 42,04
	4	Matching skirting ID N° 411287	Silent CT	540282*	€ 42,04
NEW		Gran Via 4V Silver Maple ¹		544811	€ 33,29
		Vario	Silent Pro	544812*	€ 42,04
	4 soft	Matching skirting ID N° 412414	Silent CT	544813*	€ 42,04
- 22		Gran Via 4V Oak Emilia¹		540271	€ 33,29
The same of the sa		Velvet Grey	Silent Pro	540279 [*]	€ 42,04
	4 soft	Matching skirting ID N° 411277	Silent CT	540287*	€ 42,04
-		Gran Via 4V Oak Veneto¹		537379	€ 33,29
		Mocca	Silent Pro	537391 [*]	€ 42,04
The same of	-4 ≅ a m	Matching skirting ID N° 411635	Silent CT	537403 [*]	€ 42,04
		Gran Via 4V Oak Eleganza ¹		541580	€ 33,29
		Antique Grey	Silent Pro	541588*	€ 42,04
Salar Salar	4 2 2 2	Matching skirting ID N° 411624	Silent CT	541596*	€ 42,04
NEW		Gran Via 4V Oak Flavia ¹		544790	€ 33,29
		Grey	Silent Pro	544791 [*]	€ 42,04
	4- ~	Matching skirting ID N° 412407	Silent CT	544792 [*]	€ 42,04
NEW		Gran Via 4V Oak Metallic		544802	€ 33,29

Packaging in carton and film. Only delivered in complete cartons.

Oak Metallic¹

Matching skirting

ID N° 412409

Black

¹ Wood reproduction

^{*}Not within the stock range; product line order (minimum purchasing quantity: 10 m²). Delivery time on inquiry. HDF-Easy Floor Moulding available, see page 226.

Gran Via 4V

Level of use: 23/33 Abrasion class: AC6 Thickness: 8,0 mm

Dimensions: 243 X 2200 mm

Thickness with Silent Pro/Silent CT: 10 mm



Every product ordered in a minimum quantity of 10 m² is optionally also available with Silent CT or Silent Pro (delivery time on inquiry).

All Laminate Floor products with a Silent Pro or Silent CT product number printed in black in the price list are stock items.



TRITTY 200 Aqua Gran Via 4V TRITTY 200 Aqua Gran Via 4V Silent Pro TRITTY 200 Aqua Gran Via 4V Silent CT

o,535 m²/Element 5 piece/pack = 2,68 m² 36 pack/pallet = 96,48 m² 7,36 kg/m² 19,72 kg/pack 709,92 kg/pallet

0,535 m²/Element 4 piece/pack = 2,14 m² 36 pack/pallet = 77,04 m² 9,26 kg/m² 19,82 kg/pack 713,52 kg/pallet

o,535 m²/Element 4 piece/pack = 2,14 m² 18 pack/pallet = 38,52 m² 7,36 kg/m² 15,75 kg/pack 283,50 kg/pallet

al	l pri	ices	in	€,	/m²
----	-------	------	----	----	-----

all prices in € /m²		709,92 kg/pallet	713,52 kg/	pallet	283,50 kg/pallet
Design/Style			Insulation	ID N°	excl. VAT.
	Gran Via 4 Oak Elega			541583	€ 33,29
The second	Puro		Silent Pro	541591 [*]	€ 42,04
STATE OF THE STATE	Matching skirti ID N° 411630	ng	Silent CT	541599 [*]	€ 42,04
	Gran Via 2 Oak Emili			540270	€ 33,29
3000-000	Puro		Silent Pro	540278*	€ 42,04
The second	Matching skirti ID N° 411629	ing	Silent CT	540286*	€ 42,04
	Gran Via 2 Oak Portl			539148	€ 33,29
Land Town	Puro		Silent Pro	539152 [*]	€ 42,04
	Matching skirti ID N° 411631	ing	Silent CT	539156*	€ 42,04
	Gran Via 2 Oak Vene			541585	€ 33,29
	Crema		Silent Pro	541593 [*]	€ 42,04
THE PERSON NAMED IN	Matching skirti ID N° 411634	ng	Silent CT	541601 [*]	€ 42,04
NEW	Gran Via 2 Oak Flavia			544799	€ 33,29
	Puro		Silent Pro	544800*	€ 42,04
	Matching skirti ID N° 411631	ng	Silent CT	544801 [*]	€ 42,04
	Gran Via 2 Oak Sicili			537376	€ 33,29
	Puro		Silent Pro	537388*	€ 42,04
	Matching skirti ID N° 411282		Silent CT	537400*	€ 42,04
NEW	Gran Via 4	4V	_	544814	€ 33,29
	Vario		Silent Pro	544815 [*]	€ 42,04
The second second	Matching skirti ID N° 412412		Silent CT	544816*	€ 42,04
	Gran Via 2 Oak Elega			541582	€ 33,29
The state of the s	Nature		Silent Pro	541590*	€ 42,04
THE PARTY OF THE PARTY.	Matching skirti ID N° 411627		Silent CT	541598*	€ 42,04
	Gran Via 4 Oak Emili	•		540269	€ 33,29
-	Honey		Silent Pro	540277*	€ 42,04
9	Matching skirti ID N° 411628	ng	Silent CT	540285*	€ 42,04





Level of use: 23/33 **Abrasion class:** AC6 Thickness: 8,0 mm Thickness with Silent Pro/Silent CT: 10 mm Dimensions: 243 X 2200 mm

Gran Via 4V

Every product ordered in a minimum quantity of 10 m² is optionally also available with Silent CT or Silent Pro (delivery time on inquiry).

All Laminate Floor products with a Silent Pro or Silent CT product number printed in black in the price list are stock items.



TRITTY 200 Aqua Gran Via 4V TRITTY 200 Aqua Gran Via 4V Silent Pro TRITTY 200 Aqua Gran Via 4V Silent CT o,535 m²/Element 5 piece/pack = 2,68 m² 36 pack/pallet = 96,48 m² 7,36 kg/m² 19,72 kg/pack

709,92 kg/pallet

o,535 m²/Element 4 piece/pack = 2,14 m² 36 pack/pallet = 77,04 m² 9,26 kg/m² 19,82 kg/pack 713,52 kg/pallet

o,535 m²/Element 4 piece/pack = 2,14 m² 18 pack/pallet = 38,52 m² 7,36 kg/m² 15,75 kg/pack 283,50 kg/pallet

all prices in €/m²

Design/Style		Insulation	ID N°	excl. VAT.
	Gran Via 4V Oak Portland Nature	Silent Pro	540272 540280*	€ 33,29 € 42,04
4- **	Matching skirting ID N° 411280	Silent CT	540288*	€ 42,04
NEW	Gran Via 4V Oak Flavia ¹		544796	€ 33,29
	Nature	Silent Pro	544797 [*]	€ 42,04
4	Matching skirting ID N° 412408	Silent CT	544798*	€ 42,04
	Gran Via 4V Oak Sicilia		537377	€ 33,29
	Nature	Silent Pro	537389*	€ 42,04
4 2	Matching skirting ID N° 411632	Silent CT	537401 [*]	€ 42,04
NEW	Gran Via 4V Oak Metallic¹		544805	€ 33,29
	Nature	Silent Pro	544806*	€ 42,04
4 ≈ a	Matching skirting ID N° 412410	Silent CT	544807*	€ 42,04
	Gran Via 4V Oak Eleganza ¹		542059	€ 33,29
- Committee of	Smoked	Silent Pro	542060*	€ 42,04
4 ≈ a	Matching skirting ID N° 411625	Silent CT	542061*	€ 42,04
NEW	Gran Via 4V Oak Flavia ¹		544793	€ 33,29
	Smoked	Silent Pro	544794 [*]	€ 42,04
4 🧩	Matching skirting ID N° 411625	Silent CT	544795 [*]	€ 42,04
NEW	Gran Via 4V Walnut ¹		544808	€ 33,29
	Vario	Silent Pro	544809 [*]	€ 42,04
4 a soft	Matching skirting ID N° 412413	Silent CT	544810*	€ 42,04
NEW	Gran Via 4V Acacia ¹		544817	€ 33,29
	Vario	Silent Pro	544818*	€ 42,04
4 ≩ asoft	Matching skirting ID N° 412411	Silent CT	544819*	€ 42,04

¹ Wood reproduction

TRITTY 200 Aqua Plank 1-Strip

The hard-wearing laminate floor with extra moisture protection



Thickness: Dimensions:

8 mm 193 x 1282 mm













all prices in €/m²



Level of use: 23/33 **Abrasion class:** AC6 Thickness: 8,0 mm Thickness with Silent Pro/Silent CT: 10 mm Dimensions: 193 x 1282 mm

Plank 1-Strip 4V

Every product ordered in a minimum quantity of 10 m² is optionally also available with Silent CT or Silent Pro (delivery time on inquiry).

All Laminate Floor products with a Silent Pro or Silent CT product number printed in black in the price list are stock items.



TRITTY 200 Aqua 0,247 m²/Element 8 piece/pack = 1,98 m² 52 pack/pallet = 102,96 m² 7,36 kg/m² 14,57 kg/pack 757,64 kg/pallet

TRITTY 200 Aqua Silent Pro 0,247 m²/Element 7 piece/pack = 1,73 m² 44 pack/pallet = 76,12 m² 9,26 kg/m² 16,02 kg/pack 704,88 kg/pallet

TRITTY 200 Aqua Silent CT 0,247 m²/Element 7 piece/pack = 1,73 m² 24 pack/pallet = 41,52 m² 7,36 kg/m² 12,73 kg/pack 305,52 kg/pallet

an prices in e /iii				
Design/Style			ID N°	excl. VAT.
	Plank 1-Strip 4V Oak Eleganza¹		541559	€ 29,96
The second second	Creme White	Silent Pro	541567 [*]	€ 38,71
4 2 2	Matching skirting ID N° 411621	Silent CT	541576*	€ 38,71
	Plank 1-Strip 4V Oak Sicilia ¹		537368	€ 29,96
	White	Silent Pro	537380*	€ 38,71
4 <u>≈</u> am	Matching skirting ID N° 411633	Silent CT	537392*	€ 38,71
	Plank 1-Strip 4V Oak Contura ¹		540239	€ 29,96
THE REPORT OF	Stone Grey	Silent Pro	540247 [*]	€ 38,71
- 4 ≈	Matching skirting ID N° 411287	Silent CT	540257*	€ 38,71
NEW	Plank 1-Strip 4V Silver Maple ¹		544781	€ 29,96
THE STREET	Vario	Silent Pro	544782*	€ 38,71
4 ≅ seft a soft	Matching skirting ID N° 412414	Silent CT	544783*	€ 38,71
2200	Plank 1-Strip 4V Oak Emilia		540244	€ 29,96
-	Velvet Grey	Silent Pro	540252 [*]	€ 38,71
4 ≋	Matching skirting ID N° 411277	Silent CT	540263*	€ 38,71
	Plank 1-Strip 4V Oak Veneto¹		537373	€ 29,96
THE PARTY OF THE P	Mocca	Silent Pro	537385*	€ 38,71
4 ≈ am	Matching skirting ID N° 411635	Silent CT	537397 [*]	€ 38,71
	Plank 1-Strip 4V Oak Eleganza ¹		541555	€ 29,96
The second of	Antique Grey	Silent Pro	541563 [*]	€ 38,71
4 ≈ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	Matching skirting ID N° 411624	Silent CT	541572 [*]	€ 38,71
NEW	Plank 1-Strip 4V Oak Flavia¹		544760	€ 29,96
	Grey	Silent Pro	544761*	€ 38,71
- 4 ≈ ≈	Matching skirting ID N° 412407	Silent CT	544762*	€ 38,71
NEW	Plank 1-Strip 4V Oak Metallic		544772	€ 29,96
	Black	Silent Pro	544773 [*]	€ 38,71
- 4 ≈	Matching skirting ID N° 412409	Silent CT	544774 [*]	€ 38,71

Packaging in carton and film. Only delivered in complete cartons.

¹ Wood reproduction

^{*}Not within the stock range; product line order (minimum purchasing quantity: 10 m²). Delivery time on inquiry. HDF-Easy Floor Moulding available, see page 226.

Plank 1-Strip 4V

Level of use: 23/33 Abrasion class: AC6 Thickness: 8,0 mm



Dimensions: 193 x 1282 mm





Every product ordered in a minimum quantity of 10 m² is optionally also available with Silent CT or Silent Pro (delivery time on inquiry).

All Laminate Floor products with a Silent Pro or Silent CT product number printed in black in the price list are stock items.





TRITTY 200 Aqua 0,247 m²/Element 8 piece/pack = 1,98 m² 52 pack/pallet = 102,96 m² 7,36 kg/m² 14,57 kg/pack 757,64 kg/pallet

TRITTY 200 Aqua Silent Pro 0,247 m²/Element 7 piece/pack = 1,73 m² 44 pack/pallet = 76,12 m² 9,26 kg/m² 16,02 kg/pack 704,88 kg/pallet

TRITTY 200 Aqua Silent CT 0,247 m²/Element 7 piece/pack = 1,73 m² 24 pack/pallet = 41,52 m² 7,36 kg/m² 12,73 kg/pack 305,52 kg/pallet

all prices in € /m²		757,64 kg/palle	t 704,88	kg/pallet	305,52 kg/pallet
Design/Style			Insulation	ID N°	excl. VAT.
	7	Plank 1-Strip 4V Oak Eleganza Puro	Silent Bro	541558	€ 29,96
	A STATE OF THE PARTY OF THE PAR		Silent Pro	541566*	€ 38,71
	4	Matching skirting ID N° 411630	Silent CT	54 ¹ 575*	€ 38,71
		Plank 1-Strip 4V Oak Emilia¹	_	540243	€ 29,96
200	City 18	Puro	Silent Pro	540251*	€ 38,71
100	4	Matching skirting ID N° 411629	Silent CT	540262*	€ 38,71
		Plank 1-Strip 4V Oak Portland ¹		539146	€ 29,96
	0	Puro	Silent Pro	539150*	€ 38,71
1	- 4 - ≅	Matching skirting ID N° 411631	Silent CT	539154*	€ 38,71
	No. of Lot, House, etc., in such sufficient to the last such such such such such such such such	Plank 1-Strip 4V Oak Veneto¹		541560	€ 29,96
		Crema	Silent Pro	541568*	€ 38,71
	-4 ≅ a m	Matching skirting ID N° 411634	Silent CT	541577 [*]	€ 38,71
NEW		Plank 1-Strip 4V Oak Flavia ¹		544769	€ 29,96
ALTERNATION OF		Puro	Silent Pro	544770 [*]	€ 38,71
7.77	_4_ <u>≈</u>	Matching skirting ID N° 411631	Silent CT	544771 [*]	€ 38,71
1	No. of Street, or other Persons	Plank 1-Strip 4V Oak Sicilia¹		537370	€ 29,96
	The state of	Puro	Silent Pro	537382*	€ 38,71
THE RESERVE	-4 ≅ a m	Matching skirting ID N° 411282	Silent CT	537394 [*]	€ 38,71
NEW		Plank 1-Strip 4V Elm ¹		544784	€ 29,96
	1	Vario	Silent Pro	544785 [*]	€ 38,71
	4 a soft	Matching skirting ID N° 412412	Silent CT	544786*	€ 38,71
		Plank 1-Strip 4V Oak Eleganza ¹		541557	€ 29,96
The state of	CONT.	Nature	Silent Pro	541565*	€ 38,71
TAKE THE	$-\frac{4}{4}$	Matching skirting ID N° 411627	Silent CT	54 ¹ 574 [*]	€ 38,71
		Plank 1-Strip 4V Oak Emilia¹		540242	€ 29,96
-	-	Honey	Silent Pro	540250 [*]	€ 38,71
9	4 section	Matching skirting ID N° 411628	Silent CT	540261*	€ 38,71





Level of use: 23/33 **Abrasion class:** AC6 Thickness: 8,0 mm Thickness with Silent Pro/Silent CT: 10 mm **Dimensions:** 193 X 1282 mm

Plank 1-Strip 4V

Every product ordered in a minimum quantity of 10 m² is optionally also available with Silent CT or Silent Pro (delivery time on inquiry).

All Laminate Floor products with a Silent Pro or Silent CT product number printed in black in the price list are stock items.





TRITTY 200 Aqua 0,247 m²/Element 8 piece/pack = 1,98 m² 52 pack/pallet = 102,96 m² 7,36 kg/m² 14,57 kg/pack

TRITTY 200 Aqua Silent Pro 0,247 m²/Element 7 piece/pack = 1,73 m² 44 pack/pallet = 76,12 m² 9,26 kg/m² 16,02 kg/pack 704,88 kg/pallet

TRITTY 200 Aqua Silent CT 0,247 m²/Element 7 piece/pack = 1,73 m² 24 pack/pallet = 41,52 m² 7,36 kg/m² 12,73 kg/pack 305,52 kg/pallet

all prices in € /m²		14,57 kg/pack 757,64 kg/pallet	16,02 Kg 704,88 l	kg/pallet	12,73 kg/pack 305,52 kg/pallet	
Design/Style			Insulation	ID N°	excl. VAT.	
	Plank 1-Str Oak Portl			540245	€ 29,96	
\$	Nature		Silent Pro	540253*	€ 38,71	
The state of the s	Matching skirti ID N° 411280	ng	Silent CT	540264*	€ 38,71	
NEW	Plank 1-Str Oak Flavia	•		544766	€ 29,96	
STAND DOFTER	Nature		Silent Pro	544767 [*]	€ 38,71	
***	Matching skirti ID N° 412408	ng	Silent CT	544768*	€ 38,71	
AND DESCRIPTION OF THE PARTY OF	Plank 1-Str Oak Sicili			537371	€ 29,96	
	Nature	•	Silent Pro	537383 [*]	€ 38,71	
7-591	Matching skirti ID N° 411632	ng	Silent CT	537395 [*]	€ 38,71	
NEW	Plank 1-Str Oak Meta	•		544775	€ 29,96	
	Nature		Silent Pro	544776*	€ 38,71	
	Matching skirti ID N° 412410	ng	Silent CT	544777 [*]	€ 38,71	
A THE STATE OF THE	Plank 1-Str Oak Elega			542056	€ 29,96	
The second second	Smoked	··· ···	Silent Pro	542057 [*]	€ 38,71	
	Matching skirti ID N° 411625	ng	Silent CT	542058*	€ 38,71	
NEW	Plank 1-Str Oak Flavia	•		544763	€ 29,96	
	Smoked		Silent Pro	544764*	€ 38,71	
	Matching skirti ID N° 411625	ng	Silent CT	544765*	€ 38,71	
NEW	Plank 1-Str Walnut	ip 4V		544778	€ 29,96	
The Walls	Vario		Silent Pro	544779 [*]	€ 38,71	
	Matching skirti ID N° 412413	ng	Silent CT	544780*	€ 38,71	
NEW	Plank 1-Str Acacia ¹	ip 4V		544787	€ 29,96	
	Vario		Silent Pro	544788*	€ 38,71	
	Matching skirti ID N° 412411	ng	Silent CT	544789*	€ 38,71	

TRITTY 100 Gran Via

The design laminate floor in XL format for high demands



Thickness:
Dimensions:

8 mm















Level of use: 23/32 Abrasion class: AC4 Thickness: 8,0 mm Thickness with Silent Pro/Silent CT: 10 mm Dimensions: 243 X 2200 mm

Gran Via 4V

Every product ordered in a minimum quantity of 10 m² is optionally also available with Silent CT or Silent Pro (delivery time on inquiry).

All Laminate Floor products with a Silent Pro or Silent CT product number printed in black in the price list are stock items.



TRITTY 100 Gran Via 4V 0,535 m²/Element 5 piece/pack = 2,68 m² 39 pack/pallet = 104,52 m² 7,21 kg/m² 19,32 kg/pack 753,48 kg/pallet

0,535 m²/Element 4 piece/pack = 2,14 m² 39 pack/pallet = 83,46 m² 9,11 kg/m² 19,50 kg/pack 760,50 kg/pallet

TRITTY 100 Gran Via 4V Silent Pro TRITTY 100 Gran Via 4V Silent CT 0,535 m²/Element 4 piece/pack = 2,14 m² 18 pack/pallet = 38,52 m² 7,21 kg/m² 15,43 kg/pack 277,74 kg/pallet

all prices in € /m²		753,48 kg/pallet	760,50 kg	kg/pallet	277,74 kg/pallet
Design/Style			Insulation	ID N°	excl. VAT.
		Gran Via 4V Oak Emilia'		538765	€ 29,96
		White	Silent Pro	538774*	€ 38,71
	$-\frac{4}{\widehat{a}}$ $\widehat{\widehat{a}}$ $\widehat{\widehat{a}}$ $\widehat{\widehat{soft}}$	Matching skirting ID N° 411185	Silent CT	538783*	€ 38,71
		Gran Via 4V Oak Eleganza		541518	€ 29,96
The same of the sa	- 1	Creme White	Silent Pro	541527 [*]	€ 38,71
TO THE REAL PROPERTY.	[_4_] [≈≈ a	Matching skirting ID N° 411568	Silent CT	541536*	€ 38,71
		Gran Via 4V Oak Contura		531917	€ 29,96
TO SEE SEE SEE		Stone Grey	Silent Pro	532625*	€ 38,71
	4	Matching skirting ID N° 411211	Silent CT	532821*	€ 38,71
NEW		Gran Via 4V Silver Maple ¹		544741	€ 29,96
		Vario	Silent Pro	544742 [*]	€ 38,71
	4 soft	Matching skirting ID N° 412392	Silent CT	544743 [*]	€ 38,71
		Gran Via 4V Oak Bergamo¹		541513	€ 29,96
	450	Silver Grey	Silent Pro	541522*	€ 38,71
	$-\frac{4}{\widehat{-}}$ $=$ $\widehat{\widehat{a}}$ $\widehat{\widehat{soft}}$	Matching skirting ID N° 411589	Silent CT	541531 [*]	€ 38,71
		Gran Via 4V Oak Emilia ¹		538770	€ 29,96
The second second	N. Fort	Velvet Grey	Silent Pro	538779 [*]	€ 38,71
	4	Matching skirting ID N° 411183	Silent CT	538788*	€ 38,71
	7/6	Gran Via 4V Oak Veneto¹		541521	€ 29,96
THE RESERVE	THE ST	Mocca	Silent Pro	541530*	€ 38,71
	4 <u>a m</u>	Matching skirting ID N° 411591	Silent CT	541539 [*]	€ 38,71
		Gran Via 4V Oak Eleganza¹		541514	€ 29,96
The second		Antique Grey	Silent Pro	541523 [*]	€ 38,71
	4- a	Matching skirting ID N° 411577	Silent CT	541532*	€ 38,71
NEW		Gran Via 4V Oak Flavia ¹		544726	€ 29,96
2 10 10 10	All Sections	Grey	Silent Pro	544727*	€ 38,71
-	4 <u>a</u>	Matching skirting ID № 412385	Silent CT	544728*	€ 38,71

Packaging in carton and film. Only delivered in complete packs.

¹ Wood reproduction

^{*}Not within the stock range; product line order (minimum purchasing quantity: 10 m²). Delivery time on inquiry. HDF-Easy Floor Moulding available, see page 226.

Gran Via 4V

Level of use: 23/32 Abrasion class: AC4 Thickness: 8,0 mm

Thickness with Silent Pro/Silent CT:

10 mm

Dimensions: 243 X 2200 mm





Every product ordered in a minimum quantity of 10 m² is optionally also available with Silent CT or Silent Pro (delivery time on inquiry).

All Laminate Floor products with a Silent Pro or Silent CT product number printed in black in the price list are stock items.

all prices in € /m²





TRITTY 100 Gran Via 4V 0,535 m²/Element 5 piece/pack = 2,68 m² 39 pack/pallet = 104,52 m² 7,21 kg/m² 19,32 kg/pack

753,48 kg/pallet

0,535 m²/Element 4 piece/pack = 2,14 m² 39 pack/pallet = 83,46 m² 9,11 kg/m² 19,50 kg/pack 760,50 kg/pallet

TRITTY 100 Gran Via 4V Silent Pro TRITTY 100 Gran Via 4V Silent CT 0,535 m²/Element 4 piece/pack = 2,14 m² 18 pack/pallet = 38,52 m² 7,21 kg/m² 15,43 kg/pack 277,74 kg/pallet

all prices in € /m-	2 135/1 01			
Design/Style		Insulation	ID N°	excl. VAT.
	Gran Via 4V Oak Italica		530693	€ 29,96
	Creme	Silent Pro	531293*	€ 38,71
	Matching skirting ID N° 411583	Silent CT	531342*	€ 38,71
	Gran Via 4V Oak Emilia¹		538769	€ 29,96
STEP STORY	Puro	Silent Pro	538778	€ 36,21
The second	4 Sasoft ID N° 411582	Silent CT	538787	€ 37,88
	Gran Via 4V Oak Eleganza ¹		541517	€ 29,96
SECTION AND DESCRIPTION OF THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS	Puro	Silent Pro	541526*	€ 38,71
	Matching skirting ID N° 411584	Silent CT	54 ¹ 535 [*]	€ 38,71
	Gran Via 4V Oak Portland ¹		533140	€ 29,96
CONTRACTOR OF THE PARTY OF THE	Puro	Silent Pro	533145	€ 36,21
	4 Matching skirting ID N° 411587	Silent CT	533147	€ 37,88
	Gran Via 4V Oak Veneto		535269	€ 29,96
	Crema	Silent Pro	535862*	€ 38,71
	4 Am ID N° 411207	Silent CT	535863*	€ 38,71
NEW Control of the co	Gran Via 4V Oak Flavia Oak Flavia		544735	€ 29,96
	Puro	Silent Pro	544736*	€ 38,71
	4 Matching skirting ID N° 411587	Silent CT	544737 [*]	€ 38,71
The Sales	Gran Via 4V Alpine Oak ¹		526709	€ 29,96
70	Nature	Silent Pro	531290	€ 36,21
The second second	Matching skirting ID N° 411567	Silent CT	527433	€ 37,88
	Gran Via 4V Oak Veneto		541520	€ 29,96
	Nature	Silent Pro	541529 [*]	€ 38,71
	4 Am ID N° 411592	Silent CT	541538*	€ 38,71
	Gran Via 4V Oak Italica		530338	€ 29,96
	Nature	Silent Pro	531995*	€ 38,71
	4 Matching skirting ID N° 411190	Silent CT	530339*	€ 38,71





Level of use: 23/32 Abrasion class: AC4 Thickness: 8,0 mm Thickness with Silent Pro/Silent CT: 10 mm Dimensions: 243 X 2200 mm

Gran Via 4V

Every product ordered in a minimum quantity of 10 m² is optionally also available with Silent CT or Silent Pro (delivery time on inquiry).

All Laminate Floor products with a Silent Pro or Silent CT product number printed in black in the price list are stock items.





TRITTY 100 Gran Via 4V 0,535 m²/Element 5 piece/pack = 2,68 m² 39 pack/pallet = 104,52 m² 7,21 kg/m² 19,32 kg/pack 753,48 kg/pallet

0,535 m²/Element 4 piece/pack = 2,14 m² 39 pack/pallet = 83,46 m² 9,11 kg/m² 19,50 kg/pack 760,50 kg/pallet

TRITTY 100 Gran Via 4V Silent Pro TRITTY 100 Gran Via 4V Silent CT 0,535 m²/Element 4 piece/pack = 2,14 m² 18 pack/pallet = 38,52 m² 7,21 kg/m² 15,43 kg/pack 277,74 kg/pallet

all prices in € /m²		75	53,48 kg/pallet	760,50 kg/pallet		277,74 kg/pall	et
Design/Style				Insulation	ID N°	excl. VAT.	
NEW	PI	Gran Via 4V Elm¹			544744	€ 29,96	
		Vario		Silent Pro	544745 [*]	€ 38,71	
	-4 ≋ a soft	Matching skirting ID N° 412390		Silent CT	544746*	€ 38,71	
		Gran Via 4V Oak Emilia ¹			538772	€ 29,96	
S - 6-11 - 10		Honey		Silent Pro	538781	€ 36,21	
9	-4 ≋ a soft	Matching skirting ID N° 411581		Silent CT	538790	€ 37,88	
The state of the s	-	Gran Via 4V Oak Eleganza	1		541516	€ 29,96	
Samuel Control		Nature		Silent Pro	541525 [*]	€ 38,71	
	-4- ≈≈ a	Matching skirting ID N° 411580		Silent CT	54 ¹ 534 [*]	€ 38,71	
	1	Gran Via 4V Oak Portland	1		533141	€ 29,96	
4		Nature		Silent Pro	533909	€ 36,21	
7	-4- ≈≈ a	Matching skirting ID N° 411197		SilentCT	533148	€ 37,88	
NEW		Gran Via 4V Oak Flavia ¹			544732	€ 29,96	
-	100	Nature		Silent Pro	544733 [*]	€ 38,71	
	-4- ≈≈ a	Matching skirting ID N° 412386		Silent CT	544734 [*]	€ 38,71	
		Gran Via 4V Vintage Oak¹			526712	€ 29,96	
	HHH			Silent Pro	531289	€ 36,21	
	-4- <u>~~~</u>	Matching skirting ID N° 411169		Silent CT	527956	€ 37,88	
100		Gran Via 4V Oak Contura			538773	€ 29,96	
S 100 - 11 - 11 - 11 - 11 - 11 - 11 - 11	15000	Smoked		Silent Pro	538782*	€ 38,71	
	-4- ≈≈ a	Matching skirting ID N° 411574		Silent CT	538791*	€ 38,71	
	153	Gran Via 4V Oak Eleganza	1		542053	€ 29,96	
THE STATE OF THE S		Smoked		Silent Pro	542054 [*]	€ 38,71	
	-4- ≈ a	Matching skirting ID N° 411578		Silent CT	542055*	€ 38,71	
NEW	2012	Gran Via 4V Oak Flavia ¹			544729	€ 29,96	
2000	No.	Smoked		Silent Pro	544730*	€ 38,71	
	-4- ≈≈ a	Matching skirting ID N° 411578		Silent CT	544731 [*]	€ 38,71	

Packaging in carton and film. Only delivered in complete packs.

¹ Wood reproduction

^{*}Not within the stock range; product line order (minimum purchasing quantity: 10 m²). Delivery time on inquiry. HDF-Easy Floor Moulding available, see page 226.

Gran Via 4V

Level of use: 23/32 Abrasion class: AC4 Thickness: 8,0 mm

Thickness with Silent Pro:/ Silent CT: 10 mm

Dimensions: 243 X 2200 mm





Every product ordered in a minimum quantity of 10 m² is optionally also available with Silent CT or Silent Pro (delivery time on inquiry).

All Laminate Floor products with a Silent Pro or Silent CT product number printed in black in the price list are stock items.





TRITTY 100 Gran Via 4V 0,535 m²/Element 5 piece/pack = 2,68 m² 39 pack/pallet = 104,52 m² 7,21 kg/m² 19,32 kg/pack 753,48 kg/pallet

0,535 m²/Element 4 piece/pack = 2,14 m² 39 pack/pallet = 83,46 m² 9,11 kg/m² 19,50 kg/pack 760,50 kg/pallet

TRITTY 100 Gran Via 4V Silent Pro TRITTY 100 Gran Via 4V Silent CT 0,535 m²/Element 4 piece/pack = 2,14 m² 18 pack/pallet = 38,52 m² 7,21 kg/m² 15,43 kg/pack 277,74 kg/pallet

all prices in € /m²

Design/Style			ID N°	excl. VAT.
NEW	Gran Via 4V Walnut ¹		544738	€ 29,96
	Vario	Silent Pro	544739 [*]	€ 38,71
4 → 1 a soft	Matching skirting ID N° 412391	Silent CT	544740 [*]	€ 38,71
NEW	Gran Via 4V Acacia ¹		544747	€ 29,96
	Vario	Silent Pro	544748*	€ 38,71
4 ≅ asoft	Matching skirting ID N° 412389	Silent CT	544749 [*]	€ 38,71

TRITTY 100 Plank 1-Strip

The design laminate floor for high demands



Thickness: Dimensions:

8 mm 193 x 1282 mm













all prices in € /m²



Level of use: 23/32 Abrasion class: AC4 Thickness: 8,0 mm Thickness with Silent Pro/Silent CT: 10 mm **Dimensions:** 193 X 1282 mm

Plank 1-Strip 4V

Every product ordered in a minimum quantity of 10 m² is optionally also available with Silent CT or Silent Pro (delivery time on inquiry).

All Laminate Floor products with a Silent Pro or Silent CT product number printed in black in the price list are stock items.



TRITTY 100 0,247 m²/Element 8 piece/pack = 1,98 m² 52 pack/pallet = 102,96 m² 7,21 kg/m² 14,28 kg/pack 742,56 kg/pallet

TRITTY 100 Silent Pro 0,247 m²/Element 7 piece/pack = 1,73 m² 52 pack/pallet = 89,96 m² 9,11 kg/m² 15,76 kg/pack 819,52 kg/pallet

TRITTY 100 Silent CT 0,247 m²/Element 7 piece/pack = 1,73 m² 24 pack/pallet = 41,52 m² 7,21 kg/m² 12,47 kg/pack 299,28 kg/pallet

all prices in € /m²		12 -7-1-1	/42,50 kg/panet	019,52 K	6/punet	299,20 kg/panet
Design/Style				Insulation	ID N°	excl. VAT.
		Plank 1-Stri Oak Emilia			538689	€ 26,63
		White		Silent Pro	538698*	€ 35,38
	4 soft	Matching skirting ID N° 411185	g	Silent CT	538707*	€ 35,38
		Plank 1-Stri Oak Elegar			541475	€ 26,63
The Control of the Co		Creme Whi	te	Silent Pro	541496*	€ 35,38
	4 2	Matching skirting ID N° 411568	g	Silent CT	541509 [*]	€ 35,38
		Plank 1-Stri Oak Contu			538696	€ 26,63
Comment of the second		Stone Grey		Silent Pro	538705*	€ 35,38
	4 2	Matching skirting ID N° 411211	g	Silent CT	538714*	€ 35,38
NEW		Plank 1-Stri Silver Map			544717	€ 26,63
		Vario		Silent Pro	544718*	€ 35,38
	4 soft	Matching skirting ID N° 412392	g	Silent CT	544719 [*]	€ 35,38
		Plank 1-Stri Oak Berga			541470	€ 26,63
		Silver Grey		Silent Pro	541488*	€ 35,38
	$\boxed{4} \boxed{\widehat{\widehat{a}} \stackrel{\text{\tiny }}{\widehat{soft}}}$	Matching skirting ID N° 411589	g	Silent CT	541503 [*]	€ 35,38
		Plank 1-Stri Oak Emilia			538695	€ 26,63
	1460	Velvet Grey	/	Silent Pro	538704 [*]	€ 35,38
4	4 second	Matching skirting ID N° 411183	g	Silent CT	538713 [*]	€ 35,38
		Plank 1-Stri Oak Venet			541477	€ 26,63
	3000,000	Mocca		Silent Pro	541498*	€ 35,38
The same of the same of	4 <u>a m</u>	Matching skirting ID N° 411591	g	Silent CT	541511*	€ 35,38
- 36		Plank 1-Stri Oak Elegar			541471	€ 26,63
	KKKAN T	Antique Gr	ey	Silent Pro	541492 [*]	€ 35,38
2-14-17-1	4 2	Matching skirting ID N° 411577	g	Silent CT	541505 [*]	€ 35,38
NEW		Plank 1-Stri Oak Flavia			544702	€ 26,63
2230		Grey		Silent Pro	544703 [*]	€ 35,38
The same of	4 2	Matching skirting ID N° 412385	g	Silent CT	544704 [*]	€ 35,38

Packaging in carton and film. Only delivered in complete packs.

¹ Wood reproduction

^{*}Not within the stock range; product line order (minimum purchasing quantity: 10 m²). Delivery time on inquiry. HDF-Easy Floor Moulding available, see page 226.

all prices in € /m²

Plank 1-Strip 4V

Level of use: 23/32 Abrasion class: AC4 Thickness: 8,0 mm

Thickness with Silent Pro/Silent CT: 10 mm

Dimensions: 193 x 1282 mm





Every product ordered in a minimum quantity of 10 m² is optionally also available with Silent CT or Silent Pro (delivery time on inquiry).

All Laminate Floor products with a Silent Pro or Silent CT product number printed in black in the price list are stock items.





TRITTY 100 0,247 m²/Element 0,247 m²/Element 8 piece/pack = 1,98 m² 52 pack/pallet = 102,96 m² 7,21 kg/m² 9,11 kg/m² 14,28 kg/pack 15,76 kg/pack 742,56 kg/pallet 819,52 kg/pallet

TRITTY 100 Silent Pro 7 piece/pack = 1,73 m² 52 pack/pallet = 89,96 m²

TRITTY 100 Silent CT 0,247 m²/Element 7 piece/pack = 1,73 m² 24 pack/pallet = 41,52 m² 7,21 kg/m² 12,47 kg/pack 299,28 kg/pallet

an prices in e /iii				
Design/Style			ID N°	excl. VAT.
	Plank 1-Strip 4V Oak Italica Crame		538920	€ 26,63
	Creme	Silent Pro	538921*	€ 35,38
4 **	Matching skirting ID N° 411583	Silent CT	538922*	€ 35,38
The state of the s	Plank 1-Strip 4V Oak Emilia ¹		538691	€ 26,63
	Puro	Silent Pro	538700	€ 32,88
4 ssort	Matching skirting ID № 411582	Silent CT	538709	€ 34,54
	Plank 1-Strip 4V Oak Eleganza'		541474	€ 26,63
The same of the sa	Puro	Silent Pro	541495 [*]	€ 35,38
-4- ≈ a	Matching skirting ID N° 411584	Silent CT	541508*	€ 35,38
100	Plank 1-Strip 4V Oak Portland ¹		533122	€ 26,63
The same of the sa	Puro	Silent Pro	533128	€ 32,88
- 4	Matching skirting ID N° 411587	SilentCT	533133	€ 34,54
SOUTH AND ADDRESS OF THE PARTY	Plank 1-Strip 4V Oak Veneto ¹		535261	€ 26,63
	Crema	Silent Pro	535893*	€ 35,38
-4 ≈ am	Matching skirting ID N° 411207	Silent CT	535894*	€ 35,38
NEW	Plank 1-Strip 4V Oak Flavia ¹		544711	€ 26,63
27,000	Puro	Silent Pro	544712*	€ 35,38
- 4	Matching skirting ID N° 411587	Silent CT	544713 [*]	€ 35,38
	Plank 1-Strip 4V Alpine Oak ¹		542069	€ 26,63
0.0	Nature	Silent Pro	542075	€ 32,88
	Matching skirting ID N° 411567	SilentCT	542074	€ 34,54
	Plank 1-Strip 4V Oak Veneto ¹		541478	€ 26,63
	Nature	Silent Pro	541500 [*]	€ 35,38
$\frac{4}{\sqrt{a}} \stackrel{\text{\tiny $\frac{1}{2}$}}{\approx}$	Matching skirting ID N° 411592	Silent CT	541512 [*]	€ 35,38
	Plank 1-Strip 4V Oak Italica ¹		530335	€ 26,63
	Nature	Silent Pro	530336*	€ 35,38
4 ≈ a	Matching skirting ID N° 411190	Silent CT	530337 [*]	€ 35,38





Level of use: 23/32 Abrasion class: AC4 Thickness: 8,0 mm Thickness with Silent Pro/Silent CT: 10 mm Dimensions: 193 x 1282 mm

Plank 1-Strip 4V

Every product ordered in a minimum quantity of 10 m² is optionally also available with Silent CT or Silent Pro (delivery time on inquiry).

All Laminate Floor products with a Silent Pro or Silent CT product number printed in black in the price list are stock items.

TRITTY 100 0,247 m²/Element 8 piece/pack = 1,98 m² 52 pack/pallet = 102,96 m² 7,21 kg/m² 14,28 kg/pack 742,56 kg/pallet TRITTY 100 Silent Pro 0,247 m²/Element 7 piece/pack = 1,73 m² 52 pack/pallet = 89,96 m² 9,11 kg/m² 15,76 kg/pack 819,52 kg/pallet TRITTY 100 Silent CT 0,247 m²/Element 7 piece/pack = 1,73 m² 24 pack/pallet = 41,52 m² 7,21 kg/m² 12,47 kg/pack 299,28 kg/pallet

all prices in € /m²			742,56 kg/pallet	819,52 k	g/pallet	299,28 kg/pallet	
Design/Style				Insulation	ID N°	excl. VAT.	
NEW		Plank 1-Strip Elm ¹ Vario	9 4V	Silent Pro	544720	€ 26,63 € 35,38	
	4 SSSS a soft	Matching skirting ID N° 412390	5	Silent CT	544721 [*] 544722 [*]	€ 35,38	
	Y a soft	Plank 1-Strip Oak Emilia			538692	€ 26,63	
- Commen	1	Honey		Silent Pro	538701	€ 32,88	
	$\frac{4}{\widehat{a}}$ $\widehat{\widehat{a}}$ $\widehat{\widehat{soft}}$	Matching skirting ID N° 411581		Silent CT	538710	€ 34,54	
		Plank 1-Strip Oak Elegan			541473	€ 26,63	
The state of the s	NAME OF THE OWNER, OWNE	Nature		Silent Pro	541494 [*]	€ 35,38	
THE PARTY OF	4- 2	Matching skirting ID N° 411580		Silent CT	541507*	€ 35,38	
		Plank 1-Strip Oak Portlan			533123	€ 26,63	
200		Nature		Silent Pro	533129	€ 32,88	
	4 2	Matching skirting ID N° 411197		Silent CT	533134	€ 34,54	
NEW		Plank 1-Strip Oak Flavia			544708	€ 26,63	
		Nature		Silent Pro	544709 [*]	€ 35,38	
	4 2	Matching skirting ID N° 412386		Silent CT	544710*	€ 35,38	
This is	THE .	Plank 1-Strip Vintage Oa		Silent Pro	526678 528800	€ 26,63 € 32,88	
	-4 	Matching skirting ID N° 411169	\$	Silent CT	527794	€ 34,54	
	wedler to	Plank 1-Strip Oak Contui			538697	€ 26,63	
		Smoked		Silent Pro	538706*	€ 35,38	
	-4- ≅ a a	Matching skirting ID N° 411574	5	Silent CT	538715*	€ 35,38	
		Plank 1-Strip Oak Elegan			542050	€ 26,63	
- W	- Web-	Smoked		Silent Pro	542051*	€ 35,38	
	-4- ≅ ≈ a ≈	Matching skirting ID N° 411578		Silent CT	542052 [*]	€ 35,38	
NEW	17.75	Plank 1-Strip Oak Flavia Smaked		en 🗇	544705	€ 26,63	
		Smoked		Silent Pro	544706*	€ 35,38	
-	$-\frac{4}{7}$	Matching skirting ID N° 411578		Silent CT	544707*	€ 35,38	

Packaging in carton and film. Only delivered in complete packs.

¹ Wood reproduction

^{*}Not within the stock range; product line order (minimum purchasing quantity: 10 m²). Delivery time on inquiry. HDF-Easy Floor Moulding available, see page 226.

Plank 1-Strip 4V

Level of use: 23/32 Abrasion class: AC4 Thickness: 8,0 mm

Thickness with Silent Pro/Silent CT: 10 mm

Dimensions: 193 x 1282 mm





Every product ordered in a minimum quantity of 10 m² is optionally also available with Silent CT or Silent Pro (delivery time on inquiry).

All Laminate Floor products with Silent Pro or Silent CT product number printed in black in the price list are stock items.





TRITTY 100 0,247 m²/Element 8 piece/pack = 1,98 m² 52 pack/pallet = 102,96 m² 7,21 kg/m² 14,28 kg/pack 742,56 kg/pallet TRITTY 100 Silent Pro 0,247 m²/Element 7 piece/pack = 1,73 m² 52 pack/pallet = 89,96 m² 9,11 kg/m² 15,76 kg/pack 819,52 kg/pallet

TRITTY 100 Silent CT 0,247 m²/Element 7 piece/pack = 1,73 m² 24 pack/pallet = 41,52 m² 7,21 kg/m² 12,47 kg/pack 299,28 kg/pallet

all prices in € /m²

Design/Style			ID N°	excl. VAT.
NEW	Plank 1-Strip 4V Walnut'		544714	€ 26,63
	Vario	Silent Pro	544715 [*]	€ 35,38
4 - 4	Matching skirting ID N° 412391	Silent CT	544716*	€ 35,38
NEW	Plank 1-Strip 4V Acacia ¹		544723	€ 26,63
	Vario	Silent Pro	544724 [*]	€ 35,38
4 ≈ a soft	Matching skirting ID N° 412389	Silent CT	544725 [*]	€ 35,38



TRITTY 100 Campus

The design laminate floor in wide format for high demands



Thickness: Dimensions:


8 mm 243 x 1282 mm















Level of use: 23/32 Abrasion class: AC4 Thickness: 8,0 mm Thickness with Silent Pro:/ Silent CT: 10 mm Dimensions: 243 x 1282 mm

Campus 4V

Every product ordered in a minimum quantity of 10 m² is optionally also available with Silent CT or Silent Pro (delivery time on inquiry).

All Laminate Floor products with a Silent Pro or Silent CT product number printed in black in the price list are stock items.





Tritty 100 Campus 4V

8 piece/pack = 2,49 m²

0,312 m²/Element

0,312 m²/Element 7 piece/pack = 2,18 m² 39 pack/pallet = 85,02 m² 9,11 kg/m² 19,86 kg/pack 774,54 kg/pallet

Tritty 100 Campus 4V Silent Pro Tritty 100 Campus 4V Silent CT 0,312 m²/Element 7 piece/pack = 2,18 m² 18 pack/pallet = 39,24 m² 7,21 kg/m² 15,72 kg/pack 282,96 kg/pallet

all prices in € /m ²

Design/Style		Insulation	ID N°	excl. VAT.
NEW CONTRACTOR OF THE PROPERTY	Campus 4V Oak Contura ¹		532066	€ 28,29
The same of the sa	Stone Grey	Silent Pro	544750 [*]	€ 37,04
4 **	Matching skirting ID N° 411211	Silent CT	532767*	€ 37,04
NEW	Campus 4V Oak Flavia		544754	€ 28,29
	Grey	Silent Pro	544755 [*]	€ 37,04
4 ≈ ≈ a	Matching skirting ID N° 412385	Silent CT	544756*	€ 37,04
	Campus 4V Oak Italica ¹		532060	€ 28,29
	Creme	Silent Pro	532868*	€ 37,04
4 ≈ a	Matching skirting ID N° 411583	Silent CT	532384 [*]	€ 37,04
	Campus 4V Oak Emilia ¹		538750	€ 28,29
COST CONTRACTOR	Puro	Silent Pro	538756*	€ 37,04
4 € a soft	Matching skirting ID N° 411582	Silent CT	538762*	€ 37,04
NEW	Campus 4V Oak Portland		544751	€ 28,29
The state of the s	Puro	Silent Pro	544752*	€ 37,04
-4- ~~ ~~	Matching skirting ID N° 411587	Silent CT	544753 [*]	€ 37,04
	Campus 4V Alpine Oak ¹		532063	€ 28,29
	Nature	Silent Pro	532674*	€ 37,04
4 ≋ am	Matching skirting ID N° 411567	Silent CT	532466*	€ 37,04
	Campus 4V Oak Emilia ¹		541541	€ 28,29
and the second	Honey	Silent Pro	541545 [*]	€ 37,04
- - - - - - - - - - - - - -	Matching skirting ID N° 411581	Silent CT	541549 [*]	€ 37,04
NEW	Campus 4V Oak Flavia ¹		544757	€ 28,29
000000	Smoked	Silent Pro	544758*	€ 37,04
- 4	Matching skirting ID N° 411578	Silent CT	544759 [*]	€ 37,04

¹ Wood reproduction

^{*}Not within the stock range; product line order (minimum purchasing quantity: 10 m²). Delivery time on inquiry. HDF-Easy Floor Moulding available, see page 226.

TRITTY 90 Plank 1-Strip

Trendy floor design - beautiful and durable



Thickness: Dimensions:

7 mm 193 x 1282 mm













Level of use: 23/32 Abrasion class: AC4 Thickness: 7,0 mm Thickness with Silent Pro/Silent CT: 9 mm Dimensions: 193 x 1282 mm

Every product ordered in a minimum quantity of 10 m² is optionally also available with Silent CT or Silent Pro (delivery time on inquiry).

All Laminate Floor products with a Silent Pro or Silent CT product number printed in black in the price list are stock items.



9 piece/pack = 2,22 m² 52 pack/pallet = 115,44 m² 6,41 kg/m²

0,247 m²/Element

14,23 kg/pack 739,96 kg/pallet

TRITTY 90

TRITTY 90 Silent Pro 0,247 m²/Element

Plank 1-Strip 4V

7 piece/pack = 1,73 m² 52 pack/pallet = 89,96 m² 8,31 kg/m² 14,38 kg/pack 747,76 kg/pallet

TRITTY 90 Silent CT 0,247 m²/Element 7 piece/pack = 1,73 m² 24 pack/pallet = 41,52 m² 6,41 kg/m² 11,09 kg/pack 266,16 kg/pallet

all prices in €/m²



all prices in € /m²	2 /33/3 01		
Design/Style		Insulation ID	N° excl. VAT
NEW	Plank 1-Strip 4V Oak Flavia¹		.699 € 20,79
	White	Silent Pro 544	700 [*] € 29,54
4	Matching skirting ID N° 411568	Silent CT 544	.701 [*] € 29,54
NEW	Plank 1-Strip 4V Oak Torri		.696 € 20,79
	Grey	Silent Pro 544	.697 € 27,04
4	Matching skirting ID N° 412384	Silent CT 544	.698 € 28,71
NEW	Plank 1-Strip 4V Oak Bari¹		1678 € 20,79
The state of the s	Grey	Silent Pro 544	.679 € 27,04
4	Matching skirting ID N° 412378	Silent CT 544	680 € 28,71
NEW	Plank 1-Strip 4V Pine Florence ¹	544	.687 € 20,79
x 500		Silent Pro 544	688* € 29,54
4	Matching skirting soft m ID N° 412381	Silent CT 544	689 [*] € 29,54
	Plank 1-Strip 4V Oak Italica	538	6653 € 20,79
	Creme	Silent Pro 538	669 € 27,04
4	Matching skirting ID N° 411583	Silent CT 538	683 € 28,71
NEW	Plank 1-Strip 4V Oak Bari¹	544	.684 € 20,79
STATE OF THE REAL PROPERTY.	Puro	Silent Pro 544	685 [*] € 29,54
4	Matching skirting ID N° 412380	Silent CT 544	686⁺ € 29,54
	Plank 1-Strip 4V Oak Melina ¹		238 € 20,79
	Puro	Silent Pro 535	246 € 27,04
4	Matching skirting ID N° 411584	Silent CT 535	254 € 28,71
NEW	Plank 1-Strip 4V Chestnut Varese¹	544	1693 € 20,79
		Silent Pro 544	694 € 27,04
4	Matching skirting ID N° 412383	Silent CT 544	.695 € 28,71
NEW	Plank 1-Strip 4V Oak Bari¹	544	4681 € 20,79
200 1000 15	Nature	Silent Pro 544	.682 € 27,04
	Matching skirting ID N° 412379	Silent CT 544	.683 € 28,71

¹ Wood reproduction

^{*)} Not within the stock range; product line order (minimum purchasing quantity: 10 m 2). Delivery time on inquiry.

all prices in € /m²

Plank 1-Strip 4V

Level of use: 23/32 Abrasion class: AC₄ Thickness: 7,0 mm

Thickness with Silent Pro/Silent CT: 9 mm

Dimensions: 193 x 1282 mm





Every product ordered in a minimum quantity of 10 $\rm m^2$ is optionally also available with Silent CT or Silent Pro (delivery time on inquiry).


All Laminate Floor products with a Silent Pro or Silent CT product number printed in black in the price list are stock items.





TRITTY 90 0,247 m²/Element 9 piece/pack = 2,22 m² 52 pack/pallet = 115,44 m² 6,41 kg/m² 14,23 kg/pack 739,96 kg/pallet TRITTY 90 Silent Pro 0,247 m²/Element 7 piece/pack = 1,73 m² 52 pack/pallet = 89,96 m² 8,31 kg/m² 14,38 kg/pack 747,76 kg/pallet TRITTY 90 Silent CT 0,247 m²/Element 7 piece/pack = 1,73 m² 24 pack/pallet = 41,52 m² 6,41 kg/m² 11,09 kg/pack 266,16 kg/pallet

Design/Style			ID N°	excl. VAT
	Plank 1-Strip 4V Oak Savona '		538649	€ 20,79
	Nature	Silent Pro	538665	€ 27,04
4 soft m	Matching skirting ID N° 411199	Silent CT	538679	€ 28,71
NEW	Plank 1-Strip 4V Oak Bari¹		544675	€ 20,79
By the second	Amber	Silent Pro	544676*	€ 29,54
4 * * * * * * * * * * *	Matching skirting ID N° 412377	Silent CT	544677 [*]	€ 29,54
NEW	Plank 1-Strip 4V Walnut Cesano¹		544690	€ 20,79
		Silent Pro	544691	€ 27,04
4 soft m	Matching skirting ID N° 412382	Silent CT	544692	€ 28,71



Special Edition NKL 31

The perfect starter floor



Thickness:
Dimensions:


7 mm 193 x 1282 mm











Level of use: 23/31 Abrasion class: AC3 Thickness: 7,0 mm Thickness with Silent Pro: 9 mm Dimensions: 193 x 1282 mm

Plank 1-Strip/2-Strip/3-Strip

Every product ordered in a minimum quantity of 10 m² is optionally also available with Silent Pro (delivery time on inquiry).

Special Edition NKL 31 0,247 m²/Element

9 piece/pack = 2,22 m² 52 pack/pallet = 115,44 m² 6,41 kg/m²

Special Edition NKL 31 Silent Pro 0,247 m²/Element 7 piece/pack = 1,73 m² 52 pack/pallet = 89,96 m² 8,31 kg/m² 14,23 kg/pack 739,96 kg/pallet 14,38 kg/pack 747,76 kg/pallet





all prices in € /m²		739,96 kg/pallet	74	47,76 kg/pallet		
Design/Style			Insulation	ID N°	excl. VAT	
		Plank 1-Strip		544655	€ 15,79	
12,000		Oak Siena ¹ Velvet White	Silent Pro	544656*	€ 24,54	
200	s m	Matching skirting				
THE RESERVE TO BE SHOWN		ID N° 411204 2-Strip		5 4 4 6 5 7	£ 15.70	
THE PERSON NAMED IN	THE RESERVE TO THE PERSON NAMED IN	Graphite Oak ¹	er 🗇	544657	€ 15,79	
			Silent Pro	544658*	€ 24,54	
	s m	Matching skirting ID N° 411594				
The state of the s		Plank 1-Strip Oak Siena ¹		544653	€ 15,79	
1000	Control of the last of the las	Puro	Silent Pro	544654*	€ 24,54	
Marie Control	s m	Matching skirting ID N° 411583				
The Real Property lies		Plank 1-Strip		544651	€ 15,79	
- B	-	Oak Olbia¹	Silent Pro	544652*	€ 24,54	
		Matching skirting		3113	- 1/51	
NEW	s m	1D N° 411583 3-Strip				
		Maple ¹		544661	€ 15,79	
			Silent Pro	544662*	€ 24,54	
	s m	Matching skirting ID N° 412371				
NEW	The same of the sa	3-Strip Holm Oak		544659	€ 15,79	
-		Tionii Guk	Silent Pro	544660*	€ 24,54	
	s m	Matching skirting ID N° 411596				
NEW		3-Strip		544663	€ 15,79	
		Beech ¹	Silent Pro	544664*	€ 24,54	
100 100	Charles Are	Matching skirting	SHELL 10	344004	C 24,04	
NEW	s m	ID N° 412372 Plank 1-Strip				
THE RESERVE TO THE RE		Oak Scarpa ¹		544671	€ 15,79	
A STATE OF THE PARTY OF THE PAR		Nature	Silent Pro	544672*	€ 24,54	
	s m	Matching skirting ID N° 412376				
NEW		Plank 1-Strip Oak Lombardia '		544673	€ 15,79	
- 70 F	7 - St F	Nature	Silent Pro	544674 [*]	€ 24,54	
		Matching skirting				
CONTRACTOR OF THE PARTY AND	s m	ID N° 411197				

^{*)} Not within the stock range; product line order (minimum purchasing quantity: 10 m²). Delivery time on inquiry.

Plank 1-Strip/2-Strip/3-Strip

Level of use: 23/31 Abrasion class: AC3 Thickness: 7,0 mm

Thickness with Silent Pro: 9 mm Dimensions: 193 x 1282 mm



Every product ordered in a minimum quantity of 10 m² is optionally also available with Silent Pro (delivery time on inquiry).

Special Edition NKL 31

0,247 m²/Element 9 piece/pack = 2,22 m²

52 pack/pallet = 115,44 m² 6,41 kg/m²

14,23 kg/pack 739,96 kg/pallet Special Edition NKL 31 Silent Pro

o,247 m²/Element 7 piece/pack = 1,73 m² 52 pack/pallet = 89,96 m²

8,31 kg/m² 14,38 kg/pack 747,76 kg/pallet

all prices in €/m²

NEW

NEW



Plank 1-Strip Oak Scarpa¹ Smoked

Matching skirting ID N° 412375

2-Strip Oak Calabria¹

Matching skirting ID N° 412374 3-Strip

Walnut¹

Matching skirting ID N° 412373



s m









€ 15,79





544667








154 | HARO





HARO Cork Floor

Cork floors create an especially pleasant atmosphere at home. With its healthy, heat-insulating, elastic and sound-insulating properties, cork is regarded as the all-rounder among floor coverings. In addition, cork is one of the most sustainable resources for the production of modern, natural and eco-friendly floors - after all, not a single tree has to be felled to produce cork.

HARO combines all these advantages with the classy surface texture of highquality parquet floors. The result is a modern reinterpretation of the traditional raw material cork.

Technical construction

3-layer construction with HDF E1 coreboard



- 1 permaDur finish
- Cork top layer: approx. 3 mm
 Cork top layer Sirio: approx. 2,5 mm
 Cork top layer Arteo XL 4V: approx. 2 mm
 Total thickness: approx. 11 mm
 Total thickness Sirio: approx. 10,5 mm
 Total thickness Arteo XL 4V: approx. 10 mm
- 3 HDF E1 coreboard (approx. 6,8 mm)
- 4 Cork footfall sound insulation (approx. 1,2 mm)

Cork Arteo XL 4V:

Exceptional wood styles combined with the advantages of the pure natural product cork. Always trendy and stylish, with genuine bevelled edges on four sides. Board dimensions: $195 \times 1235 \text{ mm}$.

Cork classic:

Simply pleasant, with classic cork look. Board dimensions: 298 x 907 mm.



CORKETT

Classic design







all prices in €/m²

Design/Style		Finish	ID N°	excl. VAT
	Design Sirio * Creme	pD_	540406	€ 44,92
	Matching skirting ID N° 406991			
	Design Sirio* Nature	pD	540789	€ 40,75
	Matching skirting ID N° 410798			
	Design Arcos Antique White	pD	540790	€ 52,42
	Matching skirting ID N° 406990			
	Design Lagos Nature	pD	540791	€ 49,92
	Matching skirting ID N° 410798			
	Design Ronda Nature	pD	540792	€ 52,42
	Matching skirting ID N° 410798			




Dimensions: 10,0 x 195 x 1235 mm Top layer thickness: approx. 2,0 mm Level of use: 23/33 Packaging: 8 piece/pack = 1,93 m² 44 pack/pallet = 84,92 m²

Design Arteo XL 4V


Packaging: 8 piece/pack = 1,93 m² 44 pack/pallet = 84,92 m² 8,39 kg/m²; 16,19 kg/pack; 712,36 kg/pallet 3-layer construction with HDF Et coreboard

all prices in €/m²





ID N° 409056



HARO Wall

Natural beauty as a room concept

Authenticity, a warm ambience and furniture that radiates comfort are the most important elements of interior design. With HARO Wall you can make this dream come true in various ways.

From the floor to the wall, and from design wood on the wall to HARO Foldwall there are numerous ways to find an individual solution for modern wall design.

HARO Wall – Flooring on the wall

The system solution which is specially adapted to HARO floors offers the option of mounting the flooring to the wall quickly and easily. Wall-mounted flooring is playing an increasingly important role in modern interior design. You can install the products Parquet 4000 Series, DISANO Design Floor as well as the Laminate Floor Series TRITTY 100 and TRITTY 200 Aqua on walls – it is easy thanks to the click system with mounting pegs.

To successfully create an appealing look of partially covered walls, we naturally offer matching cover skirtings.



Click system for wall panels



Mounting rail

Substructure for wall mounting of HARO flooring.

Suitable for HARO Parquet 4000 Series (13.5 mm), HARO Laminate Floor (7 mm, 8 mm), DISANO ClassicAqua, DISANO LifeAqua, DISANO WaveAqua.

For wall mounting of 1 m² (10.76 sq.ft) of flooring you will need:

- Parquet/laminate: approx. 2.2 m (86 5/8")

Length: 250 cm Height/Width: 8x26 mm

ID N°	PU	Min. quant. f. discount	€ excl. VAT	
409374	1 pc.	10 pc.	3,30 €/lm	



Start and end clips

for wall mounting the first row and the last row of the HARO floor.

Suitable for HARO Parquet 4000 Series (13.5 mm), HARO Laminate Floor TRITTY 90 / TRITTY 100 (7 mm, 8 mm).

Content/pack: 20 pcs.

ID N°	PU	Min. quant. f. discount	€ excl. VAT	
409377	1 pack	-	€/pack 11,99	




Mounting clips

for installing the corresponding HARO Floor on the fixing rail. Suitable for HARO Parquet, HARO Laminate Floor and Design Floor DISANO. Approx. 15 clips are required for 1 sq.m. of wall covering.

Content per pack: 100 pieces

	ID N°	PU	€ excl. VAT
for Parquet 4000 Series, 13.5 mm	409371	1 pack	€/pack 15,39
for Laminate Floor TRITTY 200 Aqua / TRITTY 100; DISANO WaveAqua and LifeAqua	409372	1 pack	€/pack 15,39
for Laminate Floor TRITTY 90 / Special Edition NKL 31	410397	1 pack	€/pack 15,39
for DISANO ClassicAqua Design Floor	411925	1 pack	€/pack 15,39




Aluminium cover strip for parquet and laminate floor

for an elegant transition from the floor to the wall. Countersunk centre holes, hole spacing 50 cm Screws included.

Length: 250 cm

	ID N°	PU	Min. quant. f. discount	€ excl. VAT	
Cover strip in stainless steel look for parquet (15 x 20 mm')	409375	1 pc.	-	€/lm 17,06	
Cover skirting in stainless steel look for laminate floors and DISANO ② Design Floors (15 x 15 mm)	409376	1 pc.	-	€/lm 14,84	



Cover skirting for parquet and DISANO Design Floors

for the perfect ending of floor coverings at the wall Delivery time approx. 3 weeks $\,$

Length: 218 cm

	ID N°	PU	Min. quant. f. discount	€ excl. VAT	
Cover strip for parquet, made of original parquet board (60 x 25 mm)	533195	1 pc.	-	€/lm 76,89	
Cover skirting from original DISANO ClassicAqua board	543635	1 pc.	-	€/lm 76,89	

HARO Wall – Design Wood on the wall

For those who prefer something a bit more unconventional and design-focused, we have the two series Design Nevada and Design Patagonia in our range. Nevada, with its small format and three thicknesses, is a vibrant variant. Patagonia, in a larger format and only one thickness, offers a harmonious look.

Thanks to our specially developed adhesive system with ready-to-use adhesive strips on the back of the boards, installation on the wall is simple and quick – no additional tools are needed.





Design Wood on the wall

Design Nevada

Available in the thicknesses 3.7mm, 4.7 mm and 7.3mm, mixed per pack **Dimensions**: 62 x 496 mm

Packaging

60 piece/pack = 1,86 m² (3 mixed thickness variants) 50 pack/pallet = 93,00 m² 3,06 kg/m²; 5,69 kg/pack; 284,50 kg/pallet Stone Pine: 2,22 kg/m²; 4,13 kg/pack; 206,50 kg/pallet

	Wood Species/Grade	ID N°	€ excl. VAT	
	Stone Pine River ¹⁾ brushed unfinished	543347	€/m² 58,25	
	Oak River White 1) heavy brushed oiled	538859	€/m² 48,25	
aries .	Oak River ¹⁾ heavy brushed oiled	535624	€/m² 45,75	
	Fumed Oak River Invisible ¹⁾ heavy brushed oiled	538860	€/m² 49,92	
	Oak River Grey ¹⁾ heavy brushed oiled	538861	€/m² 48,25	

¹ HARO Wall may only be installed with the HARO mounting adhesive.

Design Patagonia

11.2 mm thick

Dimensions: 120 X 1000 mm

Packaging

24 pc./pack = 2,88 m² 18 pack/pallet = 51,84 m²

5,34 kg/m²; 15,38 kg/pack; 276,84 kg/pallet

Wood Species/Grade	ID N°	€ excl. VAT	
Oak River ¹⁾ brushed oiled	535625	€/m² 91,58	
Oak River ¹⁾ heavy brushed oiled	535626	€/m² 95,75	
Oak Barrique River ¹⁾ heavy brushed oiled	535627	€/m² 120,75	
Smoked Oak River ¹⁾ heavy brushed oiled	535628	€/m² 99,92	
American Walnut River 1)2) brushed oiled	535629	€/m² 166,58	
Thermo Oak Lake ^{1) 2)} brushed oiled	535630	€/m² 99,92	
African Oak Lake ¹⁾ heavy brushed oiled	535631	€/m² 108,25	

 $^{\mbox{\tiny 1}}$ HARO Wall may only be installed with the HARO mounting adhesive. $^{\mbox{\tiny 2}}$ while stocks last.



HARO mounting adhesive

- Very good initial adhesion
- Permanently elastic, odourless curing
- Solvent free, silicone free, isocyanate free, free from plasticising ingredients
- Versatile, e.g. for HARO Wall and HARO Stairs, skirtings and mouldings

Contents: 290 ml Coverage: 1 m²

ID N°	PU	Min. quant. f. discount	€ excl. VAT	
411160	1 pc.	20 pc.	€/pc. 15,75	


HARO Foldwall

Unique wall design

Nowadays, wall design is becoming increasingly important when it comes to making the personal living environment more beautiful. With HARO Foldwall you have the opportunity to place eye-catchers in rooms and give walls an artistic touch with design-oriented highlights.

The Foldwall elements are simply clicked onto the easy-to-install rail system with a magnet.

This makes it possible to remove, change or add HARO Foldwall elements at any time.



Foldwall

Foldwall 100

Wooden design element

Dimensions: 57 x 501,5 x 495 mm

1 piece/pack = 0,248 m²

	Style	ID N°	€ excl. VAT
	Foldwall 100 Sand Oak brushed 2)	543694	€/m² 374,17
	Foldwall 100 Mountain Oak brushed 1)2)	543695	€/m² 374,17
	Foldwall 100 Holm Oak Creme brushed 1)2)	543696	€/m² 374,17
	Foldwall 100 Concrete Light Stone texture 1)3)	543697	€/m² 374,17
	Foldwall 100 Deep Black Matt	543699	€/m² 374,17
医 甲醛基础	Foldwall 100 Slate Anthrazit ³⁾	543701	€/m² 374,17

¹⁾ Not within the stock range; product line order on request! 2) Wood reproduction 3) Stone reproduction

Mounting rail

Subconstruction for the installation of HARO Foldwall

Length: 2000 mm

	ID N°	€ excl. VAT	
2000 mm	411752	€/lm 9,08	


Side cover

Magnetically insertable side cover for elegant endings of HARO Foldwall

Length: 505 mm Height: 55 mm

	ID N°	€ excl. VAT	
Aluminium	411753	€/lm 100,00	
Black	412026	€/lm 100,00	







HARO Stairs

Natural beauty as a room concept

Staircases beautifully blend into the interior design of a room. Using the same flooring in a living space with stairs rounds off the look to perfection. This gives the room a harmonious and elegant overall impression. With this expertise you can also impress in terms of design.

Panelling for stairs made of original HARO Parquet

Whether you have a concrete staircase or self-supporting stairs, with Haro Stairs you can design your living space individually and integrate your staircase as a connecting design object - in the same style or contrasting your HARO Floor.

The various options for the panelling of stairs are made of original HARO Parquet. Regardless of whether you need block steps, format boards or just stair nosings, HARO has the right product for you and your individual taste in its range..



Block steps

for use on self-supporting and concrete stairs Top, bottom and all 4 sides are made of original HARO Parquet.





Complete steps 3 in 1

for cladding concrete stairs.

Tread, front and riser in one, made of original HARO Parquet.



Complete step 3 in 1 "Modern"

without edge strip (1). with edge strip (2).

Format boards

for cladding concrete stairs.

Tread and front in one, made of original HARO Parquet.



Format board "Classic"
with angled front edge (1)

with angled front edge (1). optionally available with angled edge on the side (2).



Format board "Modern"

with connection to the riser (1). without connection (2).

Risers

matching risers made of original parquet or MDF white matt finish.

Side edging

for cladding concrete stairs

All components have a mitre joint on the right and/or left side.





Riser made of original parquet with connection on one side (1). Riser without connection, MDF white finish (2). Riser made of original parquet without connection (3).

Stair nosings

The entry system for cladding concrete stairs.



60 x 60 mmConnection on one side.



120 x 60 mmConnection on both sides.



60 x 40 x 20 mm Angled.

STAIRS

HARO – Block steps made of original HARO Parquet Plank 1-Strip boards




winding step

Block steps made of original HARO Parquet Plank 1-Strip boards

for self-supporting and concrete stairs as well as window sills. Top and bottom, as well as all 4 sides are made of original HARO Parquet. Can be manufactured from any HARO 3-layer Plank 1-Strip Parquet. Dimensions as desired. Product line order. Delivery time approx. 5 weeks.





PG2: Smoked Oak, Fumed Oak, African Oak, Thermo Ash

PG3: Walnut, Canadian Maple, Merbau

HARO - Block steps made of original HARO Longstrip Parquet



winding step

Block steps made of original HARO Longstrip Parquet

for self-supporting and concrete stairs as well as window sills.

Top and bottom, as well as all 4 sides are made of original HARO Parquet. Can be manufactured from any HARO 3-layer Longstrip Parquet. Dimensions as desired.

Product line order. Delivery time approx. 5 weeks.



	Price group	ID N°	€ excl. VAT
straight step, short - up to 1070 mm	PG1	540597	€/pc. 258,33
Tread depth up to 350 mm	PG2	540598	€/pc. 308,33
	PG ₃	540599	€/pc. 366,67
straight step, long - from 1080 mm	PG1	540600	€/pc. 433,33
Tread depth up to 350 mm	PG2	540601	€/pc. 475,00
	PG ₃	540602	€/pc. 525,00
winding step	PG1	540603	€/pc. 416,67
	PG2	540604	€/pc. 458,33
	PG ₃	540605	€/pc. 508,33
Platform "square"	PG1	540606	€/pc. 641,67
	PG2	540607	€/pc. 683,33
	PG ₃	540608	€/pc. 733,33
Platform "rectangular"	PG1	540609	€/pc. 1066,67
	PG2	540610	€/pc. 1150,00
	PG ₃	540611	€/pc. 1275,00

PG1: Oak, Beech Steamed, Ash, Sycamore PG2: Smoked Oak, Amber Robinia, African Oak PG3: Walnut, Canadian Maple, Cherry, Merbau

The quoted prices are valid for a tread depth of up to 350 mm. Other formats are possible on request. Matching risers can be found on page 180. parkettmanufaktur on request.

HARO – Complete steps 3 in 1 made of original HARO Plank 1-Strip Parquet

Complete steps 3 in 1 made of original HARO Plank 1-Strip Parquet

for the cladding of concrete stairs as well as window sills.

Tread, front and riser in one made of original HARO Parquet.

Can be manufactured from any HARO 3-layer Plank 1-Strip Parquet. Dimensions as desired.

Product line order. Delivery time approx. 5 weeks.





	Price group	ID N°	€ excl. VAT
straight step, short - up to 1070 mm	PG1	544214	€/pc. 218,33
Tread depth up to 300 mm	PG ₂	544215	€/pc. 247,50
	PG ₃	544216	€/pc. 285,00
straight step, long - from 1080 mm	PG1	544217	€/pc. 360,00
Tread depth up to 300 mm	PG2	544218	€/pc. 397,50
	PG ₃	544219	€/pc. 451,67
winding step	PG1	544220	€/pc. 335,00
	PG2	544221	€/pc. 385,00
	PG ₃	544222	€/pc. 422,50



Angled edge on the side for format board "Classic" $\,$

Edge strip on the right and/or left

	Price group	ID N°	€ excl. VAT
One sided - right or left	PG1	544223	€/pc. 53,33
	PG2	544224	€/pc. 53,33
	PG ₃	544225	€/pc. 53,33
Both sides - right and left	PG1	544226	€/pc. 106,67
	PG2	544227	€/pc. 106,67
	PG ₃	544228	€/pc. 106,67

PG1: Oak, Fir, Beech Steamed, Ash

PG2: Smoked Oak, Fumed Oak, African Oak, Thermo Ash

PG3: Walnut, Canadian Maple, Merbau

HARO – Complete steps 3 in 1 made of original HARO Longstrip Parquet

Complete steps 3 in 1 made of original HARO Longstrip Parquet

for the cladding of concrete stairs and window sills.

Tread, front and riser in one made of original HARO Parquet.

Can be manufactured from any HARO 3-layer Longstrip Parquet. Dimensions as desired.

Product line order. Delivery time approx. 5 weeks.





	Price group	ID N°	€ excl. VAT	
straight step, short - up to 1070 mm	PG1	544229	€/pc. 205,83	
Tread depth up to 300 mm	PG2	544230	€/pc. 235,00	
	PG ₃	544231	€/pc. 272,50	
straight step, long - from 1080 mm	PG1	544232	€/pc. 347,50	
Tread depth up to 300 mm	PG2	544233	€/pc. 385,00	
	PG ₃	544234	€/pc. 435,00	
winding step	PG1	544235	€/pc. 322,50	
	PG2	544236	€/pc. 355,83	
	PG ₃	544237	€/pc. 410,00	



Edge strip for complete step 3 in 1, Modern' Edge strip on the right and/or left.

	Price group	ID N°	€ excl. VAT
One sided - right or left	PG1	544238	€/pc. 51,67
	PG2	544239	€/pc. 51,67
	PG ₃	544240	€/pc. 51,67
Both sides - right and left	PG1	544241	€/pc. 101,67
	PG2	544242	€/pc. 101,67
	PG ₃	544243	€/pc. 101,67

PG1: Oak, Beech Steamed, Ash, Sycamore PG2: Smoked Oak, Amber Robinia, African Oak PG3: Walnut, Canadian Maple, Cherry, Merbau

HARO – Format boards made of original HARO Plank 1-Strip Parquet

Format boards made of HARO Plank 1-Strip Parquet

for the cladding of concrete stairs as well as window sills.

Tread and front in one made of original HARO Parquet. Can be manufactured from any HARO 3-layer Plank 1-Strip Parquet. Dimensions as desired. Product line order. Delivery time approx. 5 weeks.



Format board "Classic"

Format board "Classic"

Angled front.

	Price group	ID N°	€ excl. VAT
straight step, short - up to 1070 mm	PG1	541994	€/pc. 165,83
Tread depth up to 300 mm	PG2	541995	€/pc. 186,67
	PG ₃	541996	€/pc. 211,67
straight step, long - from 1080 mm	PG1	541997	€/pc. 270,00
Tread depth up to 300 mm	PG2	541998	€/pc. 295,00
	PG ₃	541999	€/pc. 328,33
winding step	PG1	542000	€/pc. 282,50
	PG2	542001	€/pc. 307,50
	PG ₃	542002	€/pc. 349,17



Angled edge on the side for format board "Classic"

Angled edge on the side for format board "Classic"

Angled edge on the side on the right and/or left. Only possible with straight steps of the "Classic" format board. The dimensions of the angled edge are the same as the angle of the "Classic" format board.

	Price group	ID N°	€ excl. VAT
One sided - right or left	PG1	542003	€/pc. 37,50
	PG2	542004	€/pc. 37,50
	PG ₃	542005	€/pc. 37,50
Both sides - right and left	PG1	542006	€/pc. 75,00
	PG2	542007	€/pc. 75,00
	PG ₃	542008	€/pc. 75,00



Format board "Modern"

Format board "Modern"

Straight front edge with or without connection of your choice.

	Price group	ID N°	€ excl. VAT
straight step, short - up to 1070 mm	PG1	542009	€/pc. 157,50
Tread depth up to 300 mm	PG2	542010	€/pc. 178,33
	PG ₃	542011	€/pc. 203,33
straight step, long - from 1080 mm	PG1	542012	€/pc. 261,67
Tread depth up to 300 mm	PG2	542013	€/pc. 286,67
	PG ₃	542014	€/pc. 324,17
winding step	PG1	542015	€/pc. 274,17
	PG2	542016	€/pc. 315,83
	PG ₃	542017	€/pc. 340,83

PG1: Oak, Fir, Beech Steamed, Ash

PG2: Smoked Oak, Fumed Oak, African Oak, Thermo Ash

PG3: Walnut, Canadian Maple, Merbau

HARO – Format boards made of original HARO Longstrip Parquet

Format boards made of HARO Longstrip Parquet

for the cladding of concrete stairs as well as window sills.

Tread and front in one made of original HARO Parquet. Can be manufactured from any HARO 3-layer Longstrip Parquet. Dimensions as desired. Product line order. Delivery time approx. 5 weeks.



Format board "Classic"

Format board "Classic"

Angled front.

	Price group	ID N°	€ excl. VAT
straight step, short - up to 1070 mm	PG1	542018	€/pc. 149,17
Tread depth up to 300 mm	PG2	542019	€/pc. 170,00
	PG ₃	542020	€/pc. 195,00
straight step, long - from 1080 mm	PG1	542021	€/pc. 253,33
Tread depth up to 300 mm	PG2	542022	€/pc. 278,33
	PG ₃	542023	€/pc. 311,67
winding step	PG1	542024	€/pc. 265,83
	PG2	542025	€/pc. 290,83
	PG ₃	542026	€/pc. 325,00



Angled edge on the side for format board "Classic"

Angled edge on the side for format board "Classic"

Angled edge on the side on the right and/or left. Only possible with straight steps of the "Classic" format board. The dimensions of the angled edge are the same as the angle of the "Classic" format board.

	Price group	ID N°	€ excl. VAT	
One sided - right or left	PG1	542027	€/pc. 35,00	
	PG2	542028	€/pc. 35,00	
	PG ₃	542029	€/pc. 35,00	
Both sides - right and left	PG1	542030	€/pc. 70,00	
	PG2	542031	€/pc. 70,00	
	PG ₃	542032	€/pc. 70,00	



Format board "Modern"

Format board "Modern"

Straight front edge with or without connection of your choice.

	Price group	ID N°	€ excl. VAT
straight step, short - up to 1070 mm	PG1	542033	€/pc. 149,17
Tread depth up to 300 mm	PG2	542034	€/pc. 161,67
	PG ₃	542035	€/pc. 186,67
straight step, long - from 1080 mm	PG1	542036	€/pc. 245,00
Tread depth up to 300 mm	PG2	542037	€/pc. 270,00
	PG ₃	542038	€/pc. 315,83
winding step	PG1	542039	€/pc. 257,50
	PG2	542040	€/pc. 299,17
	PG ₃	542041	€/pc. 324,17

PG1: Oak, Beech Steamed, Ash, Sycamore PG2: Smoked Oak, Amber Robinia, African Oak PG3: Walnut, Canadian Maple, Cherry, Merbau

HARO – Risers for the cladding of concrete or self-supporting stairs



Risers made of original HARO Plank 1-Strip Parquet boards

With connection on one side or without connection, depending on the chosen variant. With double-sided edge strip on the right and/or left side, depending on the chosen variant. Product line order.

Delivery time approx. 5 weeks

	Price group	ID N°	€ excl. VAT	
riser, short - up to 1070 mm	PG1	540588	€/pc. 60,83	
	PG2	540589	€/pc. 69,17	
	PG ₃	540590	€/pc. 81,67	
Riser, long - from 1080 mm	PG1	540591	€/pc. 98,33	
	PG2	540592	€/pc. 110,83	
	PG ₃	540593	€/pc. 127,50	

PG1: Oak, Fir, Beech Steamed, Ash

PG2: Smoked Oak, Fumed Oak, African Oak, Thermo Ash

PG3: Walnut, Canadian Maple, Merbau



Riser made of original HARO Longstrip Parquet

With connection on one side or without connection, depending on the chosen variant. With double-sided edge strip on the right and/or left side, depending on the chosen variant Product line order Delivery time approx. 5 weeks

	Price group	ID N°	€ excl. VAT
riser, short - up to 1070 mm	PG1	540612	€/pc. 56,67
	PG2	540613	€/pc. 65,00
	PG ₃	540614	€/pc. 77,50
Riser, long - from 1080 mm	PG1	540615	€/pc. 94,17
	PG2	540616	€/pc. 106,67
	PG ₃	540617	€/pc. 123,33

PG1: Oak, Beech Steamed, Ash, Sycamore PG2: Smoked Oak, Amber Robinia, African Oak PG3: Walnut, Canadian Maple, Cherry, Merbau



Riser MDF, white finish

Flexible in use.

Only possible without connection.

With double-sided edge strip on the right and/or left, depending on your choice.

Similar to RAL 9016.

Thickness 16 mm


Product line order

Delivery time approx. 5 weeks

	ID N°	€ excl. VAT	
riser white, short - up to 1070 mm	540594	€/pc. 35,00	
riser white, long - from 1080 mm	540595	€/pc. 65,83	

HARO – Panelling on the sides of the stairs for the cladding of concrete stairs

All components have a mitre joint on the right and/or the left side.





Tread and riser

For the tread and riser, the desired parquet floor is cut to the required length with mitred edges (left, right or on both sides).

Product line order. Delivery time approx. 5 weeks

	ID N°	PU	€ excl. VAT	
Tread	533185	1 pc.	€/lm 29,17	
Riser	533186	1 pc.	€/lm 29,17	




Stair nosing with connection

The stair noses are delivered in the same length as the treads and risers (incl. the desired mitred edges).

Product line order. Delivery time approx. 5 weeks

0	ID N°	PU	€ excl. VAT	
Surface layer dimensions 60 x 60 mm	533187	1 pc.	€/lm 65,00	
Surface layer dimensions 120 x 60 mm	539663	1 pc.	€/lm 65,00	
Special dimensions	541383	1 pc.	€/lm 65,00	



Side edging - cover (height 75 mm)

The panel is supplied with a mitre joint on three sides along the entire length of the board. The panels must be cut to the required size on site.

Product line order. Delivery time approx. 5 weeks

•	ID N°	PU	€ excl. VAT	
Side trim panel	533189	1 pc.	€/lm 29,17	

Stair nosings Parquet



for glue-down installation

Product line order Delivery time approx. 3 week

Original board length PU: 1 piece



Stair nosing with connection on one side

Tread: 60 mm Riser: 60 mm



Stair nosing with connection on both sides

Tread: 120 mm Riser: 60 mm



Stair nosing angled

Tread: 60 mm Riser: 40 mm aAngled part: 20 mm

	Price group	ID N°	€ excl. VAT		ID N°	€ excl. VAT		ID N°	€ excl. VAT	
for Plank 1-Strip	PG1	543594	€/lm 55,00		543597	€/lm 55,00		543600	€/lm 55,00	
	PG2	543595	€/lm 59,17		543598	€/lm 59,17		543601	€/lm 59,17	
	PG ₃	543596	€/lm 63,33		543599	€/lm 63,33		543602	€/lm 67,50	
for Longstrip	PG1	543603	€/lm 53,33		543606	€/lm 53,33		543609	€/lm 57,50	
	PG2	543604	€/lm 57,50		543607	€/lm 57,50		543610	€/lm 61,67	
	PG ₃	543605	€/lm 61,67		543608	€/lm 61,67		543611	€/lm 65,83	

Price groups for Plank 1-Strip:

Oak, Fir, Beech Steamed, Ash

PG2: Smoked Oak, Fumed Oak, African Oak, Thermo Ash

PG₃: Walnut, Canadian Maple, Merbau Price groups for Longstrip:

Oak, Beech Steamed, Ash, Sycamore PG2: Smoked Oak, Amber Robinia, African Oak PG₃: Walnut, Canadian Maple, Cherry, Merbau

Stair nosings for 2-layer Parquet

for glue-down installation


Product line order

Delivery time approx. 3 week




Stair nosing with connection on one side

Tread: 60 mm Riser: 60 mm



Stair nosing with connection on both sides

Tread: 120 mm Riser: 60 mm



Stair nosing angled

Tread: 60 mm Riser: 40 mm Angled part: 20 mm

	Price group	ID N°	€ excl. VAT	ID N°	€ excl. VAT	ID N°	€ excl. VAT	
for Strip Parquet	PG1	543612	€/lm 55,00	543614	€/lm 55,00	543616	€/lm 59,17	
Plank 1-Strip	PG2	543613	€/lm 59,17	543615	€/lm 59,17	543617	€/lm 63,33	

Price groups: PG1: Oak

Original board length PU: 1 piece

PG2: Smoked Oak, Fumed Oak, African Oak

Stair nosings Parquet

Stair nosings for parkettmanufaktur floors

for glue-down installation

Product line order Delivery time approx. 3 week




Stair nosing with connection on one side

Tread: 60 mm Riser: 60 mm



Stair nosing with connection on both sides

Tread: 120 mm Riser: 60 mm



Stair nosing angled

Tread: 60 mm Riser: 40 mm Angled part: 20 mm

	Price	ID N°	€ excl. VAT		ID N°	€ excl. VAT		ID N°	€ excl. VAT	
	group									
for parkettmanufaktur	PG1	543618	€/lm 71,67		543621	€/lm 71,67		543624	€/lm 75,83	
Plank 1-Strip	PG2	543619	€/lm 75,83		543622	€/lm 75,83		543625	€/lm 80,00	
	PG ₃	543620	€/lm 88,33		543623	€/lm 88,33		543626	€/lm 92,50	


Price groups:

Original board length

PU: 1 piece

PG1: Oak, Ash, Oak Barrique, Ash Barrique PG2: Smoked Oak, African Oak, Thermo Ash

PG3: Vintage Oak, Oak Smoked



Parquet stair nosings with edge protection

Stair nosings made of HARO Parquet incl. edge protection aluminium silver anodised for glue-down installation

Product line order Delivery time approx. 3 weeks

Original board length PU: 1 piece

Wood species	ID N°	€ excl. VAT	
As chosen	535020	€/lm 67,50	

Stair nosings made of parquet and parkettmanufaktur flooring, special production

On request, other formats and connections are available for the entire range of stair nosings. Technical clearance by HARO's technical department Anwendungstechnik is required.

for glue-down installation

Product line order Delivery time approx. 3 week

Original board length PU: 1 piece

Wood species	ID N°	€ excl. VAT	
Parquet	527908	€/lm 63,33	
parkettmanufaktur	543627	€/lm 80,00	

Stair nosings Laminate Floor



Stair nosings for Laminate Floors with edge-protection for TRITTY 100 (8 mm), TRITTY 200 Aqua (8 mm)

Stair nosings made of HARO Laminate Flooring incl. edge protection aluminium silver anodised. For the top stair nosing, please use the stair nosing Euro-Step Type 320 (ID No. 411837). This enables subsequent floating installation.

For customisation options, see page 187.

On request, other formats and connections are available for the entire range of stair nosings.

for glue-down installation

Product line order Delivery time approx. 3 week

Original board length PU: 1 piece

Style	ID N°	€ excl. VAT	
As chosen	533190	€/lm 57,50	

Stair nosings **DISANO**



Stair nosings made of DISANO with edge protection

Stair nosings made of design flooring incl. edge protection aluminium silver anodised For customisation options, see page 187.

for glue-down installation

Product line order Delivery time approx. 3 week

Original board length

PU: 1 piece

Style	ID N°	€ excl. VAT	
As chosen	539134	€/lm 57,50	

Stair nosings made of DISANO custom-made

On request, other formats and connections are available for the entire range of stair nosings. Technical clearance by HARO's technical department is required.


for glue-down installation

Product line order Delivery time approx. 3 weeks

Original board length

PU: 1 piece

Style	ID N°	€ excl. VAT	
As chosen	538334	€/lm 53,33	



HARO Stairs - Overview of customisation options


		Block steps straight step Winding steps	Format board "Classic/Modern" Straight step Winding steps	Complete steps 3 in 1 "Classic/Modern" Straight step Winding steps
	Board dimensions B x L			The second
Parquet Floor 3-layer construction (4000 Series)				
Plank 1-Strip 180 (13,5 mm)	180 (173) x 2200 mm	~	~	V
Plank 1-Strip Plaza 240 (13,5 mm)	240 (220) x 2200 mm	~	V	V
Longstrip (13,5 mm)	180 x 2200 mm	~	~	V
2-layer construction (4000 Series)				
Plank 1-Strip Maxim (11,0 mm)	180 (173) x 2200 mm	_	_	_
Plank 1-Strip Prestige (10,0 mm)	120 X 1000 mm	_	_	_
Strip Classico (10,0 mm)	85 x 771 mm	_	_	_
Strip Allegro (10,0 mm)	70 x 490 mm	_	_	_
3-layer construction (3500 Series)				
Plank 1-Strip (12,0 mm)	180 x 2200 mm	~	~	V
Longstrip (12,0 mm)	180 X 2200 mm	~	~	V
parkettmanufaktur by HARO				
Plank 1-Strip (13,5 mm)	173 (180) x 2200 mm	~	~	~
Plank 1-Strip XL (18 mm)	B 215 - 335 mm L 2,83 - 5,03 m	~	~	V
Carré (16 mm)	180 x 2200 mm	_	_	_
Plank 1-Strip Prestige (10,0 mm)	120 X 1000 mm	_	_	_
Strip Chevron (9,8 mm)	140 x 740 mm	_	_	_
Parquet Tile (18 mm)	650 x 650 mm	_	_	_

Stair nosings - Overview of customisation options

		Connection on one side Tread: 60 mm / *58 mm Riser: 60 mm / *58 mm	Connection on both sides Tread: 120 mm Riser: 60 mm	Angled Tread: 60 mm Riser: 40 mm Angled part: 20 mm
	Board dimensions B x L		September 1	
Parquet Floor (Special order ID num	nber ID N° 527908 / with edge pr	otection ID N° 535020)		
3-layer construction (4000 Series) Plank 1-Strip 180 (13,5 mm)	180 (173) x 2200 mm		V	V
Plank 1-Strip Plaza 240 (13,5 mm)	240 (220) X 2200 mm			
Longstrip (13,5 mm)	180 x 2200 mm	· ·		
2-layer construction (4000 Series)				
Plank 1-Strip Maxim (11,0 mm)	180 (173) x 2200 mm	V	V	V
Plank 1-Strip Prestige (10,0 mm) *	120 X 1000 mm	V	connection on both sides with the	V
Strip Classico (10,0 mm)	85 x 771 mm	_	dimensions 60x60 mm	_
Strip Allegro (10,0 mm)	70 x 490 mm	_	_	_
3-layer construction (3500 Series)				
Plank 1-Strip (12,0 mm)	180 X 2200 mm	V	V	V
Longstrip (12,0 mm)	180 x 2200 mm	V	V	V
parkettmanufaktur by HARO				
Plank 1-Strip (13,5 mm)	173 (180) x 2200 mm	~	V	V
Plank 1-Strip XL (18 mm)	B 215 - 335 mm L 2,83 - 5,03 m	V	V	V
Carré (16 mm)	180 x 2200 mm	_	_	_
Plank 1-Strip Prestige (10,0 mm)	120 X 1000 mm	~	connection on both sides with the dimensions 6ox6o mm	~
Strip Chevron (9,8 mm)	140 x 740 mm	_	_	_
Parquet Tile (18 mm)	650 x 650 mm	_	_	_
Design floor - DISANO (Special ord	er ID number ID N° 538 334 / wit	h edge protection ID N	° 539 134)	
DISANO Saphir (4,5 mm)	235 X 1282 mm 313 X 631 mm	No ready-to-install stair nosings available. Only glued with aluminium stair nosing Type 873.	_	_
DISANO Project (2 mm)	248 x 1300 mm 310 x 650 mm	No ready-to-install stair nosings available. Only glued with aluminium stair nosing Type 870	_	_
DISANO ClassicAqua (9,8 mm)	235 X 2035 mm	Available with or without edge protection	connection on both sides is only possible when the entire board length is processed with the dimensions 60 x 175 mm	V
DISANO LifeAqua (8 mm)	235 X 1800 mm 235 X 1282 mm	only possible with edge protection	only possible with edge protection	_
DISANO WaveAqua (8 mm)	243 X 2200 mm 193 X 1282 mm	only possible with edge protection	only possible with edge protection	_
Laminate Floor - stair nosings made o		red with edge protection	on. (Special order ID <u>nur</u>	mber ID N° 533 190)
TRITTY 200 Aqua (8 mm)	193 X 1282 mm 243 X 2200 mm	only possible with edge protection	only possible with edge protection	_
TRITTY 100 Gran Via (8 mm)	243 X 2200 mm	✓ only possible with edge protection	only possible with edge protection	_
TRITTY 100 Standard (8 mm)	193 X 1282 mm	✓ only possible with edge protection	only possible with edge protection	_
TRITTY 100 Campus (8 mm)	243 X 1282 mm	✓ only possible with edge protection	only possible with edge protection	_
TRITTY 90 (7 mm)	193 X 1282 mm	_	_	_
Special Edition NKL 31 (7 mm)	193 x 1282 mm	_	_	_

Product line orders

Stair nosings made of aluminium for parquet and laminate



Euro-Step stair nosings type 320

Two-piece, screw-on moulding system. The cover section can be removed at any time and can be precisely readjusted by setting the screws. The wider base section ensures enhanced stability and safety at the edges.

For floor coverings between 7 and 16 mm. Aluminium anodised.

	ID N°	PU	€ excl. VAT	
silver, length 100 cm	411837	1 pc.	€/lm 29,92	
silver, length 270 cm	411838	1 pc.	€/lm 29,92	



Sloping edge type 3402


For the facing of the stair's riser; allows the optimal use of the available tread width.

Only usable in combination with stair nosing Euro-Step model 320. With countersunk holes. Phillips head screws 3.5 x 30 mm enclosed. Aluminium Length: 100 cm

ID N°	PU	€ excl. VAT	
411839	1 pc.	€/lm 20,75	

Stair nosings made of aluminium for the DISANO Design Floor


Product line orders




Stair nosing for DISANO Design Floor

One-piece stair nosing especially for low floor heights. Screw-mountable and precisely adjustable; can also be glued. Style available in gold, silver, bronze and stainless steel/titan.

Length: 250 cm



	ID N°	PU	€ excl. VAT
Type 870 for DISANO Project	411840	1 pc.	€/lm 13,67
2 Type 873 for DISANO Saphir	411841	1 pc.	€/lm 14,50
3 Type 874 for DISANO SmartAqua	411842	1 pc.	€/lm 16,08
Type 875 for DISANO LifeAqua	411843	1 pc.	€/lm 17,58



Stair nosing Type 870 EC for DISANO Project

One-piece 90° corner as a supplement for stair nosing profile type 870. For optimal barefoot walking on open stairs. Screw-mountable and precisely adjustable.

When ordering, please specify whether you need a left or right L-shape. Style available in silver.


Length: 250 cm



	ID N°	PU	€ excl. VAT	
1 Length 30 x 30 cm	411844	1 pc.	€ 104,17	
2 Length 100 x 30 cm	411845	1 pc.	€ 65,83	
Length 150 x 30 cm	411846	1 pc.	€ 57,50	

Angled moulding made of aluminium, universally applicable

Product line orders




Angled Moulding Type 236

Essential in professional staircase renovation. Ensures safety and protection. The stair nosings are also suitable for spiral staircases and landings, and give the stairs a decorative timeless appearance. Stair nosing with countersunk mounting holes and decorative grooves on one side.

Length: 270 cm

	ID N°	PU	€ excl. VAT	
silver	411847	1 pc.	€/lm 7,92	




Angled Moulding Type 235

Essential in professional staircase renovation. Ensures safety and protection. The stair nosings are also suitable for spiral staircases and landings, and give the stairs a decorative timeless appearance. Stair nosing with countersunk mounting holes and decorative grooves on one side.

Length: 270 cm

	ID N°	PU	€ excl. VAT	
silver	411848	1 pc.	€/lm 8,67	



Angled Moulding Type 225

Essential in professional staircase renovation. Ensures safety and protection. The stair nosings are also suitable for spiral staircases and landings, and give the stairs a decorative timeless appearance. Stair nosing with countersunk mounting holes and decorative grooves on one side.

Length: 250 cm

	ID N°	PU	€ excl. VAT	
silver	411849	1 pc.	€/lm 14,42	

Installation HARO Stairs



HARO Flexible Glue

Solvent-free and water-free 1-component adhesive for glue-down installation of Parquet, Design Floor DISANO Classic Aqua, LifeAqua and Saphir; remains flexible after hardening, is ready to use, and has very low emissions (EC1 classified). Suitable for use over underfloor heating.

Coverage approx. 750 - 1250 g/sq.m. depending on notched applicator

Pallet (18 kg): 792 kg / 44 pcs. Pallet (9 kg): 648 kg / 72 pcs.

ID N°	PU	Min. quant. f. discount	€ excl. VAT	
410563	1 pc. = 18 kg	4 pc. = 72 kg	€/kg 9,08	
410565	1 pc. = 9 kg	12 pc. = 108 kg	€/kg 9,92	



HARO mounting adhesive

- Very good initial adhesion
- Permanently elastic, odourless curing
- Solvent free, silicone free, isocyanate free, free from plasticising ingredients
- Versatile, e.g. for HARO Wall and HARO Stairs, skirtings and mouldings

Contents: 290 ml Coverage: 1 m²

ID N°	PU	Min. quant. f. discount	€ excl. VAT	
411160	1 pc.	20 pc.	€/pc. 15,75	

Original Accessories

Safe - matching - tested

System-tested.

At HARO you will not only find high-quality parquet, laminate, design and cork floors - naturally, we also have a large selection of matching accessories to ensure that your feel-good floor is perfect right from the start and remains beautiful for many years to come. The accessories not only match, but are also system-tested. All original accessories, all cleaning and care products are perfectly adapted to the floors, not only technically, but also when it comes to colour.





222

Mouldings



192
Installation



Insulation underlays	192
Installation tools	198
Preparing the subfloor	199
Tubular bag adhesive	199
Adhesives	200
Glue	201
Joint Filler	201

PREMIUM Mouldings	222
ALLROUND Mouldings	223
ECO Mouldings	224
CHAMPION STAR Mouldings	225
HDF-Easy Mouldings	226
Real wood floor moulding for parquet	227
PREMIUM XXL Mouldings	228
ECONOMY Mouldings	229
MONO-CLIP Mouldings	230
DESIGN-CLIP Mouldings	232
Radiator rosettes	233

202





Skirtings for Parquets	202
Skirtings for parkettmanufaktur	204
Skirtings for Wood Performance Floors	207
Skirtings for DISANO design floor	208
Skirtings for Laminate Floors	210
Skirtings for Cork Floors	212
Skirtings black	212
White skirtings	213
Antique skirtings	215
Flexible foam skirting	216
Quarter rounds	216
Accessories for assembly and skirtings	216
LED skirtings	217
Plastic corners	218

234

Care Products

Floor care tools

Floor care accessories

Care



238

Installation

240

Renovation

Renovation	24	.0

Insulation underlays

Requirements for today's insulation underlays

In the system, insulation underlays improve the comfort of your floor.

The right insulation underlay

- ensures quiet in the room and absorbs room and footfall sound.
- improves the elasticity of the floor, reduces impact on the body's joints and increases living comfort.
- smoothes out minor irregularities of the floor, thus improving product safety.
- protects against penetrating moisture from the subfloor.

In order to help you with choosing the right insulation underlay and to evaluate the measured values, here is a brief overview of the most important values to be taken into account.

Footfall and room sound reduction:

The footfall and room sound can be significantly reduced by selecting the floor together with a high-quality insulation underlay. Wooden floors develop a particularly pleasant and duller sound compared to other hard floor coverings. Insulation underlays with a high mass weight (density kg/m²) significantly reduce the generation of sound and sound propagation in the room (sound in the room).

Example of a reduction that meets the highest standards with the Silent Pro insulation layer



Room and footfall sounds are not directly comparable, as different test procedures/conditions are used. Even seemingly objective room and footfall sound levels are often not comparable due to different test methods. Therefore, you should keep in mind the respective test method when comparing the values and consider room and footfall sound separately.

* Maximum individual values achieved in accordance with the EPLF Impact Hammer test (compared to reference floor)

Thermal resistance:

The thermal resistance characterises the ratio of the thickness to the thermal conductivity of a component. The higher the thermal resistance, the better the thermal insulation property of the component or a layer. So if you have an underfloor heating, you must make absolutely sure that the thermal resistance of the insulation underlay is as low as possible. This allows the underfloor heating to work efficiently and thus lowers the heating costs.

Thermal resistance	Thermal conductivity
0,004-0,01 m² K/W	high
0,01-0,03 m² K/W	medium
0,03-0,110 m² K/W	low

Moisture protection:

"Water vapour diffusion-equivalent air layer thickness" sd value:

The sd value is a value measured in metres (m) and determines the vapour permeability of a building material. The higher the value, the less moisture diffuses (creeps) through the material. To protect against possible residual moisture on newly introduced mineral substrates and all mineral subfloors with underfloor heating, laying out a vapour barrier is necessary. All Haro insulation underlays with an sd value fulfil the standard of a vapour barrier. Here you can choose between an insulation underlay with integrated vapour barrier, such as Silent Pro DS and Silent Energy DS, or the Haro Vapo Stop vapour barrier before laying the insulation underlay.

sd value	Moisture protection
< 0,5 m	low
0,5 m - 1500 m	medium (moisture protection)
> 1500 m	high (vapour barrier)

You will also find detailed information in our technical data sheets or receive information by telephone through our application technology service.

^{**} According to DIN 140-8

Overview	Silent Pro DS	Silent Pro	Silent Energy DS	Silent Grip	Silent Eco DS	Silent Eco	Roll-out cork underlay DS	Roll-out cork underlay	Woodfibre insulation board
'					·	· · · · · · · · · · · · · · · · · · ·			
		COMFO	RT-LINE			E	CO LIN	Ē	
Material thickness (in mm) approx.	3	3 3	1,5	1,4	2	2	CO LIN	2	5
Material thickness (in mm) approx.					2				5
				1,4	2	2	2	2	_
Indoor sound reduction	3	3	1,5	1,4	••••	2	2	2	•0000
Indoor sound reduction Footfall sound improvement	3	3 •••••	1,5	1,4 •••••	••••	2 ••••0	2 •0000	2 •0000	•0000
Indoor sound reduction Footfall sound improvement Levelling out of subfloor irregularities	3 ••••• •••••	3 ••••• •••••	1,5 ••••• ••••	1,4 ••••• ••••• ••••	••••• •••••	2 ••••0 •••00	2 •0000 •••00	2 •0000 •••00	•0000
Indoor sound reduction Footfall sound improvement Levelling out of subfloor irregularities Underfloor heating compatible	3 ••••• •••• •••• ••••	3 ••••• ••••• •••••	1,5	1,4 ••••• •••• •••• ••••	••••• ••••• •••••	2 ••••0 •••00 •••00	2 •0000 •••00 ••000	2 •0000 •••00 ••000	•0000 ••••0 •••••

	V-TEC DS	V-TEC	Duofol	EPS Easy Aquastop	Premium PE foam DS	Quality PE Foam	Standard PE Foam	Vapo Stop vapour barrier
				BASIC	-LINE			
Material thickness (in mm) approx.	2	2	2,2	BASIC 1,6	-LINE 2	2	2	0,2
Material thickness (in mm) approx. Indoor sound reduction	2	2	2,2			2	2	0,2
				1,6	2			
Indoor sound reduction	••••	••••	•0000	1,6	2	••000	00000	00000
Indoor sound reduction Footfall sound improvement	••••	••••	•0000	1,6 •••00	2 •••••	•••••	00000	00000
Indoor sound reduction Footfall sound improvement Levelling out of subfloor irregularities	•••••	••••• •••••	•0000 •0000	1,6 •••00 •••00	2 ••••• •••••	••••• •••••	00000 ••000	00000
Indoor sound reduction Footfall sound improvement Levelling out of subfloor irregularities Underfloor heating compatible	••••• ••••• •••••	••••• ••••• •••••	•0000 •0000 •0000	1,6 •••00 •••00 •••00	2 •••••• ••••• •••••	••••• •••••	00000 ••000 •0000	00000

Properties:

●○○○○ satisfactory
●●○○○ satisfactory
●●○○○ good
●●●○○ excellent
excellent

COMFORT: Premium insulation underlay for the highest demands for indoor and footfall sound ECO: Insulation underlay based on natural raw materials

BASIC: Standard insulation underlay with an excellent price/performance ratio

COMFORT LINE insulation underlays

Premium insulation underlay for the highest demands for indoor and footfall sound



Silent Energy DS

Ideal for use over underfloor heating

High-quality sound insulation underlay with integrated vapour barrier based on polyolefins filled with natural stone dust. Perfect for use over underfloor heating thanks to its excellent thermal conductivity. Helps save energy.

Thermal resistance: 0.004 m² K/W SD > 200 m Thickness: approx. 1.5 mm roll: 7,4 x 0,75 m pallet: 299,7 m²

ID N°	PU	Min. quant. f. discount	€ excl. VAT	
408292	1 roll = 5.55 m²	54 rolls = 299,7 m²	€/m² 10,46	




Silent Pro DS

Exceptional walking comfort with sound insulation and moisture protection

The premium product is of the same make as Silent Pro, but equipped with an additional vapour barrier. Suitable for use over underfloor heating.

Thermal resistance: 0.010 m² K/W SD > 100 m Thickness: approx. 3 mm roll: 5,5 x 1 m pallet: 220 m²

ID N°	PU	Min. quant. f. discount	€ excl. VAT	
411490	1 roll = 5.5 m²	40 rolls = 220 m²	€/m² 9,13	




Silent Pro

Excellent sound insulation and walking comfort

Silent Pro based on PUR with mineral fillers ensures the best possible sound conditions. Both the sound in the room and the footfall sound in bordering rooms are considerably reduced. The forest floor effect caused by the high elasticity reduces impact on body joints and spine. Suitable for use over underfloor heating.

Thermal resistance: 0.010 m² K/W Thickness: approx. 3 mm roll: 5,5 x 1,0 m pallet: 220 m²

ID N°	PU	Min. quant. f. discount	€ excl. VAT	
411489	1 roll = 5.5 m²	40 rolls = 220 m²	€/m² 7,46	




Silent Grip

Specially developed for vinyl and design flooring on a full-plastic basis

High-quality sound insulation underlay based on natural mineral fillers with a slip-resistant grip surface, especially for the floating installation of vinyl and design floor coverings on a full-plastic basis with a click system. Also suitable for installation over underfloor heating.

Thermal resistance: 0.010 m² K/W Compression strength: 44 t Thickness: approx. 1,4 mm roll: 10 x 1,0 m pallet: 400 m²

ID N°	PU	Min. quant. f. discount	€ excl. VAT	
411491	1 roll = 10 m²	40 rolls = 320 m²	€/m² 8,79	



Aluminium adhesive tape

For joining sheets of Silent Pro DS, Silent Eco DS, V-TEC DS and Duofol footfall sound insulation underlays.

Width: 50 mm Length: 50.00 m

ID N°	PU	Min. quant. f. discount	€ excl. VAT	
405851	1 roll = '50 lm	36 rolls = 1800 lm	€/roll 6,29	

ECO LINE insulation underlays

Insulation underlay based on natural raw materials.



Silent Eco DS

Eco acoustic mat with moisture protection

High-quality acoustic mat with excellent footfall and room sound properties and integrated vapour barrier; material based on vegetable oils with mineral fillers. The permanently flexible insulation underlay offers added walking comfort and reduces impact on body joints and spine. Suitable for use over underfloor heating.

Thermal resistance: 0.010 m² K/W SD > 100 m Thickness: 2 mm roll: 8,5 x 1,0 m pallet: 340 m²

ID N°	PU	Min. quant. f. discount	€ excl. VAT	
411488	1 roll = 8,5 m²	40 rolls = 340 m²	€/m² 7,46	



Silent Eco

Eco acoustic mat

High-quality acoustic mat with excellent footfall and room sound properties; material based on vegetable oils with mineral fillers. The permanently flexible insulation underlay offers added walking comfort and reduces impact on body joints and spine. Suitable for use over underfloor heating.

Thermal resistance: 0.010 m² K/W Thickness: approx. 2 mm roll: 8,5 x 1,0 m pallet: 340 m²

ID N°	PU	Min. quant. f. discount	€ excl. VAT	
411487	1 roll = 8,5 m ²	40 rolls = 340 m²	€/m² 6,63	



Roll-out cork DS

Natural cork

The natural cork insulation underlay with integrated vapour barrier offers an excellent price-performance ratio and can be used universally; suitable both for use over underfloor heating and in computer rooms.

Thermal resistance: 0,041 m² K/W Thickness: approx. 2 mm roll: 30 x 1 m pallet: 360 m²

ID N°	PU	Min. quant. f. discount	€ excl. VAT	
411475	1 roll = 30 m²	12 rolls = 360 m²	€/m² 6,29	



Roll-out cork

Natural cork

This natural insulation underlay made of cork offers an excellent price-performance ratio and is suitable for universal applications; it is even underfloor heating compatible and suitable for use in computer rooms. Very good footfall sound and heat insulation.

Thickness: approx. 2 mm
Thermal resistance: 0.041 m² K/W
roll: (10 m²) 10 x 1 m,

(30 m²) 30 x 1 m pallet: (10 m²) 350 m², (30 m²) 360 m²

ID N°	PU	Min. quant. f. discount	€ excl. VAT	
403640	1 roll = 10 m²	35 rolls = 350 m²	€/m² 4,96	
402847	1 roll = 30 m²	12 rolls = 360 m ²	€/m² 4,96	



Woodfibre insulation board

Excellent heat insulation

Levelling, footfall-sound and heat insulation underlay made of PEFC-certified natural wood fibre. Meets high ecological requirements. Due to its thermal resistance and excellent insulation properties, this underlay is not recommended for use over underfloor heating. Helps save energy.

Thermal resistance: 0.071 m² K/W Thickness: approx. 5 mm Dimensions: 0.79 x 0.59 m (board) pallet: 24 pack = 168 m²

ID N°	PU	Min. quant. f. discount	€ excl. VAT	
406354	1 pack = 7 m ²	24 pack = 168 m²	€/m² 3,79	

BASIC LINE insulation underlays

Standard insulation underlay with an excellent price-performance ratio improves walking comfort and reduces footfall sound.



V-TEC DS


Light insulation underlay for reduced sound and moisture protection

The light insulation underlay for reduced sound, with integrated vapour barrier.

With its high viscoelasticity, this 2 mm thick levelling underlay can adapt optimally to the subfloor and smooth out irregularities almost completely. Despite its light weight (230 g/m²), V-TEC DS has excellent indoor and footfall sound reduction properties and is also perfect for use over underfloor heating.

Thermal resistance: 0.041 m² K/W SD > 100 m Thickness: approx. 2 mm roll: 15,2 x 0,99 m pallet: 24 rolls = 360 m²

ID N°	PU	Min. quant. f. discount	€ excl. VAT	
407721	1 roll = 15 m²	24 rolls = 360 m²	€/m² 6,63	



V-TEC

Light insulation underlay for reduced sound

The light insulation underlay for reduced sound.

With its high viscoelasticity, this 2 mm $(3/32^n)$ thick levelling underlay can adapt optimally to the subfloor and smooth out irregularities almost completely. Despite its light weight (200 g/m²), V-TEC has excellent indoor and footfall sound reduction properties and is also perfect for use over underfloor heating.

Thermal resistance: 0.039 m² K/W Thickness: approx. 2 mm roll: 15,2 x 0,99 m pallet: 24 rolls = 360 m²

ID N°	PU	Min. quant. f. discount	€ excl. VAT	
407720	1 roll = 15 m ²	24 rolls = 360 m²	€/m² 5,79	




Duofol PE footfall sound insulation

Combination of 2 mm (3/32") standard PE foam and 0.2 mm PE construction film. The overlap strip of the PE film along the side provides added protection against moisture penetration. Due to possible electrostatic charging, this insulation underlay should not be installed under laminate flooring in rooms in which computer systems are used. Only suitable for use over underfloor heating if installed under laminate floor.

1.00 m (39 3/8") width + 6 cm (2 3/8") overlapping adhesive strip

Thermal resistance: 0.040 m 2 K/W SD > 100 m Thickness: ca. 2,2 mm roll: 28,8 x 1,06 m pallet: 12 rolls = 345.6 m 2

ID N°	PU	Min. quant. f. discount	€ excl. VAT	
402053	1 roll = 28,8 m²	12 rolls = 345.6 m²	€/m² 4,13	



EPS Easy Aquastop (fanfold board)

Very easy to install fanfold board made of expanded polystyrene foam; with integrated vapour barrier and aluminium tape.

Thermal resistance: 0.040 m² K/W SD > 100 m Thickness: approx. 1,6 mm Dimensions: 15 x 1,2 m pallet: 21 Pack = 378 m²

ID N°	PU	Min. quant. f. discount	€ excl. VAT	
407719	1 pack = 18 m²	21 pack = 378 m²	€/m² 3,29	

BASIC LINE insulation underlays



Premium PE foam DS

Non-crosslinked premium PE foam, with crosslinked appearance thanks to new extrusion technology, including an integrated vapour barrier. Due to possible electrostatic charge, do not use under laminate flooring in rooms where computers are used. Only suitable for use over underfloor heating if installed under laminate floor.

Thermal resistance: 0.050 m² K/W Thickness: approx. 2 mm roll: 30 x 1 m pallet: 12 rolls = 360 m²

ID N°	PU	Min. quant. f. discount	€ excl. VAT	
411492	1 roll = 30 m²	12 rolls = 360 m²	€/m² 4,96	



Quality PE Foam

High-quality, non-crosslinked PE foam for application areas with increased traffic and load. Due to possible electrostatic charging, this insulation underlay should not be installed under laminate flooring in rooms in which computer systems are used. Only suitable for use over underfloor heating if installed under laminate floor.

Thermal resistance: 0.040 m² K/W Thickness: approx. 2 mm roll: 30 x 1 m pallet: 12 rolls = 360 m²

ID N°	PU	Min. quant. f. discount	€ excl. VAT	
411493	1 roll = 30 m²	12 rolls = 360 m²	€/m² 2,13	



Standard PE Foam

Cost-effective, non-crosslinked PE foam which is suitable for low to medium traffic and load. Due to possible electrostatic charging, this insulation underlay should not be installed under laminate flooring in rooms in which computer systems are used. Only suitable for use over underfloor heating if installed under laminate floor.

Thermal resistance: 0.040 m² K/W Thickness: approx. 2 mm roll: 30 x 1 m / 10 x 1 m roll: 30 x 1 m (ID N° 411494) 10 x 1 m (ID N° 411900) pallet: 12 rolls = 360 m² (ID N° 411494)

35 rolls = 350 m² (ID N° 411900)

ID N°	PU	Min. quant. f. discount	€ excl. VAT	
411494	1 roll = 30 m²	12 rolls = 360 m²	€/m² 0,79	
411900		35 rolls = 350 m²	€/m² 1,04	



HARO Vapo Stop vapour barrier

Provides added moisture protection and should be installed under all insulation underlays that have no integrated vapour barrier. Penetration of residual moisture from the subfloor is prevented and the floor covering is protected against possible moisture damage. Suitable for use over underfloor heating.

SD > 90 m Thickness: approx. 0,2 mm roll: 13 x 2 m pallet: 83 rolls = 2158 m²

ID N°	PU	Min. quant. f. discount	€ excl. VAT	
406208	1 roll = 26 m²	20 rolls = 520 m²	€/roll 29,96	

Installation tools

From tapping block to pull tool: installation tools from the HARO range meet professional requirements. To be able to guarantee optimum product harmonization, we also develop our own tools in close cooperation with leading manufacturers.



All-round tapping block

Tapping block made of extremely durable recycled PE plastic

Length: 28.00 cm

ID N°	PU	Min. quant. f. discount	€ excl. VAT	
405712	1 pc.	4 pc.	€/pc. 13,67	



Tapping block LC Plus

Made of extremely durable recycled PE plastic. For floating installation of HARO floorings with Lock Connect plus installation system

Length: 30.00 cm

ID N°	PU	Min. quant. € excl. VAT f. discount		
406586	1 pc.	10 pc.	€/pc. 8,67	



Professional tapping block

Made of extremely durable recycled PE plastic. With its slightly bevelled tapping edge, it offers an ideal striking surface.

Length: 30.00 cm

ID N°	PU	Min. quant. f. discount	€ excl. VAT	
404455	1 pc.	10 pc.	€/pc. 8,67	



Hammer 800 g *

Due to its technical properties especially recommended for the installation of Lock Connect.

ID N°	PU	Min. quant. f. discount	€ excl. VAT	
403970 *	1 pc.	6 pc.	€/pc. 10,75	

* While stocks last



PVA Distance spacer

Steplessly adjustable spacer for reliably and precisely setting the necessary expansion space from the surrounding walls. The mechanism prevents the spacer from slipping out of the expansion joint.

ID N°	PU	Min. quant. f. discount	€ excl. VAT	
400358	1 pc.	6 pc.	€/pc. 36,58	



Distance spacers

Steplessly adjustable plastic spacers for expansion joints between 8 and 20 mm.

PU: 28 pc.

ID N°	PU	Min. quant. f. discount	€ excl. VAT	
403126	1 pack	40 pack	€/pack 4,96	



Professional pull tool PLUS

Extra quiet professional pull tool. Sound reduction through exchangeable hard rubber striking face.

Length: 52.00 cm

ID N°	PU	Min. quant. f. discount	€ excl. VAT	
405993	1 pc.	5 pc.	€/pc. 41,58	



Buffer model f. professional pull tool PLUS

Rubber top for professional pull tool Plus

Contents: 5 pc.

ID N°	PU	Min. quant. f. discount	€ excl. VAT	
405994	1 bag	10 bag	€/bag 13,25	

Preparing the subfloor

Subfloor preparation for installation of HARO flooring with ComforTec backing and beneath HARO Flexible Glue.



HARO Primer

Adhesion primer for mineral subfloors for ComforTec installation and beneath HARO Flexible Glue.

1 content, sufficient for approx. 6 sq.m. 10 I sufficient for approx. 6 o sq.m. depending on the subfloor

	ID N°	PU	Min. quant. f. discount	€ excl. VAT	
1 litre	410567	1 pc.	12 pc.	€/pc. 12,42	
10 litres	410588	1 pc.	10 pc.	€/pc. 112,50	

Tubular bag adhesive

For a fast and ergonomically ideal application of parquet adhesive in a standing position.



HARO Tubular bag adhesive

Very low-emission (EC1 plus R classified), solvent-free, elastically hardening Tubular bag adhesive for the installation of parquet floors and DISANO Saphir. Suitable for use on underfloor heating.

Coverage: approx.. 500 ml/m² Contents: 1 bag = 7.7 kg / 4200 ml Contents: 2 bags = 1 carton pallet: 84 bags = 646.8 kg

ID N°	PU	Min. quant. f. discount	€ excl. VAT	
410586	2 bags = 15.4 kg	20 bags = 154 kg	€/kg 9,08	



Applicator for HARO Tubular bag adhesive

 $Battery-operated\ applicator\ gun\ for\ application\ of\ HARO\ Tubular\ bag\ adhesive.$

The applicator comes in a case and is equipped with a 200 mm distributor head to accommodate interchangeable nozzles, a quick charger, two 18 volt batteries, and a stand.

Product line order

Delivery time approx. 2 weeks

,				
ID N°	PU	Min. quant. f. discount	€ excl. VAT	
410614	1 pc.	-	on request	

Interchangeable nozzles for the applicator

Distributor head 200 mm, selectable width, nozzle with 11 or 18 holes Distributor head 400 mm, selectable width, nozzle with 25 or 40 holes Product line order

	ID N°	PU	Min. quant. f. discount	€ excl. VAT	
Interchangeable nozzles to choose from	410733	7 pc.	-	on request	

Adhesives



HARO Flexible Glue

Solvent-free and water-free 1-component adhesive for glue-down installation of Parquet, Design Floor DISANO Classic Aqua, LifeAqua and Saphir; remains flexible after hardening, is ready to use, and has very low emissions (EC1 classified). Suitable for use over underfloor heating.

Coverage approx. 750 - 1250 g/sq.m. depending on notched applicator

Pallet (18 kg): 792 kg / 44 pcs. Pallet (9 kg): 648 kg / 72 pcs.

ID N°	PU	Min. quant. f. discount	€ excl. VAT	
410563	1 pc. = 18 kg	4 pc. = 72 kg	€/kg 9,08	
410565	1 pc. = 9 kg	12 pc. = 108 kg	€/kg 9,92	



HARO Eco Flexible Glue

Solvent-free and water-free 1-component adhesive for glue-down installation of Parquet, Design Floor DISANO ClassicAqua, LifeAqua and Saphir and the installation of HARO Stairs; remains flexible after hardening, is ready to use, and has very low emissions (EC1 classified). Suitable for use over underfloor heating. Bucket made of 50% recycled material.

Coverage approx. 750 - 1250 g/sq.m. depending on notched applicator
Pallet (18 kg): 792 kg / 44 pcs.

ID N°	PU	Min. quant. f. discount	€ excl. VAT	
412014	1 pc. = 18 kg	4 pc. = 72 kg	€/kg 9,92	



Dispersion Adhesive

for the HARO Design Floor DISANO Project, homogeneous PVC and CV floorings Solvent-free one-side dispersion adhesive with very low emission levels (EC1 classified). Suitable for use over underfloor heating.

Coverage: approx. 300 g/m² Pallet: 462 kg / 33 pcs.

ID N°	PU	Min. quant. f. discount	€ excl. VAT	
410566	1 pc. = 14 kg	5 pc. = 70 kg	€/kg 9,92	



Special spreader L for 3-layer Parquet and selected Design Floors

 $Especially \ suitable \ for \ applying \ HARO \ Flexible \ Glue \ when \ installing \ 3-layer \ Parquet, \ Design \ Floors \ DISANO \ Classic Aqua$

5.5 mm deep notches

ID N°	PU	Min. quant. f. discount	€ excl. VAT	
400464	1 pc.	10 pc.	€/pc. 3,75	



Special spreader D for 2-layer parquet and selected Design Floors

Especially suitable for applying HARO Flexible Glue when installing 2-layer Parquet, Design Floor Saphir.

4 mm deep notches.

ID N°	PU	Min. quant. f. discount	€ excl. VAT	
400529	1 pc.	10 pc.	€/pc. 3,75	



Special spreader for DISANO Project

 $Especially \ suitable \ for \ spreading \ HARO \ dispersion \ adhesive \ when \ installing \ HARO \ DISANO \ Project \ Design \ Floor.$

1.5 mm deep notches

ID N°	PU	Min. quant. f. discount	€ excl. VAT	
409682	1 pc.	10 pc.	€/pc. 3,75	

Adhesives



HARO mounting adhesive

- Very good initial adhesion
- Permanently elastic, odourless curing
- Solvent free, silicone free, isocyanate free, free from plasticising ingredients
- Versatile, e.g. for HARO Wall and HARO Stairs, skirtings and mouldings

Contents: 290 ml Coverage: 1 m²

ID N°	PU	Min. quant. f. discount	€ excl. VAT	
411160	1 pc.	20 pc.	€/pc. 15,75	

Glue



PVAC-D3 White Glue

For waterproof gluing of wood joints (tongue/groove)

Contents: 550.00 g Coverage: 25.00 m²

ID N°	PU	Min. quant. f. discount	€ excl. VAT	
403125	1 pc.	12 pc.	€/pc. 9,08	

Joint Filler



Coulking cork - solvent free

Universal, high-grade caulking and filling agent for heat and sound insulation. Consists of purely natural granulated cork and a solvent-free, elastic binding agent. The material is a single-component product; it is viscoplastic and stable.

Contents: 500 ml

ID N°	PU	Min. quant. f. discount	€ excl. VAT	
406088	1 pc.	20 pc.	€/pc. 12,42	



Joint Filler

Single-component, rigid and permanently elastic, acrylic-based sealing compound. Silicone-free, solvent-free, non-odorous and easy to sand. Can be finished. Also suitable for use as an adhesive due to its high adhesive strength. Frost-sensitive.

Contents: 310 ml

Colour	ID N°	PU	Min. quant. f. discount	€ excl. VAT
white	411154	1 pc.	20 St.	€/pc. 9,92
white wood types	411155	1 pc.	20 St.	€/pc. 9,92
Lighter wood types	411156	1 pc.	20 St.	€/pc. 9,92
natural wood types	411157	1 pc.	20 St.	€/pc. 9,92
grey wood types	411158	1 pc.	20 St.	€/pc. 9,92
dark/brown wood types	411159	1 pc.	20 St.	€/pc. 9,92

Definition of colours

white wood types: Ash Sand White / Light White,

Oak Sand Grey / Crystal White / Invisible / Creme White / Sand White / Light White / Puro White /

Fumed Oak Puro White

lighter wood types: Sycamore / Canadian Maple / Fumed Oak Invisible / Fir / Fir Light White

natural wood types: Cherry / Beech Steamed / Smoked Oak / Fumed Oak / Oak

grey wood types: Oak Reed Brown / Tobacco Grey / Shell Grey, Larch Tobacco Grey / Fir Pastel Grey


dark/brown wood types: African Oak / Amber Robinia / Walnut

Skirtings - for that perfect holistic look

The choice is yours: with laminate cover or veneer. Matching the floor or as a contrast. When it comes to your imagination, the sky is the limit!


Matching skirtings for your floor

Skirtings for	Surface material	Construction
Oiled Parquet	Solid / Veneer / Veneer brushed	Solid / Solid wood core / MDF core
Parquet naturaDur	Veneer / Veneer brushed	Solid wood core / MDF core
Prefinished matt Parquet	Veneer / Veneer brushed	Solid wood core / MDF core
Laminate Floor	Style foil / Laminate cover textured	MDF core / Solid wood core - resistant to water
Design floor DISANO	Style foil	MDF core / Solid wood core - resistant to water
Cork Floor	Style foil / Prefinished matt veneer	MDF core / Solid wood core



White or black skirtings - universally applicable

Skirtings	Finish / Properties	recommended	
White - Solid wood core	extra strong foil for high opacity, paintable / resistant to water / painted wood texture	Parquet	
black - Solid wood core	extra strong foil for high opacity, paintable		
White - MDF core with laminate cover	white foil, paintable / white foil textured	Lawinata Flagu	
black - MDF core with laminate cover	black laminate cover	Laminate Floor	
White - PS foam	white PS foam smooth- waterproof	all floors, especially in damp rooms	
White - MDF "Antique design"	white foil, paintable / white finished	all floors	



Skirtings for Parquet Oiled

- with recess for clips













		Q ·	W W	A	V	V
PU: 1 piece Minimum quant. for discount: 10 Packing: 10 pcs./bundle shrink wi		Stick-on skirtings with solid wood	Stick-on skirtings with solid wood	Stick-on skirtings with solid wood core, veneered,	Stick-on skirtings with solid wood core, veneered,	Stick-on skirtings with MDF core,
		core, veneered,	core, veneered,	oiled, 16x40 mm	oiled,	veneered, oiled,
Prices €/lm excl. VAT		oiled 19x39S mm	oiled, 19 x 58 mm	(cube)	16x58 mm, cube	15x80 mm, cube*
CACII VALI		Length: 250 cm	Length: 220 cm	Length: 220 cm	Length: 220 cm	Length: 220 cm
Wood species		€ 4,92 ID N°	€ 6,58 ID N°	€ 6,17 ID N°	€ 6,58 ID N°	€ 7,42 ID N°
Beech Steamed			406890		411072	
Oak		408663	406891	411062	411074	411108
Wood species		€ 6,17 ID N°	€ 7,83 ID N°	€ 7,42 ID N°	€ 7,83 ID N°	€ 9,08 ID N°
African Oak			406894		411068	
Smoked Oak		408664	406893	411061	411070	411107
Amber Robinia			407451		411637	
Oak Invisible		410701	409733	411064	411081	411109
Oak Crystal White			410707		411082	
Oak Light White		411479	411480	411481	411482	411483
Oak Shell Grey			410711		411083	
Oak Puro White		410703	406907	411065	411085	411110
Oak Velvet Brown		410136	409703		411087	
Oak Sand Grey			409734	411066	410899	411111
Oak Reed Brown			410712		411091	
Oak Tobacco Grey			408680		411092	
Ash Light White			411495		411496	
American Walnut			406896		411100	
Fumed Oak			410708		411101	
Fumed Oak Invisible			410710		411102	
Fumed Oak Puro White			410709		411103	
Thermo Ash Mezzo			406901		411105	
Wood species			€ 8,67 ID N°		€ 8,67 ID N°	
African Oak brushed			409610		411069	
Smoked Oak brushed			409611		411071	
Beech Steamed brushed			409786		411073	
Oak with branch knots			410713		411076	
Oak brushed			409612		411075	
Oak Invisible brushed			411466		411467	
Oak Light White brushed			411484		411485	
Oak Puro White brushed			409613		411086	
Oak Sand Grey brushed			409785		411088	
Ash Invisible brushed	NEW		412438		412444	
Ash Pastel Creme brushed	NEW		412437		412443	
Ash Tobacco Grey brushed	NEW		412435		412441	
Fir brushed	NEW		412440		412446	
Fir Light White brushed	NEW		412439		412445	

412436

412442

NEW

Fir Pastel Grey brushed

Skirtings for Parquet Oiled

Cube - without recess for clips



PU: 1 piece
Minimum quant. for discount:
10 pieces
Packing: 10 pcs./bundle shrink
wrapped
Prices €/Im



Skirtings without recess, solid wood core, veneered, oiled, 16x40 mm (cube)

Length: 250 cm



Skirtings without recess, solid wood core, veneered, oiled, 16 x 40 mm (cube) with a white insulation strip

Length: 250 cm



Skirtings without recess, solid wood core, veneered, oiled, 16x58 mm (cube)

Length: 250 cm



Skirtings without recess, solid wood core, veneered, oiled, 16 x 58 mm (cube) with a white insulation strip

Length: 250 cm

CACI. VAI				
Wood species	€ 6,17 ID N°	€ 6,58 ID N°	€ 6,58 ID N°	€ 7,42 ID N°
Oak	410642	411113	411114	411116
Wood species	€ 7,42 ID N°		€ 7,83 ID N°	
Oak Puro White	410643		411115	
Oak Sand White	410644		410647	

Product line orders

Skirtings **for parkettmanufaktur** made of original HARO Parquet

Product line order Delivery time approx. 3 weeks

PU: 1 piece Prices €/lm excl. VAT



Wood species	€ 38,25 ID N°
Vintage Oak	540558
Wood species	€ 24,92 ID N°
Oak Barrique	540555
Oak Carbon Black	540559
Oak	540562
Oak Nubia	540557
Oak White Barrique	540554
Ash Barrique	540560
Ash Olive Grey	540561
Fumed Oak	540563
Creek Oak	540556
Wood species	€ 33,25 ID N°
Amber Oak XL 3m *	540564
Oak XL 3 m *	540565

Skirtings for Parquet naturaDur

- with recess for clips

PU: 1 piece Minimum quant. for discount: 10 pieces Packing: 10 pcs./bundle shrink wrapped







Stick-on skirtings with solid wood core, veneered, oiled, 19 x 58 mm



Stick-on skirtings with solid wood core, veneered, oiled, 16x40 mm, cube



Stick-on skirtings with solid wood core, veneered, oiled, 16x58 mm, cube



Stick-on skirtings with MDF core, veneered, oiled,

Prices €/lm excl. VAT		oiled 19x39S mm Length: 250 cm	oiled, 19 x 58 mm Length: 220 cm	oiled, 16x40 mm, cube Length: 220 cm	oiled, 16x58 mm, cube Length: 220 cm	oiled, 15x8o mm, cube * Length: 220 cm
Wood species		€ 4,92 ID N°	€ 6,58 ID N°	€ 6,17 ID N°	€ 6,58 ID N°	€ 7,42 ID N°
Beech Steamed		12 11	406891	12.11	411072	
Oak		408663	406890	411062	411074	411108
Wood species		€ 6,17 ID N°	€ 7,83 ID N°	€ 7,42 ID N°	€ 7,83 ID N°	€ 9,08 ID N°
Smoked Oak		408664	406893	411061	411070	411107
Amber Robinia			407451		411637	
Oak Invisible		410701	409733	411064	411081	411109
Oak Light White		411479	411480	411481	411482	411483
Oak Puro White		410703	406907	411065	411085	411110
Oak Sand Grey			409734	411066	410899	411111
Ash Light White			411495		411496	
American Walnut			406896		411100	
Wood species			€ 8,67 ID N°		€ 8,67 ID N°	
Smoked Oak brushed			409611		411071	
Beech Steamed brushed			409786		411073	
Oak with branch knots			410713		411076	
Oak brushed			409612		411075	
Oak Invisible brushed			411466		411467	
Oak Light White brushed			411484		411485	
Oak Puro White brushed			409613		411086	
Oak Sand Grey brushed			409785		411088	
Ash Invisible brushed	NEW		412438		412444	
Ash Pastel Creme brushed	NEW		412437		412443	
Ash Tobacco Grey brushed	NEW		412435		412441	
Fir brushed	NEW		412440		412446	
Fir Light White brushed	NEW		412439		412445	
Fir Pastel Grey brushed	NEW		412436		412442	

Note on installation: Suitable for expansion joints of up to 10 mm to the wall!

Product line orders

Custom-made skirtings Parquet

On request, skirting boards 16×58 mm (cube) can be produced for the entire range of parquet. They are made of original HARO Parquet boards.

Product line order

Delivery time approx. 3 weeks

	ID N°	€ excl. VAT	
for parkettmanufaktur floors	540566	€/lm 33,25	
for Parquet Plank 1-Strips	540567	€/lm 22,42	
for Parquet Longstrip	540568	€/lm 22,42	

Skirtings for Parquet prefinished

PU: 1 piece Minimum quant. for discount: 10 pieces Packing: 10 pcs./bundle shrink wrapped	Stick-on skirtings with solid wood core, veneered, matt finished, 19x39S mm	Stick-on skirtings with solid wood core, veneered, matt finished, 19x58 mm	Stick-on skirtings with solid wood core, veneered, matt finished, 16x40 mm, cube	Stick-on skirtings with solid wood core, veneered, matt finished, 16x58 mm, cube	Stick-on skirtings with MDF core, veneered, prefinis- hed matt, 15x8o mm, cube*
Prices €/lm excl. VAT	Length: 250 cm	Length: 220 cm	Length: 220 cm	Length: 220 cm	Length: 220 cm
Wood species	€ 4,50 ID N°	€ 6,17 ID N°	€ 5,75 ID N°	€ 6,17 ID N°	€ 7,00 ID N°
Sycamore / Canadian Maple	411478	411117		411126	
Beech Steamed	408668	406923		411130	
Oak	408669	406922	411119	411131	411146
Ash	408673	406926		411140	
Wood species	€ 5,75 ID N°	€ 7,42 ID N°	€ 7,00 ID N°	€ 7,42 ID N°	€ 8,67 ID N°
African Oak		406933		411124	
Smoked Oak	408671	406932	411118	411128	411145
Amber Robinia		406937		411129	
Oak Invisible	410721	410725	411120	411134	411147
Oak Light White	410734	409044	411121	411135	411148
Oak Puro White	410720	410724	411122	411137	411149
Oak Sand Grey		410726	411123	410900	411150
Ash Light White		409045		411141	
American Cherry	408675	406928		411142	
Merbau		406930		411143	
American Walnut	408676	406931		411144	
Wood species		€ 8,25 ID N°		€ 7,92 ID N°	
Oak brushed		409616		411132	
Oak Invisible brushed		411468		411469	
Oak Light White brushed		409614		411136	

Note on installation: Suitable for expansion joints of up to 10 mm (13/32") to the wall!

Skirtings for Parquet prefinished

Cube - without recess for clips



PU: 1 piece Minimum quant. for discount: 10 pieces Packing: 10 pcs./bundle shrink wrapped

Prices €/lm ovel MAT



Skirtings without recess, veneered, matt-finished, 16x40 mm (Cube)

Length: 250 cm



Skirtings without recess, veneered, matt finishes, 16x58 mm (Cube)

Length: 250 cm

exci. VAT		
Wood species	€ 5,00 ID N°	€ 5,83 ID N°
Oak	410648	411151
Wood species	€ 6,25 ID N°	€ 7,08 ID N°
Oak Light White	410650	411152
Oak Puro White	410649	410652

Skirtings for commercial applications

Skirtings with solid wood core, veneered, matt finished


PU: 1 piece Minimum quant. for discount: 10 pieces

excl. VAT

PU: 1 piece

Packing: 10 pcs./bundle shrink wrapped
Prices €/lm

Wood species
Oak



Skirtings with solid wood core, veneered, matt finished, 19x38 mm

Length: 250 cm

€ 4,50 ID N° 408022

Skirtings for Wood Performance Floors

Product line order Delivery time approx. 3 weeks







Stick-on skirtings with solid wood core, veneered, oiled, 19 x 58 mm

Stick-on skirtings with solid wood core, veneered, oiled, 16 x 58 mm, cube

Prices €/lm excl. VAT	Length: 220 cm	Length: 220 cm
Wood species	€/lm 6,58 ID N°	€/lm 6,58 ID N°
Oak	406890	411074
Ash	412291	412288
Fir	412292	412289
Wood species	€/lm 7,83 ID N°	€/lm 7,83 ID N°
American Walnut	406896	411100
Fumed Oak	412293	412290

Skirtings f

Skirtings for DISANO PU: 1 piece		Stick-on skirtings with solid wood core, with laminate cover, water-resistant, 19x58 mm Length: 220 cm	Stick-on skirtings, MDF core with laminate cover, 16x58 mm, Cube Length: 220 cm
Min. quant.f. discount: 10 pieces Packing: 10 pcs./bundle shrink wrapped	Prices €/lm excl. VAT	€ 7,33	€ 5,17
Style		ID N°	ID N°
Oak Antique Creme 1)		410358	411295
Artdesign Crema ²⁾		410793	411297
Mountain Oak 1)		409401	411298
Concrete Grey ²⁾		410796	411299
Concrete Light ²⁾		410795	411300
Cottage Wood 1)		411368	411356
Country Oak Grey 1)		410091	411301
Oak Cardiff White 1)		411365	411353
Oak Columbia Grey 1)		410360	411324
Oak Columbia Nature 1)		410363	411326
Oak Jubilé 1)		410359	411328
Oak Lavida 1)		410425	411329
Oak Ontario White 1)		410357	411331
Oak Ontario Grey 1)		411501	411508
Oak Ontario Nature 1)		411502	411509
Oak Oxford 1)		410364	411332
Oak Phoenix 1)		410362	411333
Oak Picardie Grey 1)		411954	411946
Oak Picardie Nature 1)		411953	411945
Oak Picardie Puro 1)		411952	411944
Oak Provence Creme 1)		410789	411334
Oak Provence Smoked 1)		410791	411335
Oak Provence Nature 1)		410790	411336
Oak Sheffield Brown 1)		411958	411950
Oak Sheffield Creme White 1)		411955	411947
Oak Sheffield Grey 1)		411959	411951
Oak Sheffield Nature 1)		411957	411949
Oak Sheffield Puro 1)		411956	411948
Oak Victoria Honey 1)		411503	411510
Oak Victoria Puro 1)		411504	411511
Oak Victoria Velvet Brown 1)		411505	411512
Oak Yorkshire Nature 1)		411366	411354
Oak Yorkshire Puro / Oak Ontario Puro 1)		411367	411355
Field Oak 1)		410093	411340
French Smoked Oak 1)		409406	411341
Industrial Grey ²⁾		411370	411358
Crystal Oak 1)		410088	411342
Light Oak 1)		410089	411343
Marble Anthracite ²⁾		411374	411362

Skirtings for DISANO

Skirtings for Disarro		
	Stick-on skirtings with solid wood core, with laminate cover, water-resis- tant, 19x58 mm Length: 220 cm	Stick-on skirtings, MDF core with laminate cover, 16x58 mm, Cube Length: 220 cm
PU: 1 piece		
Min. quant.f. discount: 10 pieces Packing: 10 pcs./bundle shrink wrapped excl. VAI excl. VAI	ررر/ ت	€ 5,17
Style	ID N°	ID N°
Walnut / Oak Victoria Smoked 1)	410095	411344
Pine Nordica 1)	409407	411345
Rusted Metal ²⁾	411369	411357
Sand Oak 1)	409409	411346
Sandstone ²⁾	410794	411347
Slate Anthrazit ²⁾	410797	411348
Béton Brut greige ²⁾	411373	411361
Holm Oak Creme ¹⁾	409410	411349
Tobacco Oak 1)	410094	411350
Urban White ²⁾	411372	411360
Wallonian Slate ²⁾	411371	411359
white (Marble White)	410792	411056
Wild Oak 1)	409412	411351

 ⁾ Wood reproduction
 Stone reproduction

Skirtings for Laminate Floors

					Notice the particular received in the particular
PU: 1 piece Minimum quant. for discount: 10 pieces		Stick-on skirtings, MDF core with laminate cover, 19x58 mm	Stick-on skirtings, MDF core with laminate cover, 16x58 mm, cube	Stick-on skirtings, MDF core with laminate cover, 15x8o mm, cube *	Stick-on skirtings with solid wood core, water-resis- tant, 15x80 mm *
Packing: 10 pcs./bundle shrink wrapped		Length: 220 cm	Length: 220 cm	Length: 220 cm	Length: 220 cm
	Prices €/lm excl. VAT	€ 4,92	€ 4,92	€ 5,75	€ 7,67
Style		ID N°	ID N°	ID N°	ID N°
Maple	NEW	412349	412371		
Acacia Vario	NEW	412367	412389	412403	412411
Alpine Oak Nature		411532	411567	411597	
Beech	NEW	412350	412372		
Vintage Oak		407816	411169	411226	
Oak Alta Nature			411585		
Oak Bari Amber	NEW	412355	412377	412393	
Oak Bari Grey	NEW	412356	412378	412394	
Oak Bari Nature	NEW	412357	412379	412395	
Oak Bari Puro	NEW	412358	412380	412396	
Oak Breda Puro / Chestnut Varese	NEW	412361	412383		
Oak Breda White			411575		
Oak Calabria	NEW	412352	412374		
Oak Calla Grey			411576		
Oak Contura Smoked		411536	411574	411601	
Oak Contura Stone Grey		407815	411211	411263	411287
Oak Eleganza Antique Grey		411539	411577	411603	411624
Oak Eleganza Creme White / Oak Flavia White		411533	411568	411598	411621
Oak Eleganza Smoked / Oak Flavia Smoked		411540	411578	411604	411625
Oak Eleganza Nature		411542	411580	411606	411627
Oak Emilia Honey		411543	411581	411607	411628
Oak Emilia Puro		411544	411582	411608	411629
Oak Emilia Velvet Grey		410765	411183	411240	411277
Oak Emilia White		410764	411185	411242	
Oak Flavia Grey	NEW	412363	412385	412401	412407
Oak Flavia Nature	NEW	412364	412386	412402	412408
Oak Italica Creme / Oak Olbia / Oak Siena Puro		411545	411583	411609	
Oak Italica Nature		408609	411190	411246	
Oak Melina Puro / Oak Eleganza Puro		411546	411584	411610	411630
Oak Metallic Nature	NEW	412366	412387		412410
Oak Metallic Black	NEW	412365	412388		412409
Oak Portland Nature / Oak Lombardia Nature		409322	411197	411252	411280
Oak Portland Puro / Oak Flavia Puro		411548	411587	411611	411631
Oak Savona Nature		410756	411199	411254	
Oak Scarpa Smoked	NEW	412353	412375		
Oak Scarpa Nature	NEW	412354	412376		

Skirtings for Laminate Floors

					Sold Principles (Sold P
PU: 1 piece Minimum quant. for discount: 10 pieces		Stick-on skirtings, MDF core with laminate cover, 19x58 mm	Stick-on skirtings, MDF core with laminate cover, 16x58 mm, cube	Stick-on skirtings, MDF core with laminate cover, 15x80 mm, cube *	Stick-on skirtings with solid wood core, water-resis- tant, 15x80 mm *
Packing: 10 pcs./bundle shrink wrapped		Length: 220 cm	Length: 220 cm	Length: 220 cm	Length: 220 cm
	Prices €/lm excl. VAT	€ 4,92	€ 4,92	€ 5,75	€ 7,67
Style		ID N°	ID N°	ID N°	ID N°
Oak Sicilia Nature		411549	411588	411258	411632
Oak Sicilia Puro		410404	411201	411256	411282
Oak Sicilia White / Oak Bergamo Silver Grey		411550	411589	411613	411633
Oak Siena Velvet White		410770	411204		
Oak Torri Grey	NEW	412362	412384	412400	
Oak Veneto Crema		409320	411207	411260	411634
Oak Veneto Mocca		411552	411591	411615	411635
Oak Veneto Nature / Oak Calla Nature		411562	411592	411616	
Graphite Oak		411564	411594		
Walnut	NEW	412351	412373		
Walnut Cesano	NEW	412360	412382	412398	
Walnut Vario	NEW	412369	412391	412405	412413
Pine Florence	NEW	412359	412381	412397	
Silver Maple Vario	NEW	412370	412392	412406	412414
Holm Oak		411566	411596		
Elm Vario	NEW	412368	412390	412404	412412

Note on installation: Suitable for expansion joints of up to 10 mm to the wal

Skirtings **for Laminate Floors** textured / Aluminium

textured / Aluminium		4	
	Stick-on skir- tings, MDF core with laminate cover, 19x58 mm	Stick-on skirtings, MDF core with laminate cover, 16x58 mm, cube	
	Length: 220 cm	Length: 220 cm	
Prices €/Im excl. VAT	€ 3,92	€ 3,58	
Style (Wood reproduction)	ID N°	ID N°	
Alpine Oak Nature / Oak Emilia Honey - textured*		411166	
Oak Italica Creme - textured *	409803	411188	
	€ 8,58		
Aluminium/MDF core *	405705		

Skirtings for Cork

PU: 1 piece Minimum quant. for discount: 10 pieces Packing: 10 pcs./bundle shrink wrapped

Stick-on skirtings with solid wood core, venee- red, varnished/ MDF core with laminate cover 19x39 mm
Length: 220 cm

rices €/lm	
excl. VAT	
	L
	П


€ 6,17

ID N°
406990
409058
409056
409057
410413
410414
410412
410415
410416
410417
410418
410798
406991

^{*} MDF core with laminate cover $^{1)}$ Wood reproduction

Skirtings **black**

PU: 1 piece Minimum quant. for discount: 10 pieces Packing: 10 pcs./bundle shrink wrapped



	ID N°	€ excl. VAT	
black laminate cover, strong matt, solid wood core	412298	€/lm 7,42	
black, MDF core with laminate cover	412297	€/lm 4,58	

Skirtings white for Parquet

- with recess for clips



PU: 1 piece Minimum quant. for discount: 10 pieces Packing: 10 pcs./bundle shrink wrapped Stick-on skirtings with solid wood core, veneered, strong, matt look, 16x40 mm, cube Length: 220 cm

solid wood core, veneered, strong, matt look, 19x58 mm

Length: 220 cm

Stick-on skirtings with



Stick-on skirtings with solid wood core, veneered, strong/painted ², matt look, 16 x 58 mm cube

Length: 220 cm



Stick-on skirtings with solid wood core, strong lam. cover, matt look, 15x80 mm, cube

Length: 220 cm

Style	ID N°	€ excl. VAT	ID N°	€ excl. VAT	ID N°	€ excl. VAT	ID N°	€ excl. VAT	
white laminate cover, strong ¹	411044	€/lm 4,92	409834	€/lm 5,58	411047	€/lm 5,58	411051	€/lm 6,58	
white lam. cover, strong, matt look RAL 9016	411045	€/lm 5,08			411048	€/lm 5,75			
white laminate cover, strong, resistant to water *	411046	€/lm 5,42	410792	€/lm 6,25	411049	€/lm 6,25			
white finished, wood texture					411050²	€/lm 6,42			


¹ Paintable (e.g. to match the wall paint)

Skirtings white for Parquet

- without recess for clips



PU: 1 piece Minimum quant. for discount: 10 pieces Packing: 10 pcs./bundle shrink wrapped



core veneered strong, matt look, 16x40 mm (cube)

Length: 250 cm



Skirtings solid wood core veneered strong, matt look, 16x40 mm (cube) with insulation strips

Length: 250 cm



Skirtings solid wood core veneered strong, matt look, 16x58 mm (cube)

Length: 250 cm

8	Alle	
8	affli	
8	1	


Skirtings sollid wood core veneered strong, matt look, 16x58 mm (cube), with white insulation strips

Length: 250 cm

	ID N°	€ excl. VAT							
white laminate cover, strong ¹	410638	€/lm 4,92	411052	€/lm 5,33	411053	€/lm 5,58	411054	€/lm 6,00	

¹ Paintable (e.g. to match the wall paint)

Skirtings white **for Laminate Floor** – with recess for clips



¹ Paintable (e.g. to match the wall paint)

Skirtings white, **PS foam** waterproof – with recess for clips



PU: 1 piece Minimum quant. for discount: 10 pieces Packing: 10 pcs./bundle shrink wrapped



Stick-on skirtings PS foam, waterproof, suitable for damp rooms, 13.5x58 mm

Length: 240 cm



Stick-on skirtings PS foam, waterproof, suitable for damp rooms, 15x50 mm (cube)

Length: 240 cm

ID N	N° € excl. VAT	ID N°	€ excl. VAT	
White 40978	80 €/lm 5,42	410641	€/lm 6,00	



New in the range

White cube plastic corner pieces to match all cube skirtings with the dimensions 16×58 mm can be found on page 218.



€/lm 9,08

411924

Antique skirtings

For parquet floors – with recess for clips



411923

€/lm 8,25

PU: 1 piece Minimum quant. for discount: 5 pieces Packing: 5 pcs./bundle shrink wrapped

	ID N°	€ excl. VAT	
White finished, RAL 9010	411922	€/lm 7,67	

.

Antique skirtings **for laminate floors** – with recess for clips

PU: 1 piece Minimum quant. for discount: 10 pieces Packing: 10 pcs./bundle shrink wrapped	Antique stick-on skirtings, MDF 18x70 mm		Antique stick-on skirtings, MDF 18x90 mm			Antique stick-on skirtings, MDF 18x115 mm			
		Length: 240 c	:m	Length: 240 cm		Length: 240 cm			
	ID N°	€ excl. VAT		ID N°	€ excl. VAT		ID N°	€ excl. VAT	
MDF-coated white ¹	407746	€/lm 4,33		407747	€/lm 4,92		407748	€/lm 5,75	
MDF White finished	407749	€/lm 5,00		407750	€/lm 5,58		407751	€/lm 6,42	

¹ Paintable (e.g. to match the wall paint)

Accessories for Antique skirtings



• Ideal for skirting corners and ends


• Simply cut to size and glue on

Dimensions:

Contents:

22 X 22 X 122 mm (ID No. 407853) 20 X 20 X 117 mm (ID No. 411995) 6 pcs/pack (ID No. 407853) 2 pcs pack (ID No. 411995)

	ID N°	PU	Min. quant. f. discount	€ excl. VAT	
MDF-coated white	407853	1 pack	4 pack	€/pack 10,33	
Solid wood, white finished	411995	1 Pack	4 Pack	€/pack 10,75	



Flexible foam skirting, 10x69 mm

product line order delivery time approx. 1 week Packaging: 1 pc. per carton

Length: 240 cm

	ID N°	PU	Min. quant. f. discount	€ excl. VAT	
White	409782	1 pc.	•	€/lm 14,50	

¹ Paintable (e.g. to match the wall paint)



Quarter round (MDF) 14 x 14 mm

Packaging: 20 pcs. shrink-wrapped

Length: 240 cm

	ID N°	PU	Min. quant. f. discount	€ excl. VAT	
Oak, veneered, prefinished matt (MDF)	409369	1 pc.	20 pc.	€/lm 2,33	
White lam. cover (MDF) ¹	409368	1 pc.	20 pc.	€/lm 1,67	

¹ Paintable (e.g. to match the wall paint)

Accessories for assembly and skirtings



Clips for stick-on skirtings

Plastic skirting clips for the simple and invisible mounting of stick-on skirtings. The pack also includes the screws and plugs for fastening the clips to the wall.

With snap-off strip for easy adjustment to skirting widths less than 18 mm.

Drilling template included!

- 1 pack = 30 clips, screws, plugs and drilling template
- enough for 15 metres

ID N°	PU	Min. quant. f. discount	€ excl. VAT	
407198	1 pack	10 pack	€/pack 13,25	



HARO Nail clip

For easy and invisible installation of skirtings in all forms and materials.

With the HARO Nail clip, it is possible to move the skirting without any problems at a later time.



1 pack = 30 clips and plugs Coverage: approx. 9 - 15 metres

ID N°	PU	Min. quant. f. discount	€ excl. VAT	
410634	1 pack	10 pack	€/pack 13,25	



HARO mounting adhesive

- Very good initial adhesion
- Permanently elastic, odourless curing
- Solvent free, silicone free, isocyanate free, free from plasticising ingredients
- Versatile, e.g. for HARO Wall and HARO Stairs, skirtings and mouldings

Contents: 290 ml Coverage: 1 m²

ID N°	PU	Min. quant. f. discount	€ excl. VAT	
411160	1 pc.	20 pc.	€/pc. 15,75	



Seal lip rail

Rail system with integrated sealing lip suitable for all stick-on skirtings 19x58 mm. The HARO seal lip rail protects the expansion joint from moisture and the strip from moisture from below.

Length: 240 cm

ID N°	PU	Min. quant. f. discount	€ excl. VAT	
410635 *	1 pc.	20 pc.	€/lm 5,33	

* While stocks last

LED Skirting



A successful combination of fixing rail and LED strip. Each HARO skirting (with recess for clips) can be attached up to a height of 90 mm. This makes the system incredibly flexible.



LED stripsWhite light, self-adhesive incl. transformer and dimmer with remote control 12 V/ 4.8 W/metre

Length: 500 cm

ID N°	PU	Min. quant. f. discount	€ excl. VAT	
409777	1 pc.	•	€/lm 10,75	



LED mounting rail Click-Fix silver

Mounting rail with channel for glueing on LED strips up to a height of 10mm. Including matt and transparent PET channel cover.

Length: 240 cm

ID N°	PU	Min. quant. f. discount	€ excl. VAT	
409778	1 pc.	-	€/lm 24,92	



LED header, white

Header for LED fixing rail

Contents: 2 pc./pack

ID N°	PU	Min. quant. f. discount	€ excl. VAT	
410378	1 pack	-	€/pack 3,67	

Plastic corners

Plastic corner pieces white for stick-on skirtings 16 x 58 mm

The corners make installation easier, as the mitre cut is no longer necessary. The headers and connectors also allow the skirtings to be covered at seams.

Content: 2 pieces per pack; with headers, a left and a right one.



Min. quant. f. discount: 10 pack PU: 1 pack

Prices €/pack

·							
	ID N°	€ excl. VAT	ID N°	€ excl. VAT	ID N°	€ excl. VAT	
White	412294	€ 4,92	412295	€ 4,92	412296	€ 4,92	

Plastic corner pieces in wood style for stick on skirting 19 x 58 mm

The corners make installation easier, as the mitre cut is no longer necessary. The headers and connectors also allow the skirtings to be covered at seams. Content: 2 pieces per pack; with headers, a left and a right one.

Min. quant. f. discount: 10 pack PU: 1 pack		1		0				
Prices €/pack	In	ner corners		uter corners		Connectors		Headers
	ID N°	€ excl. VAT						
Maple	407113	€ 5,75	407127	€ 5,75	407141	€ 5,75	407155	€ 5,75
Apple *			407133	€ 5,75	407147	€ 5,75	407161	€ 5,75
Pear Golden* *	407121	€ 5,75	407135	€ 5,75	407149	€ 5,75	407163	€ 5,75
Beech	407112	€ 5,75	407126	€ 5,75	407140	€ 5,75	407154	€ 5,75
Oak	407111	€ 5,75	407125	€ 5,75	407139	€ 5,75	407153	€ 5,75
Oak Dark	409280	€ 5,75	409281	€ 5,75	409282	€ 5,75	409283	€ 5,75
Cherry/Walnut light *			407131	€ 5,75	407145	€ 5,75		
Merbau / Jatoba *	407115	€ 5,75	407129	€ 5,75	407143	€ 5,75	407157	€ 5,75
Nordic Pine *					407150	€ 5,75		
Walnut dark	407118	€ 5,75	407132	€ 5,75	407146	€ 5,75	407160	€ 5,75
Snow Pine *			407712	€ 5,75	407713	€ 5,75		
White	409240	€ 5,75	409241	€ 5,75	409242	€ 5,75	409243	€ 5,75
Grey	409276	€ 5,75	409277	€ 5,75	409278	€ 5,75	409279	€ 5,75
Gold	407123	€ 5,83	407137	€ 5,83	407151	€ 5,83	407165	€ 5,83
Silver	407124	€ 5,83	407138	€ 5,83	407152	€ 5,83	407166	€ 5,83

^{*} While stocks last

Plastic corners

Plastic corner pieces in wood style for skirting 19 x 39S mm

Two-piece clip-on moulding system for laminate floors. Featuring unique clip technology and a broad choice of high-quality covers, Mono-clip is not only a very stylish, but also a very safe and easy moulding system for all laminate floors from 7 to 12 mm thickness.



^{*} While stocks last

PU: 1 pack Min. quant. f. discount: 10 pack

Maple *

Apple *

Beech *

Oak *

Gold *

Silver *

Pear Golden *

Walnut dark *

Oak white *

Prices €/pack

Plastic corner pieces in wood style for stick on skirting 19 x 39 mm

The corners make installation easier, as the mitre cut is no longer necessary. The headers and connectors also allow the skirtings to be covered at seams.

Content: 2 pieces per pack; with headers, a left and a right one.


PU: 1 pack Min. quant. f. discount: 10 pack			The state of the s					1				
Prices €/pack	In	ner corne	rs	O	uter corne	ers	C	onnector	S		Headers	
	ID N°	€ excl. VAT		ID N°	€ excl. VAT		ID N°	€ excl. VAT		ID N°	€ excl. VAT	
Maple*	407056	€ 5,75		407071	€ 5,75		407085	€ 5,75		407099	€ 5,75	
Apple*	407063	€ 5,75		407077	€ 5,75		407091	€ 5,75		407105	€ 5,75	
Pear golden*	407065	€ 5,75		407079	€ 5,75		407093	€ 5,75		407107	€ 5,75	
Beech*	407055	€ 5,75		407070	€ 5,75		407084	€ 5,75		407098	€ 5,75	
Oak*				407069	€ 5,75		407083	€ 5,75		407097	€ 5,75	
Cherry/Walnut Light*	407060	€ 5,75		407075	€ 5,75		407089	€ 5,75		407103	€ 5,75	
Nordic Pine*	407066	€ 5,75		407080	€ 5,75		407094	€ 5,75		407108	€ 5,75	
Walnut Dark*	407061	€ 5,75					407090	€ 5,75		407104	€ 5,75	
Gold*	407067	€ 5,83		407081	€ 5,83		407095	€ 5,83		407109	€ 5,83	
Silver*							407096	€ 5,83		407110	€ 5,83	

Mouldings

Your floor can't be laid without crossover points and continuous everywhere throughout your house or apartment. Crossover points are especially unavoidable when you lay your parquet floating. Moulding systems provide the help you require here by bridging the necessary separating joints in the floor covering and providing stylish accents.


With the following overview, we would like to offer our advice to help you find the suitable moulding solution for your floor. If you have special requirements, we will gladly help you on request to determine the optimal floor moulding.

Explanation of the three most common types of mouldings, using the example of the Allround floor mouldings




Transition moulding (or expansion joint moulding)

• for coverings that are equally high or have a variance of up to \pm 5 mm



End moulding

for perfect endings, boundaries of all coverings against higher, adjacent thresholds, tiles, patio doors and windows or other elevations




Reducer moulding

• for coverings to adjacent, lower surfaces such as carpet, design floor, tiles etc.

Two-piece mouldings each consist of a base moulding, which is fixed in the floor (screwed or glued), and the top moulding, which is inserted from above onto the base moulding and also either screwed or clipped on to it, depending on the system.

All metal floor mouldings with holes are delivered incl. screws and dowels. ECO floor mouldings with Phillips screws, all other floor mouldings with Torx screws.



Overview		For parquet floors	For Laminate and Design Floors from 7 mm	For design floors of up to	Flexible height compensa- tion with flex joint	Easy installation due to wide base moulding	Screw-mounted	For clips	For glue-down installation	Self adhesive	Rail raise through lift-up block
Multi-part mouldings			ı						ı		
PREMIUM Mouldings XXL	for floor height 7 – 18 mm	•	•	•		•	•		•		•
PREMIUM Mouldings Flex	for floor height 7 – 17 mm	•	•	•	•	•	•		•		•
Allround mouldings	for floor height 7 – 15 mm	•	•	•		•	•		•		•
ECO Mouldings	for floor height 7 – 15 mm	•	•	•			•		•		•
Champion Star Mouldings	for floor height 4 – 9,5 mm			•		•	•		•		
Mono-Clip Mouldings	Parquet 12 – 17 mm Laminate Floor 7 – 12 mm	•	•					•	•		
Design Clip floor mouldings	for floor height 4 – 7,5 mm			•				•	•		
Euro-Step stair nosings	for floor height 7 – 16 mm	•	•	•		•	•		•		•
One-piece mouldings											
Real wood mouldings		•								•	
HDF Easy mouldings			•							•	
Economy mouldings		•	•	•			•		•	•	
Stair nosings	for floor height 2,5 – 8 mm	•	•	•			•		•		

[•] Self-adhesive only with transition moulding

Overview of anodised col	ours	Products in stock	Product line orders
gold		•	
Silver		•	
Silver, finely sande	ed *		•
Sand		•	
bronze *			•
Stainless Steel / Ti	tan	•	
Platinium, finely s	anded *		•
black	NEW	•	

^{*} On request available as special order!

PREMIUM Mouldings for Parquet and Laminate

The versatile and flexible solution for the highest demands. Suitable for floor coverings between 7 and 17 mm.

WITH A WIDE BASE SECTION

Transition Moulding Premium Flex Type 888

With flex function

"Articulated" three-piece transition moulding. Suitable for floor coverings from 7 to 17 mm thickness (with floor coverings of equal height). Also suitable for transitions of up to 12 mm, e.g. from 22 mm to 12 mm or from 13 mm to 3 mm. Anodised aluminium (screw-mounted).

37 40	Length 90 cm			ı	Length 100 c	:m	Length 270 cm			
7	PU: 1 pc. Min. quai	nt. f. discount:	10 pc. = 9 lm	PU: 1 pc. Min. quan	t. f. discount: 1	o pc. = 10 lm	PU: 1 pc. Min. quan	t.f. discount: 10	o pc. = 27 lm	
Style	ID N°	€ excl. VAT		ID N°	€ excl. VAT		ID N°	€ excl. VAT		
gold	405219	€/lm 27,83		407168	€/lm 27,83		405222	€/lm 26,58		
Silver	405220	€/lm 27,83		407169	€/lm 27,83		405223	€/lm 26,58		
Sand	405221	€/lm 27,83		407170	€/lm 27,83		405224	€/lm 26,58		
Black NEW				412299	€/lm 29,50		412300	€/lm 28,25		
bronze *	407167	€/lm 29,50		407171	€/lm 28,67		407173	€/lm 28,25		
stainless steel/titan	405821	€/lm 29,50		407172	€/lm 29,50		405675	€/lm 28,25		

^{*} Stock assortment while stocks last. After that, product line order.



Lift-up-block

Suitable for all Premium XXL, Premium Flex, Allround, ECO and Champion Star moulding systems. An additional height increase of 5 mm is achieved with each lift-up block.

Contents: 6 pc./pack Requirement: for 90/100 cm: 1 pack; 270 cm: 3 packs

ID N°	PU	Min. quant. f. discount	€ excl. VAT	
404667	1 pack	10 pack	€/pack 10,75	

ALLROUND Mouldings for Parquet and Laminate

Proven products for safe application. Suitable for floor coverings between 7 and 15 mm. With a wide base section, for easy installation and even better fixation.

Transition moulding type 388 L/P

For a perfect transition between floor coverings of equal height (height differences of up to 3 mm (1/8") can be evened out). For floor coverings from 7 to 15 mm (9/32" to 19/32") thickness. Anodised aluminium. Screw-mounted and precisely adjustable.

	Length 90 cm			ı	Length 100 (:m	Length 270 cm			
To	PU: 1 pc. Min. quan	t.f. discount: 10	pc. = 9 lm	PU: 1 pc. Min. quan	t.f. discount: 10	o pc. = 10 lm	PU: 1 pc. Min. quar	nt.f. discount: 1	10 pc. = 27 lm	
Style	ID N°	€ excl. VAT		ID N°	€ excl. VAT		ID N°	€ excl. VAT		
gold	404494	€/lm 23,25		404528	€/lm 23,25		404509	€/lm 22,00		
silver	404495	€/lm 23,25		404529	€/lm 23,25		404510	€/lm 22,00		
sand	404497	€/lm 23,25		404643	€/lm 23,25		404512	€/lm 22,00		
Black NEW				412301	€/lm 24,92		412302	€/lm 23,67		
bronze *	404496	€/lm 24,92		407181	€/lm 24,92		404511	€/lm 23,67		
stainless steel/titan	407180	€/lm 24,92		407182	€/lm 24,92		407183	€/lm 23,67		

^{*} Stock assortment while stocks last. After that, product line order.

End Moulding Type 387 L/P

For a neat finish of floor coverings, particularly at elevations (adjacent thresholds, tiles, flagstones, etc.). For floor coverings from 7 to 15 mm thickness. Anodised aluminium. Screw-mounted and precisely adjustable.

	Length 90 cm			I	Length 100 c	:m	Length 270 cm				
	PU: 1 pc. Min. quan	t. f. discount: 10	pc. = 9 lm	PU: 1 pc. Min. quan	t. f. discount: 1	o pc. = 10 lm	PU: 1 pc. Min. quar	nt. f. discount:	10 pc. = 27 lm		
Style	ID N°	€ excl. VAT		ID N°	€ excl. VAT		ID N°	€ excl. VAT			
gold	404499	€/lm 22,42		404526	€/lm 22,42		404514	€/lm 21,17			
silver	404500	€/lm 22,42		404527	€/lm 22,42		404515	€/lm 21,17			
sand	404502	€/lm 22,42		404644	€/lm 22,42		404517	€/lm 21,17			
Black NEW				412303	€/lm 24,08		412304	€/lm 22,83			
bronze *	404501	€/lm 24,08		407184	€/lm 24,08		404516	€/lm 22,83			
stainless steel/titan	405822	€/lm 24,08		407185	€/lm 24,08		405819	€/lm 22,83			

^{*} Stock assortment while stocks last. After that, product line order.

Reducer Moulding Type 386 L/P

For a perfect transition from floor coverings to adjacent lower surfaces (carpeting, etc.). For floor coverings from 7 to 15 mm thickness. Anodised aluminium. Screw-mounted and precisely adjustable.

	Length 90 cm		Length 100 cm		ı	Length 270 c	m		
U	PU: 1 pc. Min. quan	t.f. discount: 10	o pc. = 9 lm	PU: 1 pc. Min. quan	t.f. discount: 10	o pc. = 10 lm	PU: 1 pc. Min. quar	nt.f. discount: 1	10 pc. = 27 lm
Style	ID N°	€ excl. VAT		ID N°	€ excl. VAT		ID N°	€ excl. VAT	
gold	404504	€/lm 24,92		404524	€/lm 24,92		404519	€/lm 23,67	
silver	404505	€/lm 24,92		404525	€/lm 24,92		404520	€/lm 23,67	
sand	404507	€/lm 24,92		404645	€/lm 24,92		404522	€/lm 23,67	
Black NEW				412305	€/lm 26,58		412306	€/lm 25,33	
bronze*	404506	€/lm 26,58		407186	€/lm 26,58		404521	€/lm 25,33	
stainless steel/titan	405823	€/lm 26,58		407187	€/lm 26,58		405820	€/lm 25,33	

^{*} Stock assortment while stocks last. After that, product line order.

ECO Mouldings for Parquet and Laminate

The entry-level range in the floor mouldings range. Suitable for floor coverings between 7 and 15 mm.

Transition Moulding ECO Type 088

Two-piece entry-level moulding system, suitable for all floor coverings between 7 and 15 mm. Anodized aluminum. Can be screwed and precisely readjusted.

	Length 90 cm		Length 270 cm			
	PU: 1 pc. Min. quant.f. discount: 10 pc. = 9 lm			PU: 1 pc. Min. quant.f. discount: 10 pc. = 27 lm.		
Style	ID N°	€ excl. VAT		ID N°	€ excl. VAT	
Silver				410395 *	€/lm 22,11	
Sand	410394 *	€/lm 23,76		410396 *	€/lm 22,11	

^{*} while stocks last.

End Moulding ECO Type 087

Two-piece entry-level moulding system, suitable for all floor coverings between 7 and 15 mm. Anodized aluminum. Can be screwed and precisely readjusted.

	Length 90 cm		PU: 1 pc.		:m	
		.f. discount: 10	pc. = 9 lm	Min. quant.f. discount: 10 pc. = 27 lm.		
	ID N°	€ excl. VAT		ID N°	€ excl. VAT	
Silver	410389 *	€/lm 22,33		410391 *	€/lm 20,36	
Sand	410390 *	€/lm 22,33		410392 *	€/lm 20,36	

^{*} while stocks last.

Reducer Moulding ECO Type 086

Two-piece entry-level moulding system, suitable for all floor coverings between 7 and 15 mm. Anodized aluminum. Can be screwed and precisely readjusted.

	Length 90 cm			ı	Length 270 c	:m
	PU: 1 pc. Min. quant.f. discount: 10 pc. = 9 lm			PU: 1 pc. Min. quant.f. discount: 10 pc. = 27 lm.		
Style	ID N°	€ excl. VAT		ID N°	€ excl. VAT	
Silver	410383 *	€/lm 25,53		410387 *	€/lm 23,88	
Sand	410386 *	€/lm 25,53		410388 *	€/lm 23,88	

^{*} while stocks last.

CHAMPION STAR – Mouldings per pavimento design

For floor coverings between 4 and 9.5 mm thick.

WITH A WIDE BASE SECTION

Champion Star 378 transition moulding

Two-piece, screw-on moulding system for design floors. For a perfect transition between floor coverings of equal height. Suitable for floor coverings from 4 to 9.5 mm thickness. Anodised aluminium. Screw-mounted and precisely adjustable.

	Length 100 cm PU: 1 pc. Min. quant.f. discount: 10 pc. = 10 lm			Length 270 cm PU: 1 pc. Min. quant.f. discount: 10 pc. = 27 lm.		
	ID N°	€ excl. VAT		ID N°	€ excl. VAT	
Silver	409683	€/lm 23,25		409686	€/lm 22,00	
Sand	409684	€/lm 23,25		409687	€/lm 22,00	
Black NEW	412307	€/lm 24,92		412308	€/lm 23,67	
stainless steel/titan	409685	€/lm 24,92		409688	€/lm 23,67	

Champion Star 377 end moulding

Two-piece, screw-on moulding system for design floors. Extra narrow moulding system for a neat finish. Suitable for floor coverings from 4 to 9.5 mm thickness. Anodised aluminium. Screw-mounted and precisely adjustable.

TIPLE TIPLE	Length 100 cm PU: 1 pc. Min. quant.f. discount: 10 pc. = 10 lm			Length 270 cm PU: 1 pc. Min. quant.f. discount: 10 pc. = 27 lm.		
Style	ID N°	€ excl. VAT		ID N°	€ excl. VAT	
Silver	409689	€/lm 22,42		409692	€/lm 21,17	
Sand	409690	€/lm 22,42		409693	€/lm 21,17	
Black	412309	€/lm 24,08		412310	€/lm 22,83	
stainless steel/titan	409691	€/lm 24,08		409694	€/lm 22,83	

Champion Star 376 reducer moulding

Two-piece, screw-on moulding system for design floors. For a perfect transition from floor coverings to adjacent lower surfaces; suitable for floor coverings from 4 to 9.5 mm thickness. Anodised aluminium. Screw-mounted and precisely adjustable.

	Length 100 cm PU: 1 pc. Min. quant.f. discount: 10 pc. = 10 lm			Length 270 cm PU: 1 pc. Min. quant.f. discount: 10 pc. = 27 lm.		
	ID N°	€ excl. VAT		ID N°	€ excl. VAT	
Silver	409695	€/lm 24,92		409698	€/lm 23,67	
Sand	409696	€/lm 24,92		409699	€/lm 23,67	
Black	412311	€/lm 26,58		412312	€/lm 25,33	
stainless steel/titan	409697	€/lm 26,58		409700	€/lm 25,33	

HDF-Easy moulding for Laminate Floors







Transition moulding





HDF-Easy moulding

Transition or reducer moulding with simple and quick glue installation. Matching colour and texture - material and colour are aligned. When used as a transition moulding (different floor heights), a height compensation of 6 to 9 mm is possible between the two floor areas.

Width: 4 cm Length: 90 cm PU: 1 pc. Min. quant.f. discount: 10 pc. = 9 lm

Style (Wood reproduction)		ID N°	€ excl. VAT	
Alpine Oak Nature		411513	€/lm 10,75	
Acacia Vario	NEW	412457	€/lm 10,75	
Vintage Oak		409911	€/lm 10,75	
Oak Bari Amber	NEW	412447	€/lm 10,75	
Oak Bari Grey	NEW	412448	€/lm 10,75	
Oak Bari Nature	NEW	412449	€/lm 10,75	
Oak Bari Puro	NEW	412450	€/lm 10,75	
Oak Bergamo Antique White *		411013	€/lm 10,75	
Oak Bergamo Carbon *		410683	€/lm 10,75	
Oak Breda Puro / Chestnut Varese	NEW	412453	€/lm 10,75	
Oak Breda White		411516	€/lm 10,75	
Oak Contura Smoked		411515	€/lm 10,75	
Oak Contura Black *		409913	€/lm 10,75	
Oak Contura Stone Grey		409518	€/lm 10,75	
Oak Eleganza Antique Grey *		411517	€/lm 10,75	
Oak Eleganza Creme White / Oak Flavia White		411514	€/lm 10,75	
Oak Contura Stone Grey		411518	€/lm 10,75	
Oak Eleganza Nutmeg *		411519	€/lm 10,75	
Oak Eleganza Nature	411520	€/lm 10,75		
Oak Emilia Amber *		411288	€/lm 10,75	
Oak Emilia Grey *		410687	€/lm 10,75	
Oak Emilia Honey		411521	€/lm 10,75	
Oak Emilia Puro		411522	€/lm 10,75	
Oak Emilia Velvet Brown *		410690	€/lm 10,75	
Oak Emilia Velvet Grey		410691	€/lm 10,75	
Oak Emilia White		410693	€/lm 10,75	
Oak Flavia Grey	NEW	412455	€/lm 10,75	
Oak Flavia Nature	NEW	412456	€/lm 10,75	
Oak Italica Creme / Oak Olbia / Oak Siena Puro		411523	€/lm 10,75	
Oak Italica Smoked *		409919	€/lm 10,75	
Oak Italica Nature *		409920	€/lm 10,75	
Oak Livorno Smoked *		411018	€/lm 10,75	
Oak Melina Puro / Oak Eleganza Puro		411524	€/lm 10,75	
Oak Portland Grey *		409924	€/lm 10,75	
Oak Portland Nature		409925	€/lm 10,75	
Oak Portland Puro		409926	€/lm 10,75	
Oak Savona Nature *		411020	€/lm 10,75	
Oak Savona White *		411021	€/lm 10,75	
Eiche Sicilia natur *		410433	€/lm 10,75	
Oak Sicilia Puro *		410431	€/lm 10,75	
Oak Sicilia White / Oak Bergamo Silver Grey		411525	€/lm 10,75	

^{*} While stocks last

HDF-Easy moulding for Laminate Floors

Style (Wood reproduction)		ID N°	€ excl. VAT	
Oak Terana *		411526	€/lm 10,75	
Oak Torri Grey	NEW	412454	€/lm 10,75	
Oak Veneto Crema		409901	€/lm 10,75	
Oak Veneto Mocca		410432	€/lm 10,75	
Oak Veneto Nature / Oak Calla Nature		411527	€/lm 10,75	
Oak Verano *		411528	€/lm 10,75	
Graphite Oak		411529	€/lm 10,75	
Italian Walnut / Alabama Oak / Walnut Ambiente *		411530	€/lm 10,75	
Walnut Cesano	NEW	412452	€/lm 10,75	
Walnut Vario	NEW	412459	€/lm 10,75	
Pine Florence	NEW	412451	€/lm 10,75	
Silver Maple Vario	NEW	412460	€/lm 10,75	
Holm Oak		411531	€/lm 10,75	
Elm Vario	NEW	412458	€/lm 10,75	

^{*} While stocks last

Real wood floor moulding for parquet



allille

Transition moulding





Real wood floor moulding for parquet

Transition or reducer moulding with simple and quick glue installation. Matching colour and texture. When used as a transition moulding (different floor heights), a height compensation to 9 mm is possible between the two floor areas.

Length: 90 cm PU: 1 pc. Min. quant.f. discount: 10 pc. = 9 lm

Wood species		ID N°	€ excl. VAT	
Oak brushed, oiled		410379	€/lm 19,08	
Smoked Oak brushed oiled		411302	€/lm 20,75	
Oak invisible brushed, oiled		411303	€/lm 20,75	
Oak Light White brushed oiled		411306	€/lm 20,75	
Oak Puro White brushed oiled		411304	€/lm 20,75	
Oak Sand Grey brushed oiled		411305	€/lm 20,75	
Smoked Oak brushed oiled	NEW	412152	€/lm 20,75	
Smoked Oak Invisible brushed oiled	NEW	412153	€/lm 20,75	
Smoked Oak Puro White brushed oiled	NEW	412154	€/lm 20,75	
Oak brushed prefinished matt		411307	€/lm 20,75	
Smoked Oak brushed prefinished matt		411308	€/lm 20,75	
Oak Invisible brushed, prefinished matt		411309	€/lm 20,75	
Oak Light White brushed prefinished matt		411312	€/lm 20,75	
Oak Puro White brushed prefinished matt		411310	€/lm 20,75	
Oak Sand Grey brushed prefinished matt		411311	€/lm 20,75	

Product line orders mouldings

The following mouldings are available on request within approx. 2 weeks delivery time. Many other versions are also possible and we will be happy to offer them on request.

For orders from this product range, a processing fee of €10 will be charged for order values which are lower than €100. Fast deliveries within 3-5 working days are possible on request.

PREMIUM Mouldings for Parquet and Laminate

The versatile and flexible solution for the highest demands. Suitable for floor coverings between 7 and 18mm.

WITH A WIDE BASE SECTION

Transition moulding Premium XXL Type 388

Product line orders

Designed for flooring thicknesses between 7 and 18 mm this system provides three major advantages:

It can cover a 13% wider expansion joint of now up to 17.5 mm, allows using torx screws, and features reinforced countersunk holes for secure mounting.

- 40 - 44 - +	Length 90 cm		Length 270 cm		
	PU: 1 pc. Length: 90 cm		PU: 1 pc. Length: 270 cm		
Style	ID N° € excl. VAT		ID N°	€ excl. VAT	
Gold, silver, sand, bronze, stainless steel/titan	411780 €/lm 31,67		411781	€/lm 30,00	

ECONOMY Mouldings


Transition moulding Type 438

Product line orders

Length: 270 cm

Colour silver

	ID N°	PU	Min. quant. f. discount	€ excl. VAT	
self-adhesive with protective sheeting	411782	1 pc.		€/lm 8,25	



Transition moulding Type 438

with mounting holes


Colour black

Product line orders

€/lm 7,83

Length: 270 cm

	ID N°	PU	Min. quant. f. discount	€ excl. VAT	
self-adhesive with protective sheeting	411784	1 pc.	-	€/lm 10,17	




Transition moulding Type 459

Colour silver

Product line orders

Length: 270 cm

		ID N°	PU	Min. quant. f. discount	€ excl. VAT	
self-adhesive with protective sheeting	1	411785	1 pc.	-	€/lm 7,08	
with mounting holes	2	411786	1 pc.	-	€/lm 6,58	




Joint moulding for Parquet Type 196

One-piece moulding for a smart and sleek ending of the floor covering especially at separating joints and doorways. Specially geared to HARO PARQUET 13.5 mm

Product line orders

Length: 270 cm

Colour	ID N°	PU	Min. quant. f. discount	€ excl. VAT	
silver	411787	1 pc.	-	€/lm 12,08	



Joint moulding for Laminate Floors Type 192

One-piece moulding for a smart and sleek ending of the floor covering especially at separating joints and doorways. Specially geared to HARO Laminate Floor 7 mm

ength:	270	cm

Product line orders

Colour	ID N°	PU	Min. quant. f. discount	€ excl. VAT	
silver	411788	1 pc.	-	€/lm 9,58	

MONO-CLIP - Mouldings for clips For parquet floors

Suitable for floor coverings between 12 and 17 mm in thickness. Top clip-on moulding, without screws.

Transition moulding Mono-Clip type 561/561 H in anodised colours or wood styles

Product line orders

Two-piece clip-on moulding system for parquet floors. Featuring unique clip technology and a broad choice of high-quality covers, Mono-Clip is not only a very stylish, but also a very safe and easy moulding system for all parquet floors from 12 to 17 mm thickness.

1,1-1,1-1	PU: 1 piece			Length 200 cm PU: 1 piece			Length 300 cm PU: 1 piece		
Style	ID N°	€ excl. VAT		ID N°	€ excl. VAT		ID N°	€ excl. VAT	
561: anodised: silver, sand, bronze, stainless steel/titan	411789	€/lm 19,92		411790	€/lm 19,08		411791	€/lm 19,08	
561 H: wood reproduction: Oak light, Oak White Limewashed	411792	€/lm 20,75		411793	€/lm 19,92		411794	€/lm 19,92	

End moulding Mono-Clip type 560/560 H in anodised colours or wood styles

Product line orders

Two-piece clip-on moulding system for parquet floors. Featuring unique clip technology and a broad choice of high-quality covers, Mono-Clip is not only a very stylish, but also a very safe and easy moulding system for all parquet floors from 12 to 17 mm thickness.

-21-4	PU: 1 piece			Length 200 cm PU: 1 piece			Length 300 cm PU: 1 piece		
Style	ID N°	€ excl. VAT		ID N°	€ excl. VAT		ID N°	€ excl. VAT	
560: anodised: Silver, sand, bronze, stainless steel/titan	411795	€/lm 19,92		411796	€/lm 19,08		411797	€/lm 19,08	
560 H: Wood style: Oak Light, Oak White Limewashed	411798	€/lm 20,75		411799	€/lm 19,92		411800	€/lm 19,92	

Reducer moulding Mono-Clip type 559/559 H in anodised colours or wood styles

Product line orders

Two-piece clip-on moulding system for parquet floors. Featuring unique clip technology and a broad choice of high-quality covers, Mono-Clip is not only a very stylish, but also a very safe and easy moulding system for all parquet floors from 12 to 17 mm thickness.

	PU: 1 piece			Length 200 cm PU: 1 piece			Length 300 cm PU: 1 piece		
Style	ID N°	€ excl. VAT		ID N°	€ excl. VAT		ID N°	€ excl. VAT	
559: anodised: silver, sand, bronze, stainless steel/titan	411801	€/lm 20,75		411802	€/lm 19,92		411803	€/lm 19,92	
559 H: wood reproduction: Oak light, Oak White Limewashed	411804	€/lm 21,58		411805	€/lm 20,75		411806	€/lm 20,75	

MONO-CLIP - Mouldings for clips for laminate floors

Suitable for floor coverings between 7 and 12 mm in thickness. Top clip-on moulding, without screws.

Transition moulding Mono-Clip type 558/558 H available in different anodised or laminate colours

Product line orders

Two-piece clip-on moulding system for laminate floors. Featuring unique clip technology and a broad choice of high-quality covers, Mono-clip is not only a very stylish, but also a very safe and easy moulding system for all laminate floors from 7 to 12 mm thickness.

	Length 100 cm PU: 1 piece			Length 200 cm PU: 1 piece			Length 300 cm PU: 1 piece		
Style	ID N°	€ excl. VAT		ID N°	€ excl. VAT		ID N°	€ excl. VAT	
558: anodised: silver, sand, bronze, stainless steel/titan	411807	€/lm 19,92		411808	€/lm 19,08		411809	€/lm 19,08	
558 H: wood reproduction: Oak light, Oak White Limewashed	411810	€/lm 20,75		411811	€/lm 19,92		411812	€/lm 19,92	

Mono-Clip end moulding Type 557 / 557 H, available in different anodised or laminate colours

Product line orders

Two-piece clip-on moulding system for laminate floors. Featuring unique clip technology and a broad choice of high-quality covers, Mono-clip is not only a very stylish, but also a very safe and easy moulding system for all laminate floors from 7 to 12 mm thickness.

—21→1 1 → 1	Length 100 cm PU: 1 piece			Length 200 cm PU: 1 piece			Length 300 cm PU: 1 piece		
Style	ID N°	€ excl. VAT		ID N°	€ excl. VAT		ID N°	€ excl. VAT	
557: anodised: silver, sand, bronze, stainless steel/titan	411813	€/lm 19,92		411814	€/lm 19,08		411815	€/lm 19,08	
557 H: wood reproduction: Oak light, Oak White Limewashed	411816	€/lm 20,75		411817	€/lm 19,92		411818	€/lm 19,92	

Mono-Clip reducer moulding Type 556 / 556 H, available in different anodised or veneer colours

Product line orders

Two-piece clip-on moulding system for laminate floors. Featuring unique clip technology and a broad choice of high-quality covers, Mono-clip is not only a very stylish, but also a very safe and easy moulding system for all laminate floors from 7 to 12 mm thickness.

	PU: 1 piece			Length 200 cm PU: 1 piece			Length 300 cm PU: 1 piece		
Style	ID N°	€ excl. VAT		ID N°	€ excl. VAT		ID N°	€ excl. VAT	
556: anodised: silver, sand, bronze, stainless steel/titan	411819	€/lm 20,75		411820	€/lm 19,92		411821	€/lm 19,92	
556 H: wood reproduction: Oak light, Oak White Limewashed	411822	€/lm 21,58		411823	€/lm 20,75		411824	€/lm 20,75	

DESIGN-CLIP - Clip-on floor mouldings for design floor

Suitable for floor coverings between 4 and 7,5 mm in thickness. Top clip-on moulding, without screws.

Transition moulding Design Clip type 578/578 H in anodised or laminate colours

Product line orders

Two-piece clip-on moulding system for laminate floors. Thanks to its unique clip technology and the high-quality cover options, Design-Clip is a highly attractive and very secure moulding system for all laminate floors from 4 to 7.5 mm thickness.

	Length 100 cm		Length 270 cm		:m	
The state of the s	PU: 1 piece	2		PU: 1 piece	2	
Style	ID N°	€ excl. VAT		ID N°	€ excl. VAT	
578 : anodised: silver, sand, bronze, gold, stainless steel/titan	411825	€/lm 17,42		411826	€/lm 17,00	
578 H: Wood styles: Oak Light, Oak Grey, Oak White Limewashed, Oak Beige-Grey, Oak Creme, Oak Grey, Tigua	411827	€/lm 18,25		411828	€/lm 17,83	

End moulding Design Clip type 577/577 H in anodised or laminate colours

Product line orders

Two-piece clip-on moulding system for laminate floors. Thanks to its unique clip technology and the high-quality cover options, Design-Clip is a highly attractive and very secure moulding system for all laminate floors from 4 to 7.5 mm thickness.

	ı	Length 100 c	:m		Length 270 c	:m
	PU: 1 piece	9		PU: 1 piece	2	
Style	ID N°	€ excl. VAT		ID N°	€ excl. VAT	
577: Anodised: silver, sand, bronze, stainless steel/titan	411829	€/lm 17,42		411830	€/lm 17,00	
577 H: Wood styles: Oak Light, Oak Grey, Oak White Limewashed, Oak Beige-Grey, Oak Creme, Oak Grey, Tigua	411831	€/lm 18,25		411832	€/lm 17,83	

Reducer moulding Design Clip type 576/576 H in anodised or laminate colours

Product line orders

Two-piece clip-on moulding system for laminate floors. Thanks to its unique clip technology and the high-quality cover options, Design-Clip is a highly attractive and very secure moulding system for all laminate floors from 4 to 7.5 mm thickness.

	ı	Length 100 (:m	ı	Length 270 c	m
	PU: 1 piece	2		PU: 1 piece	9	
Style	ID N°	€ excl. VAT		ID N°	€ excl. VAT	
576: anodised: silver, sand, bronze, stainless steel/titan	411833	€/lm 18,25		411834	€/lm 17,83	
576 H: Wood styles: Oak Light, Oak Grey, Oak White Limewashed, Oak Beige-Grey, Oak Creme, Tigua	411835	€/lm 19,08		411836	€/lm 18,67	

Radiator rosettes

Radiator Rosettes

Made of premium solid wood presenting a pleasant, harmonious overall appearance. Thanks to their low height, they elegantly and unobtrusively blend into the room. The radiator rosettes match the most popular wood species.

	Inside diameter 15 mm (1/4 inch) Outside diameter 5 cm PU: 1 pc. Min. quant.f. discount: 10 pc.		Inside diameter 19 mm (3/8 inch) Outside diameter 5 cm PU: 1 pc. Min. quant.f. discount: 10 pc.		Inside diameter 22 mm (1/2 inch) Outside diameter 5 cm PU: 1 pc. Min. quant.f. discount: 10 pc.				
1 5									
Wood species	ID N°	€ excl. VAT		ID N°	€ excl. VAT		ID N°	€ excl. VAT	
Oak	403575	€/pc. 6,58		403449	€/pc. 6,58		403448	€/pc. 6,58	
Beech	403574	€/pc. 6,58		403453	€/pc. 6,58		403452	€/pc. 6,58	
Maple	403576	€/pc. 6,58		403442	€/pc. 6,58		403441	€/pc. 6,58	
Cherry*				403444	€/pc. 6,58				
darker wood types 406210 €/pc. 6,58		406211	€/pc. 6,58		406212	€/pc. 6,58			
White	409244	€/pc. 6,58		409245	€/pc. 6,58		409246	€/pc. 6,58	

^{*} While stocks last



Double Radiator Rosettes

Made of premium solid wood presenting a pleasant, harmonious overall appearance. The elegant solution for double radiator pipes.

Dimensions: 11x58x122 mm Diameter: 19 mm

Wood species	ID N°	PU	Min. quant. f. discount	€ excl. VAT	
Oak	405162	1 pc.	10 pc.	€/pc. 16,58	
Beech	405163	1 pc.	10 рс.	€/pc. 16,58	
Maple	405164	1 pc.	10 pc.	€/pc. 16,58	
White	409247	1 pc.	10 рс.	€/pc. 16,58	



Double Radiator Rosettes

For individual holes

Dimensions: 12x50x120 mm

Wood species	ID N°	PU	Min. quant. f. discount	€ excl. VAT
Oak	405530	1 pc.	10 pc.	€/pc. 10,75
Beech	405531	1 pc.	10 pc.	€/pc. 10,75
Maple	405532	1 pc.	10 pc.	€/pc. 10,75
White	409249	1 pc.	10 рс.	€/pc. 10,75

HARO Floor Care

How we preserve the beauty of the floor for many years to come

The HARO brand stands for floors with naturally beautiful surfaces. To ensure that HARO floors remain beautiful for as long as possible, we have developed cleaning and care products that are specifically aligned with these floors.

Naturally, you can also use our products for all other commercially available hard floor coverings on the market.



Regular cleaning

For regular cleaning of the floors. Removes dirt quickly and easily while protecting your floor.



Intensive Cleaning

Cleans the floors deeply, penetrating the pores and removing even heavy soiling. Can be applied specifically to individual areas or the entire surface. After application, the floor should be treated with HARO 'Care & Refresh' to achieve even better protection.



'Care & Refresh'

For refreshing the look of the floor and after treatment with HARO Intensive Cleaning. HARO 'Care & Refresh' increases the moisture protection and durability of HARO Floors.



,Regular Cleaning' for parquet and DISANO Design Floor clean & green natural

Mopping for regular cleaning of oiled and varnished hard floor coverings

- Parquet floors (oiled, varnished, naturaDur)

- Spa Parquet

- DISANO Design Floors

Contents: 500 ml

- Cork floors	(oiled.	sealed))

- Linoleum floors

- Open-pored stone floors

ID N°	PU	Min. quant. f. discount	€ excl. VAT	
412425	1 pc.	12 pc.	€/can 10,79	



,Intensive Cleaning' for parquet and DISANO Design Floor clean & green intense

Basic cleaner for oiled and varnished hard floor coverings before using 'Care & Refresh'

- Parquet floors (oiled, prefinished, naturaDur)

- Spa Parquet

- DISANO Design Floor

Contents: 500 ml

-	Coi	rk t	loors	(oiled,	sea	led)

- Linoleum floors

- Open-pored stone floors

ID N°	PU	Min. quant. f. discount	€ excl. VAT	
412426	1 pc.	12 pcs.	€/can 10,79	



,Care & Refresh' for oiled parquet clean & green aqua oil

Protects and cares for your floor after intensive cleaning For all oiled surfaces

- Parquet floors (oiled)
- Cork floors (oiled)
- Spa Parquet

Contents: 1000 ml Coverage: approx. 50 m²

ID N°	PU	Min. quant. f. discount	€ excl. VAT	
412427	1 pc.	6 pcs	€/can 51,58	



,Care & Refresh' for oiled parquet clean & green natural aqua oil White

for the maintenance of white oiled surfaces

Contents: 1000 ml Coverage: approx. 50 m²

ID N°	PU	Min. quant. f. discount	€ excl. VAT	
412424	1 pc.	6 pcs	€/can 54,08	



,Care & Refresh' for oiled parquet clean & green aqua oil Black

for the maintenance of black oiled surfaces

Contents: 1000 ml Coverage: approx. 50 m²

ID N°	PU	Min. quant. f. discount	€ excl. VAT	
412423	1 pc.	6 pcs	€/can 54,08	



,Care & Refresh' for sealed parquet and DISANO Design Floor clean & green aqua shield

Protects and refreshes your floors after intensive cleaning For all varnished surfaces

- Parquet floors (varnished, naturaDur)
- Cork floors (varnished)
- DISANO Design Floor

Contents: 1000 ml	
Coverage: approx. 50 n	n

ID N°	PU	Min. quant. f. discount	€ excl. VAT	
412428	1 pc.	6 pcs	€/can 51,58	

Floor care products for Laminate Floor



,Regular Cleaning' for laminate floors clean & green active

Cleaner for the regular cleaning of all coated hard floor coverings

- Laminate floors
- PVC/Synthetic floors,
- LVT/Vinyl floors
- Glazed/Unglazed tiles
- Stoneware

Contents: 500 ml

ID N°	PU	Min. quant. f. discount	€ excl. VAT	
412429	1 pc.	12 pc.	€/can 10,79	



Intensive Cleaning' for laminate floors clean & green intense

Basic cleaner for all coated hard floor coverings before using 'Care & Refresh'

- Laminate floors
- PVC/Synthetic floors,
- LVT/Vinyl floors
- Glazed/Unglazed tiles
- Stoneware

Contents: 500 ml

ID N°	PU	Min. quant. f. discount	€ excl. VAT	
412430	1 pc.	12 pc.	€/can 10,79	



,Care & Refresh' for laminate floors clean & green aqua shield

Protects and refreshes your floor after intensive cleaning

For all coated surfaces

- Laminate floors
- PVC/Synthetic floors
- LVT/Vinyl floors

Contents: 1000 ml Length: 1000 ml Coverage: approx. 50 m²

ID N°	PU	Min. quant. f. discount	€ excl. VAT	
412431	1 pc.	6 pcs	€/can 51,58	

Sample bag for 'Regular Cleaning'

Sample bag ,Regular Cleaning' for parquet and DISANO Design Floor clean & green natural

Contents: 100 bags in a carton 1 sachet = 1 application

ID N°	PU	Min. quant. f. discount	€ excl. VAT	
412472	-	-	€/pack 74,17	

Sample bag ,Regular Cleaning' for laminate floors clean & green active

Contents: 100 bags in a carton 1 sachet = 1 application

ID N°	PU	Min. quant. f. discount	€ excl. VAT	
412473	-	-	€/pack 74,17	

Floor care tools



,Wischwiesel' flat wet-mop for ,Care & Refresh'

Ideal for applying HARO care products. Ensures easy, even and streak-free application! Width 40 cm.

Description: With 3-piece telescopic handle: 3x50 cm

ID N°	PU	Min. quant. f. discount	€ excl. VAT	
407639	1 pc.	-	€/pc. 16,63	



Cover for .Wischwiesel'

Washable mop head for 'Wischwiesel' flat wet-mop – made of microfibre. Width: 40 cm $\,$

ID N°	PU	Min. quant. f. discount	€ excl. VAT	
407640	1 pc.	-	€/pc. 8,25	



Mop head for ,Wischwiesel' flat wet-mop, specially designed for deep brushed parquet

Washable mop head for 'Wischwiesel' flat wet-mop - made of microfibre. Width: 40 cm

ID N°	PU	Min. quant. f. discount	€ excl. VAT	
408932	1 pc.	-	€/pc. 9,92	



Bucket

Sturdy bucket for 'Wischwiesel' flat wet-mop. 20 litre capacity.

ID N°	PU	Min. quant. f. discount	€ excl. VAT	
408209	1 pc.	-	€/pc. 20,75	



Floor cleaner set

For applying HARO 'Regular Cleaning' and HARO 'Intensive Cleaning' Width: 40 cm

ID N°	PU	Min. quant. f. discount	€ excl. VAT	
407448	1 pc.	-	€/pc. 33,25	



Cotton cover for floor cleaner set

Width: 40 cm

ID N°	PU	Min. quant. f. discount	€ excl. VAT	
407449	1 pc.		€/pc. 6,58	

Floor care tools



Polishing Cloth

Special cloth for cleaning and care; also excellent for buffing and drying.

ID N°	PU	Min. quant. f. discount	€ excl. VAT	
403139	1 bag	50 bag	€/bag 6,58	

Floor care products for bioTec oil/wax finish



Oil Balm

Specially formulated floor care product for repair work and for the intensive care of oil/wax-finished parquet in demanding applications. Also suitable for the surface treatment of sanded, unfinished parquet.

Contents: 750.0 ml
Coverage: 7.00 ml/m ²

ID N°	PU	Min. quant. f. discount	€ excl. VAT	
403129	1 can	4 can	€/can 24,67	



Fibre pad, white

For the care of oil/wax-finished HARO PARQUET together with Oil Balm.

Contents: 5 pc.
Size: 150x220 mm

ID N°	PU	Min. quant. f. discount	€ excl. VAT	
403602	1 pack	10 pack	€/pack 7,42	

Floor care accessories

Our care accessories protect and keep your HARO floor for such a long time.



HARO Protective fleece

Multifunctional anti-slip protection and protective fleece. The HARO Protective fleece is equipped with a non-slip underside and a waterproof foil. The ideal solution to protect floors and stairs. For use on dry surfaces subject to low to moderate mechanical strain.

Thickness: approx. 1.3 mm roll: $50 \times 1 \text{ m}$ pallet: 24 rolls = 1200 m^2

ID N°	PU	Min. quant. f. discount	€ excl. VAT	
410633	1 roll = 50 m ²	12 rolls = 600 m²	€/m² 4,13	



Protective floor mat

Polycarbonate is unbreakable according to ISO 179. Produced without softeners and solvents; non-odorous and 100% recycable. Suitable for use over underfloor heating.

Thickness: 2 mm
Size: 90x120 cm
Size: 150x120 cm

Size	ID N°	PU	Min. quant. f. discount	€ excl. VAT	
size L	402403	1 pc.	10 рс.	€/pc. 95,00	
size M	405529	1 pc.	10 рс.	€/pc. 56,67	

Floor care accessories



Protective felt pads, screw-on

Diameter: 24 mm Contents: 8 pc. (for 2 chairs)

ID N°	PU	Min. quant. f. discount	€ excl. VAT	
400009	1 bag	10 bag	€/bag 8,25	



Chair leg pads made of Teflon (PTFE) - self-adhesive, round

High-quality chair leg pads made of Teflon with excellent gliding properties and minimum friction. Self-adhesive, round.

Contents: 8 pc. (for 2 chairs)

Size	ID N°	PU	Min. quant. f. discount	€ excl. VAT	
22 mm	408211	1 pack	10 pack	€/pack 7,75	
25 mm	408278	1 pack	10 pack	€/pack 8,58	
30 mm	408279	1 pack	10 pack	€/pack 11,17	



Chair leg pads made of Teflon (PTFE) - self-adhesive, square

High-quality chair leg pads made of Teflon with excellent gliding properties and minimum friction. Self-adhesive, square.

Contents: 8 pc. (for 2 chairs)

Size	ID N°	PU	Min. quant. f. discount	€ excl. VAT	
25 X 25 MM	408281	1 pack	10 pack	€/pack 8,58	
30 x 30 mm	408282	1 pack	10 pack	€/pack 11,17	



Chair leg pads made of Teflon (PTFE) - round, screw-on

High-quality chair leg pads made of Teflon with excellent gliding properties and minimum friction. Round, screw-on.

Contents: 8 pc. (for 2 chairs)

Size	ID N°	PU	Min. quant. f. discount	€ excl. VAT	
22 mm	408210	1 pack	10 pack	€/pack 10,33	
25 mm	408277	1 pack	10 pack	€/pack 11,17	
30 mm	408280	1 pack	10 pack	€/pack 13,75	



Fidbox V.6

Installed underneath the parquet floor, the Fidbox device regularly measures and stores temperature and air humidity.

The results can be read any time via bluetooth and without touching the floor. Reading the saved data is possible by means of the fidbox V.6 USB reader and the corresponding app.

Model		ID N°	PU	Min. quant. f. discount	€ excl. VAT	
Fidbox V.6	①	409642	-	-	on request	
USB reader	2	409643	-	-	on request	

Renovation - Professional help for enduring enjoyment of your floor

Wherever damage should occur, you can easily improve the damage with our renovation products.

Service Box

This complete kit is the professional solution for remedying surface blemishes of our floor coverings. Supplied in a functional, easy-to-transport case. Refills can be ordered separately for all items.



HAMBERGER Service Box - the complete kit for renovations

For professionals

Content: Entire range with soft wax C12, hard wax C13, C22 paint pen, spare tips for paint pen, clear lacquer brush pen C28, filling planer C46, varnish scraper, sanding mat, cleaning and degreasing mat, Trikot DIN A5, HARO special repair putty, varnish, spatula, sanding paper. Available with hard wax melter C41 or battery-operated hard wax melter.

Model	ID N°	PU	Min. quant. f. discount	€ excl. VAT	
with hard wax melter C41	402168	1 pc.	-	€/pc. 332,50	
with battery-operated hard wax melter	405972	1 pc.	-	€/pc. 282,50	



HARO Repair Kit

For DIYers

Repair kit with hard wax C₁₃ for quick and professional repair of dents and scratches in HARO floor coverings and other wood or synthetic surfaces

Content: Battery-operated professional hard wax melter C48 (3 batteries included), filler plane C46, grey pad, white/green pad, Clear Lacquer Brush Pen C28, hard wax C1, cotton cloth

ID N°	PU	Min. quant. f. discount	€ excl. VAT	
409416	1 pc.	-	€/pc. 69,17	



Battery-operated hard wax melter

For DIYers

Handy, easy-to-use hard wax melter for mending small damaged spots.

ID N°	PU	Min. quant. f. discount	€ excl. VAT	
405864	1 pc.	10 pc.	€/pc. 49,17	



Hard wax melter C41

For the professional application of hard wax C₁₃.

For professionals

Description: Delivered without gas filling

ID N°	PU	Min. quant. f. discount	€ excl. VAT	
400474	1 pc.	-	€/pc. 82,50	



Hard wax set

For the professional repair of minor damage to the wood surface (e.g. dents, scratches, etc.)

For the hard wax melter. Each pack contains 4 bars of 4 cm length.

For DIYers

Colour	ID N°	PU	Min. quant. f. discount	€ excl. VAT	
lighter wood types	405865	1 pack	5 pack	€/pack 14,08	
middle, red wood types	405867	1 pack	5 pack	€/pack 14,08	
darker wood types	405866	1 pack	5 pack	€/pack 14,08	



Hard wax C₁₃

For the professional repair of minor damage to the wood surface (e.g. dents, scratches, etc.)

Available in different wood colours which can be intermixed, as desired. In this way, the colour and tone even of fine wood textures can be reproduced.

Content per assortment: Each pack contains 5 bars of different colours.

Colour	ID N°	PU	Min. quant. f. discount	€ excl. VAT	
lighter wood types	400364	1 pack	5 pack	€/pack 18,25	
Oak colours	400366	1 pack	5 pack	€/pack 18,25	
red wood types	400368	1 pack	5 pack	€/pack 18,25	
grey colours, white	402058	1 pack	5 pack	€/pack 18,25	
Beech colours	409671	1 pack	5 pack	€/pack 18,25	



Scraper

To scrape off the hard wax until it is level with the surrounding flooring.

For professionals

For DIYers

For professionals



ID N°	PU	Min. quant. f. discount	€ excl. VAT	
400470	1 pc.	-	€/pc. 11,58	



Soft wax C₁₂ with spatula

The filling material for quickly repairing small damage, such as cracks and chipping.

Each pack of 2 comes with a spatula.

Correct

Colour	ID N°	PU	Min. quant. f. discount	€ excl. VAT	
Maple/Beech light/Birch/Ash	405576	1 pc.	10 pc.	€/pc. 5,75	
Larch/Spruce/Pine	405577	1 pc.	10 pc.	€/pc. 5,75	
Beech steamed/Cherry	405578	1 pc.	10 pc.	€/pc. 5,75	
Oak/Red Oak/Smoked Oak/Iroko	405579	1 pc.	10 pc.	€/pc. 5,75	
Merbau / Jatoba	405580	1 pc.	10 pc.	€/pc. 5,75	
Walnut/African Oak	405581	1 pc.	10 pc.	€/pc. 5,75	
White RAL 9010	405582	1 pc.	10 pc.	€/pc. 5,75	



HARO repair putty set

For repairing larger or wider damaged spots on the wood surface, e.g. dents, nicks, splinters, etc.

Complete with repair putty, varnish, spatula and sanding paper.

The product is not subject to labelling regulations pursuant to the German Hazardous

Substances Ordinance (GefStoffV).



For DIYers

Colour	ID N°	PU	Min. quant. f. discount	€ excl. VAT	
Beech Steamed	405840	1 pc.	8 pc.	€/pc. 9,08	
Beech light/Maple	405842	1 pc.	8 pc.	€/pc. 9,08	
Oak	405841	1 pc.	8 pc.	€/pc. 9,08	
Smoked oak	405844	1 pc.	8 pc.	€/pc. 9,08	
Cherry	405846	1 pc.	8 pc.	€/pc. 9,08	
Merbau/Iroko	405848	1 pc.	8 pc.	€/pc. 9,08	
African oak/Wenge	405847	1 pc.	8 pc.	€/pc. 9,08	
white	405845	1 pc.	8 pc.	€/pc. 9,08	



C22 paint pen.

The quick touch-up varnish in different wood tones for colouring blemishes with and across the grain, e.g. minor scratches.

For professionals

For DIYers

Min. quant. f. discount Colour ID N° PU € excl. VAT Beech €/pc. 10,75 405555 1 pc. 5 pc. Oak €/pc. 10,75 405556 1 pc. 5 pc. Maple 405554 1 pc. 5 pc. €/pc. 10,75 Walnut 405557 1 pc. €/pc. 10,75



Clear Lacquer Brush Pen fix C28

For the quick finishing of finest scratches and abrasions or a filled spot with soft or hard wax.

Targeted varnishing without spray mist.

For DIYers

For professionals

	ID N°	PU	Min. quant. f. discount	€ excl. VAT	
	409680	1 pc.	5 pc.	€/pc. 14,92	
ľ					

	For DIYers Minor damage to the floor	For professionals Professional renovation
Hard wax set	•	•••
Hard wax C13	•	•••
Soft wax C12	••	•
HARO repair putty set	•••	•••
C22 paint pen.	•••	•••
Battery-operated hard wax melter	•••	•
Hard wax melter C41	•	•••
Clear Lacquer Brush Pen fix C28	•••	•••

excellently suited well suited

suitable to only a limited extent



General Terms and Conditions

General Terms and Conditions of Hamberger Flooring GmbH & Co. KG, 83003 Rosenheim, Germany, for resellers/dealers

Scope: form

- Scope; form
 These General Terms and Conditions (T&Cs) apply to all business relationships with our customers ("Customer"). The T&Cs shall apply only if the Customer is an entrepreneur (§ 14 of the German Civil Code (BGB)), a legal entity under public law or a special fund under public law.
 The T&Cs shall apply in particular to contracts for the sale and/or delivery of movable items ("Goods"), irrespective of whether we manufacture the Goods ourselves or purchase them from suppliers (§ 433, 65 of the BGB), and to any fitting services. Unless agreed otherwise, the T&Cs in the version valid at the time of the Customer's order or in the version last made available to the Customer in text form shall also apply as a framework agreement for similar future contracts without our having to refer to them again in each individual case.

 Our T&Cs of all apoly exclusively. Deviating, conflicting or supplementary.
- Contracts witnout our naving to reter to them again in each individual case. Our T&Cs shall apply exclusively. Deviating, conflicting or supplementary general terms and conditions of the Customer shall only become part of the contract if and to the extent that we have expressly consented to their validity. This requirement of consent shall apply in any case, for example even if we carry out the delivery to the Customer without reservation in knowledge of the Customer's T&Cs.
- Customer's roct.

 Individual agreements made with the Customer in individual cases (including subsidiary agreements, supplements and amendments) shall take precedence over these T&Cs in all cases. Subject to proof to the contrary, a written contract or our written confirmation shall be decisive for the content of such agree-
- Insofar as they do not contradict these T&Cs or the individual agreements, the Insotar as they do not contradict these I&Cs or the individual agreements, the customs in the timber trade, in particular the "Tegernsec Gebräuche - Gebräuche im inländischen Handel mit Rundholz, Schnittholz, Holzwerkstoffen und anderen Holzhalbwaren' (Tegernsec ustoms - Customs in the Domestic Trade in Round Timber, Sawn Timber, Timber Materials and Other Semi-finished Timber Products) in the respective current version with all annews and their appendix shall apply within the Federal Republic of Germany to all deliveries of timber. The wording of said provisions is assumed to be known. Otherwise the text shall be sent on request.
- Legally relevant declarations and notifications by the Customer with regard to the contract (e.g. setting of deadlines, notification of defects, withdrawal or reduction) must be submitted in writing, i.e. in written or text form (e.g. by letter, e-mail, fax). Statutory form requirements and further evidence, in particular in the event of doubts regarding the legitimacy of the person making the declaration, shall remain unaffected.
- References to the applicability of statutory provisions are for clarification purposes only. Even without such clarification, the statutory provisions shall therefore apply unless they are directly amended or expressly excluded in these

Offers/conclusion of contracts - prices

- Orreffers exubject to change without notice and are non-binding, unless they are expressly identified as binding or contain a specific acceptance dead-line. This shall also apply if we have provided the Customer with catalogues, technical documentation (e.g. drawings, plans, calculations, references to DIN standards), other product descriptions or papers including those in electronic
- form.

 A contract shall not be deemed to be concluded until the order is confirmed or executed by us. Our offers shall be subject to prior sale. The specifications, drawings and illustrations, as well as descriptions relating to delivery and performance contained in our brochures, catalogues, price lists or in the offer or documents pertaining to the offer, are approximate values in accordance with customary trade practice, unless they have expressly been referred to as binding in the order confirmation. We reserve the right to make changes to the manufacturing process and form of the delivery item, to the extent that such changes are acceptable for the Customer. If an offer is made on the basis of a sample, the colour and structure of the sample shall not be deemed warranted qualities. Samples provided shall only represent an average condition of the Goods. Specifications as to dryness, weight etc. are given according to the best of our knowledge, but shall be without obligation. Our prices are ex works, free to the truck or wagon, plus VAT.
- to the truck of wagon, plus VAI.

 If floors are laid by ourselves, our offer prices include delivery free to the cotruction site.
- 2.4. Prices quoted in our offers shall be binding on us for 30 calendar days
- rrices quoted in our offers shall be binding on us for 30 calendar days. If a change in certain cost factors manufacturing costs (as defined in § 255 (2) of the German Commercial Code (HGB)), packing material or freight of more than 3% occurs between conclusion of the transaction and delivery, the agreed price may be adjusted by us to reflect the relevant cost factors, whereby price reductions in other cost factors shall be taken into account in the adjustment in favour of the Customer. In the event of price increases of more than 25%, the Customer shall have the right to withdraw from the contract.

Creditworthiness

- Creditworthiness
 When accepting orders, we shall assume that the Customer is solvent. If it turns out that this was or is not the case, and if our claim to remuneration is jeopardized as a result, we shall be entitled to refuse performance and if necessary after setting a deadline to withdraw from the contract. We shall also be entitled to revoke payment terms granted and to demand payment in advance for further deliveries, against return of all bills of exchange and cheques accepted on account of payment, payment or securities. The clause above shall apply in particular if the contractual partner is in arrears regarding the payment of earlier invoices, in the event of a returned debit note, protest of a cheque or bill of exchange or if a substantial deterioration of his financial circumstances becomes known.
- Delivery and passing of risk shipping and packaging
- Delivery times shall not be deemed fixed dates unless expressly referred to as
- Partial deliveries are permissible to a reasonable extent and must be accepted.
- 4.2. Partial deliveries are permissible to a reasonable extent and must be accepted.
 4.3. Unless agreed otherwise, delivery shall be ex works (EXW Incoterms 2020). We shall only be required to deliver free to the construction site if this has been explicitly agreed. The risk of accidental loss of and accidental deterioration in the Goods shall be transferred to the Customer, at the latest, when the Goods are handed over. In the case of sale by delivery to a place other than the place of performance, the risk of accidental loss and accidental deterioration of the Goods as well as the risk of delay shall already pass upon delivery of the Goods to the forwarding agent, the carrier or any other person or institution designated to carry out the shipment. If acceptance has been agreed, this shall be decisive for the passing of risk. In all other respects, the statutory provisions of the law on contracts for work and services shall also apply accordingly to an agreed acceptance. If the Customer is in default of acceptance, this shall have no bearing on the handover or acceptance.

 4.4. If, despite proper and sufficient coverage of requirements prior to the conclusion of the contract, we are not supplied by our supplier/sub-supplier, or not supplied on time, or not supplied correctly, through no fault of our own, we shall inform the Customer of this in text form or in writing immediately after becoming aware of the problem. In such a case, we shall have the option to postpone delivery for the period of the impediment or to withdraw from the contract in whole or in part, provided that we have informed the Customer of the impediment and have not assumed any procurement risk pursuant to § 276 of the BGB or a delivery guarantee.

 4.5. Section 4.4 shall also apply in the event of force majeure. Force majeur effects to any event hevenoth the contract of the respective contraction acceptance.
- Of the Bob of a devivery guarantee.

 Section 4.4 shall also apply in the event of force majeure. Force majeure refers to any event beyond the control of the respective contracting party that prevents it from fulfilling its obligations in whole or in part. This includes any circumstance that makes delivery difficult or impossible, permanently or temporarily, with a duration of at least 14 working days, in particular route closure, impediments to shipping, strikes, lockouts, natural disasters, fire, war, warlike events, insurrection, official orders, pandemics etc.
- 4.6. If we have already delivered partial quantities, the Customer shall be obliged to accept the Goods already delivered under the terms and conditions agreed fo the order as a whole.
- the order as a whole.

 If the Customer is in default of acceptance, fails to cooperate or if our delivery is delayed for other reasons for which the Customer is responsible, we shall be entitled to demand compensation for the resulting damage including additional expenses (e.g. storage costs). In this case, we shall charge lump-sum compensation amounting to 0.5 % of the order sum per calendar week, but not more than 5%, starting from the beginning of the delay. Our entitlement to prove greater damage and our legal claims (in particular compensation of additional expensation), shall remain unaffected; however, the lump sum is to be credited against further monetary claims. The Customer shall be entitled to prove that we have incurred no damage at all or significantly less damage than the lump sum mentioned above.

- 4.8. If the delivery of orders placed on an on-call basis is not requested within one month after expiry of the agreed deadline, we shall be entitled to either insist on immediate acceptance or withdraw from the contract after setting another deadline. The same shall apply in the case of orders to be performed on call with no particular deadline agreed for demanding delivery, if more than four months have elapsed without any request for delivery since the order was confirmed.
- The inspection and complaint obligations pursuant to 5.5 shall also apply to
- 4.9. The inspection and compiant obligations pursuant to 5.5 shall also apply to transport damage.
 4.10.The occurrence of our default shall be determined in accordance with the statutory provisions. In all cases, however, a reminder by the Customer with a grace period of at least eight working days is required.

- Warranty

 Unless stipulated otherwise below, the statutory provisions shall apply to the Customer's rights in the event of material defects and defects of title (including wrong delivery and short delivery as well as improper fitting or defective fitting instructions). In all cases, the special statutory provisions shall emain unaffected in the case of final delivery of the unprocessed Goods to a consumer, even if the consumer has processed them further (supplier recourse pursuant to §§ 478 of the BGB). Claims from supplier recourse are excluded if the defective Goods have been further processed by the Customer or another entrepneaur, e.g. by installation in another product.

 The basis for our liability for defects is above all the agreement reached regarding the condition of the Goods. Only our product description shall be deemed ding the condition of the Goods. Only our product description shall be deemed
- ding the condition of the Goods. Only our product description shall be deemed to have been agreed for the condition of Goods. Public statements or extolling in advertisements shall not represent any additional indication as to the condi-tion of Goods under the contract. The mere reference to DIN or EN standard shall not make their contents a warranted quality.
- shall not make their contents a warranted quainty. Wood is a natural product. Its natural properties, variations and features are therefore to be taken into account in all cases. In particular, the Customer shall have to consider the biological, physical and chemical properties when buying, processing and using wood. The natural range of variation in terms of colour, structure and other characteristics within one species of wood is typical of wood as a natural product and shall not represent any cause for complaint or liability claims. If need be, the Customer shall seek appropriate expert advice.
- 5.4. If the quality was not agreed upon, it is to be judged according to the legal regulation whether a defect is present or not (§ 434 () Cl. 2 and 3 of the BGB).

 5.5. Under no circumstances shall we be liable for defects of which the Customer is
- Under no circumstances shall we be liable for defects of which the Customer is aware at the time of conclusion of the contract or is not aware owing to gross negligence (§ 442 of the B6B). Furthermore, the Customer's claims for defects presuppose that he has fulfilled his statutory obligations to examine the Goods and give notice of defects (§5 377, 38) of the HGB). In the case of building materials and other goods intended for installation or other further processing, an inspection must be carried out immediately before processing, if a defect is identified during delivery, inspection or at any later time, we must be notified of this in writing without delay. In all cases, obvious defects should be reported in writing within eight working days of delivery and defects not detectable upon inspection within the same period from discovery. If the Customer fails to propryl inspect the Goods and/or notify us of defects, our liability for the defect not reported or not reported on time or not reported properly shall be excluded in accordance with the statutory provisions.
- If the delivered item is defective, we may initially choose whether to provide subsequent performance by remedying the defect (rectification) or by delivering an item free of defects (replacement delivery). Our right to refuse subsequent performance under the statutory conditions shall remain unaffected.
- We shall be entitled to make the subsequent performance owed dependent or the Customer paying the remuneration due. The Customer shall however be entitled to retain a part of the remuneration that is reasonable in relation to the
- defect.

 The Customer shall grant us the time and opportunity required to provide subsequent performance, in particular to hand over the goods complained about
 for inspection purposes. In the case of a replacement delivery, the Customer
 shall return the defective item to us in accordance with the statutory provisions. Subsequent performance shall include neither the removal of the defective
 item nor the reinstallation if we were not originally obliged to install it.
- We shall bear or reimburse the costs of inspection and subsequent perfor We shall bear or reimburse the costs of inspection and subsequent perfor-mance, in particular transport, travel, labour and material costs and, if applica-ble, removal and installation costs, in accordance with the statutory provisions if a defect is actually present. Otherwise, we may demand that the Customer reimburse the costs incurred as a result of the unjustified request to remedy the defect (in particular inspection and transport costs), unless the lack of defecti-veness was not obvious to the Customer.
- veness was not obvious to the Customer.

 5.10. In the event of a return, the Customer shall pack the delivered item in a manner suitable for its transport. In the case of goodwill returns, the delivered item should be returned in the original packaging.

 5.11. If subsequent performance has failed or if a reasonable period to be set by the Customer for subsequent performance has expired unsuccessfully or is dispensable according to the statutory provisions, the Customer may withdraw from the purchase contract or reduce the purchase price. However, in the case of a minor defect, the Customer shall have no right of withdrawal.
- 5.12. Claims on the part of the Customer for damages or reimbursement of futile expenses shall also exist in the case of defects only in accordance with § 6 and shall otherwise be excluded.

Other liability

- If nothing to the contrary arises from these T&Cs including the following provisions, we shall be liable in accordance with the statutory provisions in the event of a breach of contractual and non-contractual obligations.
- of a breach of contractual and non-contractual obligations. We shall be liable for damages irrespective of the legal grounds within the scope of fault-based liability in the event of intent and gross negligence. In the event of simple negligence, we shall be liable, subject to statutory limitations of liability (e.g. zer in our own affairs; insignificant breaches of duty), only a) for damages resulting from injury to life, body or health,

 - a) for damages resulting from injury to life, body or health, b) for damages resulting from the breach of an essential contractual obligation (obligation whose fulfilment allows the proper execution of the contract and on compliance with which the contractual partner regularly relies and may rely); in this case, however, our liability shall be limited to compensation of the fore-seeable, typically occurring damage. The limitations of liability resulting from 6.2 shall also apply to third parties as well as to breaches of duty by persons (also in their favour) whose fault we are responsible for in accordance with statutory provisions. They shall not apply if a defect was fraudulently concealed or a guarantee for the quality of the Goods was assumed and for claims of the Customer under the Product Liability Act.

 The Customer may withdraw from or terminate the contract due to a breach of
- The Customer may withdraw from or terminate the contract due to a breach of duty that does not consist of a defect only if we are responsible for that breach of duty. A free right of termination on the part of the Customer (in particular according to §6 6_0 , 6_4 8 of the BGB) is excluded. The statutory requirements and legal consequences shall otherwise apply.
- and regal consequences shall other wise apply.

 The parties are required to mitigate damage (§ 254 (2) of the BGB). If damages from a breach of contract by the other party are foreseeable, the respective other party shall inform the contractual partner of this and of the foreseeable extent as well as foreseeable damage mitigation measures. The other party must be notified of measures to prevent or remedy damage in advance, unless they need to be taken immediately. If the respective other party is aware of or has the possibility of mitigating the damage, it shall point out this fact to the notifying party.

- Notwithstanding § 438 (1) No. 3 of the BGB, the general limitation period for claims arising from material defects and defects of title shall be one year from the date of delivery. If an acceptance procedure has been agreed upon, the limitation period shall commence upon acceptance.
- tation period shall commence upon acceptance.

 If the Goods are a building structure or an item that has been used for a building structure in accordance with its customary use and this use has caused its defectiveness (building material), the limitation period shall be 5 years from delivery in accordance with the statutory provision (§ 486 / 10 N. 2. of the BGB). Other special statutory provisions (regarding the limitation period (in particular § 438 (i) No. 1, Sect. 3, §§ 444, 445 b of the BGB) shall likewise remain unaffected. The above limitation periods as set out in the law on sales also apply to contractual and non-contractual claims for damages on the part of the Customer based on a defect in the Goods, unless the application of the regular statutory limitation period (§§ 195, 196 of the BGB) would lead to a shorter limitation period individual cases. Claims for damages on the part of the Customer pursuant to 6.2. Sect. 1 and Sect. 2 (a) as well as pursuant to the Product Liability Act shall become time-barred exclusively in accordance with the statutory limitation periods.

8. Fitting services

- 8. If we undertake fitting services (laying of floors), we shall assume that the substrate permits immediate fitting of the delivered Goods and that the measurements given to us are correct. Any costs resulting from defects in the substrate shall be at the expense of the Customer.

 8.2. If our products are fitted by us (e.g. laying of floors, panelling of ceilings and walls), the Customer shall assume responsibility for adequate and safe intermediate storage of the products delivered.
- mediate storage of the products delivered.

 Special treatment of the substrate and measurement of rooms shall only be performed by us if such services are part of the contract and expressly mentioned in our order confirmation. Any extra services shall be separately billed by us. Additional costs due to incorrect specification of site measurements or of dates on the part of the Customer shall be at his expense. On completion of special measures as well as on completion of the fitting work, the Customer shall have to confirm to the fitter in charge that the work performed and the measurements of the finished surface laid are correct. The provisions of the German Construction Contract Procedures (VOB), Part B and C apply. The measurements are calculated according to the shell dimensions, including thresholds and niches. Mouldings and expansion gaps shall not be deducted. Areas that are to be ignored such as the bases of pillars, chimneys etc., with a surface up to 0,5 m², shall not be deducted either.

 Retention of title

Retention of title

- up to 0.5 im.; snail not be deducted either. Retention of title

 Any items delivered (goods under reservation) shall remain our property until the purchase price and all other claims due to us as a result of the business relationship have been fully paid. Pledging or transfer or ownership by way of security shall not be admissible without our consent. Any processing of goods under reservation shall take place on our behalf, free of charge and without any obligation to regard us as the manufacturer within the meaning of § 950 of the BGB. The Customer shall transfer to us co-ownership of the new item in the ratio of the invoice value of the goods under reservation to the other processing shall be deemed goods under reservation; if the Goods delivered are combined with a movable item in such a way that they become an essential component of another item that is to be regarded as the main item, the Customer shall hereby assign to us co-ownership of the new item on a quota basis. In this case, he shall assign to us any claims for remuneration that may arise against any third party, together with all subsidiary rights, in the amount of the value of the goods under reservation, and he shall authorise us to collect such claims, with the provise of revocation. We accept such anticipatory assignment and authorisation. The Customer shall only be permitted to resell, process or modify the Goods in the ordinary course of business and only on condition that the claims are actually transferred to us. This includes the Customer receiving payment from his customer or making the reservation that ownership is not transferred to his customer or making the reservation that ownership is not transferred to his customer of making the reservation that ownership is not transferred to his customer of making the reservation or other dispositions or interventions by third parties, the Customer fulfils his payment to bilgations. The Customer shall reservation or other dispositions or interventions by third parties, the Customer must not five
- In the event of seizure, confiscation or other dispositions or interventions by third parties, the Customer must notify us without delay and in full.
- In the event that the Customer falls behind with payments, we shall be entitled, without setting another deadline, to terminate the Customer's right of title by unilateral declaration and demand return of the unprocessed material.
- ulmaterial declaration and utelinatin tectum of the upprocessed intelertal.

 All of the Customer's rights mentioned herein shall lapse in the event of discontinuation of payments and/or institution of insolvency proceedings. This shall not apply to the rights of the insolvency administrator.

 The assertion of the reservation of title by us shall not require withdrawal. Ho-
- wever, the Customer is obliged to grant us any access without delay so that we can make appropriate determinations and dispose of the goods under reserva-
- 9.6. If the value of the securities granted exceeds our claims, possibly reduced by down payments or instalments, by more than 20%, we shall be obliged to reassign title or release Goods in the same measure, whichever we may chose.
 9.7. On settlement of all our claims arising from the business relationship, ownership of the goods under reservation and any claims assigned to us shall be transferred to the Customer.

Payment terms

- 10. Payment terms
 10. Our invoices shall be issued bearing the date of shipment of Goods and, in the case of orders involving fitting, upon completion of the work. Unless agreed otherwise, they shall be due for payment without any deduction within 30 days.
 10.2. Any claims or performance in part shall be invoiced separately and shall each be payable individually, independently of the total scope of delivery or perfor-

- mance.

 10.3. Payments made on account shall be offset against part deliveries according to the order in which such deliveries are made.

 10.4.If payments are deferred or made after the due date, interest may be charged at the rate of 1% per month from the due date, including for the period of delay. Otherwise the legal provisions pursuant to §§ 286 ff of the BGB shall apply in the event of any default in payment. Any further claims shall remain unaffected.
- 10.5. A right to set off shall only exist in the event of undisputed claims or for claims that have been conclusively determined by a court.
 10.6. In the event of justified notices of defects, payments may only be withheld to an extent that is in reasonable proportion to the material defects that have occurred.
- 10.7. Our sales representatives and agents are not entitled to collect debts unless they produce our written authorisation to do so.

Place of performance – place of jurisdiction – applicable law

- 11. D-8307 Stephanskirchen shall be the place of performance and jurisdiction regarding deliveries and payments (including legal action based on dishonoured cheques or bills of exchange) as well as any disputes that may arise between the parties hereto, if the contractual partner is a merchant or a legal entity under public law or if he represents special finds under public law. However, we shall also be entitled to sue the Customer at his registered domicile.
- The relations between the contracting parties shall be governed exclusively by the law applicable in the Federal Republic of Germany to the exclusion of the United Nations Convention on Contracts for the International Sale of Goods dated 11.04_1980 (CISG).

Data protection

12.1. Our data protection information in accordance with Art. 13 of the GDPR is available via the following link: <a href="https://www.haro.com/gb/data-protection-dir

13. Final provisions
13.1. Should one or more of these provisions violate a legal prohibition or be legally ineffective for other reasons, the validity of the remaining provisions shall remain unaffected. In lieu of the invalid provision, it shall be deemed agreed what would have been closest to the economic interest and to the presumed will of the contracting parties in accordance with the other terms and conditions of business. The same applies to any loopholes. The contracting parties undertake to contribute earnestly to the completion of this replacement provision.